

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

General Certificate of Education

Advanced Subsidiary Level and Advanced Level

CANDIDATE NAME									
CENTRE NUMBER						NDIDA MBER			

147065296

CHEMISTRY 9701/41

Paper 4 Structured Questions

October/November 2012

2 hours

Candidates answer on the Question Paper.

Additional Materials: Data Booklet

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Section A

Answer all questions.

Section B

Answer all questions.

You may lose marks if you do not show your working or if you do not use appropriate units.

A Data Booklet is provided.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use						
1						
2						
3						
4						
5						
6						
7						
8						
Total						

This document consists of 17 printed pages and 3 blank pages.



Section A

Answer all the questions in the spaces provided.


ı	(a)		te down what you would see, and write equations for the reactions that occur, when $con(\mathrm{IV})$ chloride and $phosphorus(\mathrm{V})$ chloride are separately mixed with water.					
		silic	con(IV) chloride					
		pho 	sphorus(V) chloride					
			[4]					
	(b)		$n({\rm III})$ chloride, FeC l_3 , is used to dissolve unwanted copper from printed circuit boards CBs) by the following reaction.					
			$2FeCl_3(aq) + Cu(s) \rightarrow 2FeCl_2(aq) + CuCl_2(aq)$					
	A solution in which [Fe ³⁺ (aq)] was originally equal to 1.50 mol dm ⁻³ was re-used seve times to dissolve copper from the PCBs, and was then titrated as follows. A 2.50 cm ³ sample of the partially-used-up solution was acidified and titrated w							
		0.02 This	$2.50\mathrm{cm^3}$ sample of the partially-used-up solution was acidified and titrated with $200\mathrm{moldm^{-3}}$ KMnO ₄ . In the solution back to FeC l_3 . as found that $15.0\mathrm{cm^3}$ of KMnO ₄ (aq) was required to reach the end point.					
		(i)	Construct an ionic equation for the reaction between Fe^{2+} and MnO_4^- in acid solution.					
		(ii)	State here the Fe ²⁺ : MnO ₄ ⁻ ratio from your equation in (i)					
		(iii)	Calculate the number of moles of MnO ₄ ⁻ used in the titration.					
	((iv)	Calculate the number of moles of Fe^{2+} in $2.50cm^3$ of the partially-used-up solution.					

For Examiner's Use

	(v)	Calculate the [Fe ²⁺] in the partially-used-up solution.
	(vi)	Calculate the mass of copper that could still be dissolved by 100 cm³ of the
		partially-used-up solution.
		mass of copper = g [6]
(c)		en SiC l_4 vapour is passed over Si at red heat, Si $_2$ C l_6 is formed. Si $_2$ C l_6 contains a Si-Si
	bon The	a. reaction of $\operatorname{Si_2Cl_6}$ and $\operatorname{Cl_2}$ re-forms $\operatorname{SiCl_4}$.
		$Si_2Cl_s(g) + Cl_2(g) \rightarrow 2SiCl_4(g)$
	Hee	bond energy data from the <i>Data Booklet</i> to calculate ΔH° for this reaction.
	030	s bolid ellergy data from the Data Bookiet to calculate 211 for this reaction.
		$\Delta H^{\circ} = \dots kJ \text{mol}^{-1}$ [2]
(-I\	0-1	
(a)		cium forms three calcium silicides, Ca ₂ Si, CaSi and CaSi ₂ . The first of these reacts water as follows.
		Ca ₂ Si +H ₂ O \rightarrow Ca(OH) ₂ +SiO ₂ +H ₂
	(i)	Balance this equation. You may find the use of oxidation numbers helpful.
	(ii)	During this reaction, state
		which element(s) have been oxidised,
		which element(s) have been reduced[2]
		[Total: 14]

2 (a) The diagram below shows an incomplete experimental set-up needed to measure the $E_{\rm cell}$ of a cell composed of the standard Cu²⁺/Cu electrode and an Ag⁺/Ag electrode.

For Examiner's Use



((i)	State	the	chemical	comp	osition	of
۸							•

solution A,

(ii) Complete the diagram to show the whole experimental set-up.

[4]

(b) The above cell is not under standard conditions, because the [Ag⁺] in a saturated solution of AgCl is much less than 1.0 mol dm⁻³. The $E_{\rm electrode}$ is related to [Ag⁺] by the following equation.

equation 1
$$E_{\text{electrode}} = E_{\text{electrode}}^{\text{e}} + 0.06 \log[Ag^{+}]$$

(i) Use the *Data Booklet* to calculate the E_{cell}^{e} if the cell was operating under standard conditions.

$$E_{\text{cell}}^{\text{e}} = \dots V$$

In the above experiment, the E_{cell} was measured at +0.17V.

(ii) Calculate the value of $E_{\text{electrode}}$ for the Ag⁺/Ag electrode in this experiment.

.....

(iii) Use equation 1 to calculate [Ag⁺] in the saturated solution.

$$[Ag^{\scriptscriptstyle +}] = \dots \mod dm^{\scriptscriptstyle -3}$$

[3]

For

(c)	(i)	Write an expression for K_{sp} of silver sulfate, Ag_2SO_4 , including units.	Examiner's Use
		K_{sp} = units	036
		ng a similar experimental set-up to that illustrated opposite, it is found that [Ag $^+$] in a urated solution of Ag $_2$ SO $_4$ is 1.6 \times 10 $^{-2}$ mol dm $^{-3}$.	
	(ii)	Calculate the value of $K_{\rm sp}$ of silver sulfate.	
		$K_{sp} = \dots$ [3]	
(d)		scribe how the colours of the silver halides, and their relative solubilities in $NH_3(aq)$, be used to distinguish between solutions of the halide ions Cl^- , Br^- and I^- .	
		[4]	
(e)	Des	scribe and explain the trend in the solubilities of the sulfates of the elements in Group II.	
		[4]	
		[Total: 18]	

6 (a) Catalysts can be described as homogeneous or heterogeneous. (i) What is meant by the terms homogeneous and heterogeneous? (ii) By using iron and its compounds as examples, outline the different modes of action of homogeneous and heterogeneous catalysis. Choose **one** example of each type, and for **each** example you should state what the catalyst is, and whether it is acting as a homogeneous or a heterogeneous catalyst, write a balanced equation for the reaction, outline how the catalyst you have chosen works to decrease the activation energy.

© UCLES 2012 9701/41/O/N/12

For Examiner's Use

[8]


(b) The reaction between SO_2 , NO_2 and O_2 occurs in two steps.

For Examiner's Use

$$NO_2 + SO_2 \rightarrow NO + SO_3$$
 $\Delta H_1^{e} = -88 \text{ kJ mol}^{-1}$
 $NO + \frac{1}{2}O_2 \rightarrow NO_2$ $\Delta H_2^{e} = -57 \text{ kJ mol}^{-1}$

The activation energy of the first reaction, E_{a_1} , is higher than that of the second reaction, E_{a_2} .

Use the axes below to construct a fully-labelled reaction pathway diagram for this reaction, labelling $E_{\rm a_1}$, $E_{\rm a_2}$, $\Delta H_{\rm 1}^{\rm e}$ and $\Delta H_{\rm 2}^{\rm e}$.




extent of reaction

[2]

4 The compound responsible for the hot taste of chilli peppers is capsaicin. Its molecular structure can be deduced by the following reaction scheme.

For Examiner's Use



Compounds **C**, **D** and **E** all react with Na₂CO₃(aq).

Answer the following questions	Answer	the	following	na que	estions
--------------------------------	--------	-----	-----------	--------	---------

	mer are renorming queens not	
(a)	Suggest reagents and conditions for reaction 3.	
		[4]
		ניו
/I- \	What the art are after a section 40	
(D)	What type of reaction is reaction 4?	
		[1]
(c)	Suggest reagents and conditions for reaction 5.	
		[1]
		1,1
(4)	Name the functional group in C that has reacted with hot concentrated acidified KMn	\cap
(u)	Traine the functional group in Striat has reacted with not concentrated admined fixing	O ₄ .
		[1]
(e)	Suggest the name of the functional group in capsaicin that has reacted in reaction 1.	
		[1]
(f)	Work out structures for compounds C – F and capsaicin, and draw their structural formu	lae
. ,	in the boxes opposite.	[5]
	[Total:	101

5 Compound **G** is a naturally occurring aromatic compound that is present in raspberries.

For Examiner's Use

compound G


(a)	Identify the functional groups present in compound G .
	[2]
(b)	Complete the following table with information about the reactions of the three stated reagents with compound G .

reagent	observation	structure of organic product	type of reaction
sodium metal			
aqueous bromine			
aqueous alkaline iodine			

[8]

(c) The dye ${\bf H}$ can be made from compound ${\bf G}$ by the route shown below.

For Examiner's Use



- (i) Draw the structures of the amine **J** and the intermediate **K** in the boxes above.
- (ii) Suggest reagents and conditions for

(d) Suggest a reaction scheme by which compound **G** and propanoic acid could be converted into compound **L**.

compound L

[3]

Section B

For Examiner's Use

Answer **all** the questions in the spaces provided.

6	Proteins are	complex	molecules	made	up	from	long	chains	that	are	folded	to	give	а
	three-dimens	sional struc	cture.											

(a) Study the table which describes aspects of bonding in proteins. For each description of a bonding type, indicate whether it contributes to the primary, secondary or tertiary structure of a protein.

bonding type	structure involved
disulfide bonds between parts of the chain	
hydrogen bonds in a β-pleated sheet	
ionic bonds between parts of the chain	
peptide links between amino acids	


г	വ	
L.	ור.	
Ľ	\sim_1	

	[6]
(b)	Explain, with the use of diagrams as appropriate, the difference between competitive and non-competitive inhibition of enzymes.
	[4]

(c) The diagram shows one strand of DNA. Draw a matching strand showing clearly, with labels, the bonds holding the two strands together.

For Examiner's Use

Name the bases in **your** strand, indicating clearly which base bonds to each base in the strand shown.




names of bases[3]

For
Examiner's
1100

7 DNA fingerprinting has become an important analytical technique, largely due to its use in 'screening' crime suspects. It also has a range of applications in modern analysis including determining family links, medicine and archaeology.

(a)	(i)	DNA fingerprinting uses an analytical technique you have studied. What is the nar of that technique?	ne
	(ii)	In order to carry out DNA fingerprinting, the DNA must first be broken down in shorter lengths of polynucleotides. How is this accomplished?	nto
((iii)	What part of the DNA fragments enables them to move in an electric field?	
			[3]

(b) The DNA fingerprints shown were obtained from a crime scene. DNA samples were recovered from two rooms in the house where the crime took place. The victim's DNA and that of two possible suspects were included in the analysis.



(i) Indicate with an **X** on the diagram, which lines from suspect 1 and from suspect 2 cannot distinguish which of them was present in the house.

(ii)	Based on this evidence one suspect was arrested. Which suspect would you ex this to be? Explain your reasoning.	pect
		 [0]


[2]

For (c) A sample of a liquid, P, was found at the scene of the crime and was analysed using Examiner's mass spectrometry and NMR spectroscopy.

Use

The mass spectrum has M and M+1 peaks in the ratio of 5.1:0.22 with the M peak at m/e = 88.

The NMR spectrum is shown



Use the data to suggest a structure for P , explaining your answer.
structure of P

[5]

For
Examiner's
Use

8 The increasing awareness of the diminishing supply of crude oil has resulted in a number of initiatives to replace oil-based polymers with those derived from natural products. One such polymer, 'polylactide' or PLA, is produced from corn starch and has a range of applications.

(a)	The raw material for the polymer, lactic acid (2-hydroxypropanoic acid), is formed by the
	fermentation of corn starch using enzymes from bacteria.

(1)	Calcium hydroxide is added to the fermentation tanks to prevent the production of
	lactic acid from slowing down.
	Why might high acidity reduce the effectiveness of the enzymes?

(ii) The structure of lactic acid is shown.

What type of reaction takes place in this polymerisation?	
	[2

(b) Lactic acid exists in two stereoisomeric forms. Draw the other form in the box.



[1]

For
Examiner's
Use

(c)	One of the reasons PLA has attracted so much attention is that it is biodegradeable. This
(-)	does, however, restrict some potential uses. The simple polymer has a melting point
	of around 175 °C, but softens between 60-80 °C. However, its thermoplastic properties
	enable it to have a range of uses in fibres and in food packaging.

(i)	Explain why PLA would not be a suitable packaging material for foods pickled in vinegar.
(ii)	PLA containers are not used for hot drinks. Suggest why.
	[2]

(d) Lactic acid can also be co-polymerised with glycolic acid.

glycolic acid

((i)	Draw a	section	of the	co-poly	/mer	showing	one re	neat	unit
٦	ш,	Diawa	OCCUCII	OI LIIO	OO POI	y 1 1 1 C 1 '	OI IO WILLIG		Pour	MI III

(11)	indicating the groups involved.	iei,
(iii)	Suggest one property in which the co-polymer differs from PLA.	
		[5]

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.