

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

Biology

Paper 5 Practical Test May/June 2013

1 hour 15 minutes

0610/52

Candidates answer on the Question Paper.

Additional Materials: As listed in the Confidential Instructions.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a pencil for any diagrams or graphs.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use							
1							
2							
3							
Total							

This document consists of 13 printed pages and 3 blank pages.



Read through the whole question before starting work.

For Examiner's Use

1 You are presented with two similar cut shoots in test-tubes that contained 20 cm³ of water at the start.

One shoot still has its leaves attached and the other shoot has had its leaves removed. The shoots were placed in the water immediately after being cut. The water level was marked on the outside of the test-tubes.

A small quantity of oil was added to cover the water in these test-tubes.

The two test-tubes containing the shoots were left in the light for two days.

(a)	(i)	Suggest why oil was placed on top of the water in both test-tubes.	
			••••
			[1]
	(ii)	Use a ruler to measure the height of the water in the two test-tubes.	
		test-tube containing shoot without leavesmm	
		test-tube containing shoot with leavesmm	[1]
	(iii)	Describe and explain your observations.	
			[2]

(b) (i)

- Remove the shoots from the test-tubes.
- Use water from the beaker of water, labelled **water**, to wash any oil from the shoots.
- Dry the cut end of each shoot and place the shoots on the white tile.
- Use the scalpel to remove approximately 3 cm from the cut end of each shoot.
- Immediately place both shoots in the beaker of coloured water, labelled coloured water.
- Leave for 15-20 minutes.

While you are waiting, continue with part (c) of this question.

For Examiner's Use

- After 15-20 minutes remove the shoots from the coloured water.
- Use water from the beaker of water, labelled **water**, to remove any coloured water from the outside of the shoots.
- Place the shoot without leaves on the white tile.
- Use the scalpel to remove 5 mm long sections from the cut end of the shoot, as shown in Fig. 1.1.
- Keep the sections in the order in which you removed them.
- Use the hand lens to observe each section.
- Continue removing sections until the coloured water is not visible in the stem, as shown in Fig. 1.1.




Fig. 1.1

Estimate the distance moved by the coloured water in the shoot without leaves.

		<u> </u>	IIII

- Push the sections and remaining stem of the shoot without leaves to the edge of the white tile.
- Place the shoot with leaves on the white tile.
- Use the scalpel to remove 5 mm long sections from the cut end of the shoot, as shown in Fig. 1.1.
- Keep the sections in the order in which you removed them.
- Use the hand lens to observe each section.
- Continue removing sections until the coloured water is not visible in the stem, as shown in Fig. 1.1.

Estimate the distance moved by the coloured water in the shoot with leaves.

mr	n	[3]

(ii)	Use the hand lens to observe the cut end of the second section of the shoot with leaves.
	Draw and label the cut end of this section to show the location of the coloured water.
	[2]
(iii)	Do the results in (b) (i) support the observations in (a) (ii) ? Explain your answer.
	[2]

Question 1 continues on page 6.

(c) A group of students measured the mass lost from a flask containing a shoot with leaves.

For Examiner's Use

The shoot was placed in water, on a balance as shown in Fig. 1.2. An automatic data logger recorded the mass every six hours for two days.




Fig. 1.2

Only natural light from the sun was allowed to fall on the shoot.

The students calculated the mass lost every six hours. The data is shown in Table 1.1.

Table 1.1

time of day	mass lost / g
10:00	0.0
16:00	3.0
22:00	5.0
04:00	5.0
10:00	7.0
16:00	10.0
22.00	11.5
04.00	11.5
10.00	13.5

(i) Plot the data from Table 1.1 on Fig. 1.3.

For Examiner's Use

٠.	,					,,-																					,,			,,-														
H			+			 -	·}		+		}				+-+			f	tt		+-+	+++			+++	+	ł	†-+-		†	+-+	+		++			H	+		ļ		 -		+-+
ũ				П	3	Ш	1	m	Ш		Ш			Ш	11	3			111	11.11.		Ш			m	Ш	1	m	Ш	1	III.	1111		111		1	m	111				Ш	Ш	$_{\mathrm{III}}$
							.ļ		4.4					ļļ.	4-4			ļļ.	 			-4-4	4		ļļ.	 	ļļ	ļ.ļ.	ļ ļ	ļļ-	4-4.	4-4		44			ļļ.	-44		ļļ	ļ.ļ	 -		
÷			+				÷	+	+++						+-+	+		++-	++	+-+	+-+	++	+		+-+-	+-+-		+++-			++	+++-		++				-+				+-+-		
r	1-1			7	+	m	†"	7	11		m		· · i · ·	111	77	1		1-1-	tt	111	111	11			111	111		11	m	1-1-	11	11	-1-1	11			Ħ	11			111	tt	111	1111
C	Ш			Œ.	1	Ш	.;	Œ	111		Ш			Ш	Ш			ļļ.	IJ	11.11.	ŢΠ	111			III.	111		1111		II-	1.1.						Œ.	33			III.	H	111	
ļ.,	ļļ	 	ļ		- i	ļļ-	-ļ		44		ļļ			ļļ-	4-4			ļļ-	ļ.,			4-4-	. į į		ļļ-	ļļ	ļļ	ļ.,	ļļ	ļļ-		. 		4.4	i	ļļ	ļķ.	-44		ļļ	ļ.,	ļļ.	-ii	.4.4.4
÷			+	+	÷-	 -	÷	+	++		1				++				††	++-+		+++	+		+-+-	+-+-	 - -	†-†-	:- :- -		+-+	+-+		++			 					₩		
Е					1	Ш	Ι		111		Ш				II			H	H	1111	ш	11			TT	111		II			TT	111		11	1		П	111			111	Ш	Ш	
Ϊ.						ļ	ij				ļļ			ļ	1.1			ļļ.	IJ		4.4	.1.1.			ļ.,	1.1	ļļ	ļ.,		ļļ.	44	1		1.1			Щ.	-11		ļļ		II.	4-4	
١.	(i	 	·		4	ii-	-j	-+	-44		jj-		· i	jj-	4-4	- {}		jj-	4-4		-}}	4-4-	· { }		ş-ş-	44	jj	ļ.,	} ;	ii-		4-4		4-4		ii	}}-	-44	4	j	ļ., ķ.,	ii-		4-4-4
H			1	÷	÷-	††-	÷	1-+	++		1			11-	++			ļ	÷÷			++			1-1-	1-1-	ļļ	1-1-		†	+-+	++-		**			ŀ÷.				†-†-	₩		+++
П		1		1	1	1111	1	1	111		111			1111	11	1		1-1-	111	1111	111	77			TT	1111		11		1111	111	111		11	1		111	111			TT	111	1111	
Ε.				П	1][.	Ϊ	1	111		Ш			1	11			[H	1111	Ш	11	,		II.	Ш		1.1.		I	11	1					II.	1			11.	Ш	Ш	
							.ļ				ļ			ļļ-	+-+			}}-	 -							 	ļļ	ļ	 	ļļ-	++			4-4			ļ			ļ	ļ			
ŀ			·		·	∮∳-	·}··	-+		 	}}		·-·		+++		+	}}-	÷÷						÷-÷-	44	ļļ	ļ	···	÷÷-	+-+	4-4		***		···	}}-	-44	+	}}	÷	{} -		
Ľ		1			1	1	1	ĽĹ	111		Ш				11			L	11	1111	11.1	11			ΪΪ	111		ΪΪ		111	11	111		11			ĽĽ.	111			ΪÏ		111	
Ξ.					1	1111	Ι	ш			Ш			Ш.	1.1			1	11	111	Ш	11			LI.	111	Ш.	Ш.		Ш.	1.1.	11		1.1			II.				11.	Ш	Ш	1111
ļ.,							.ļ		4-4						4-4			ļļ-	+-+			-4-4	·		ļ			ļļ	ļ <u>i</u>	ł	4-4-	4-4					ļ			ļ	ļ.ļ.			
ŀ		 -	·		-	∮∳-	·}			 	ł				+-+			ł	÷÷			+-+			÷-÷-		ļļ	÷-÷	···	†	+-+	+		++			}-÷			ļ	÷-÷-	i-		
r	11			7	7	1	†	17	11		1-1			11-	77	1		†}-	11	-1-1-	-††	++	1		11	1-1-	!!	***		1	+-+	1-1-		**			m	11				111	1-1	
E.	Ш	II.	Ш	ш	Д.	Ш	Ц.,	Ш			Ш			Ш	Ш			Ш	Ш	1111	Ш	ш			III.	Ш	Ш	Ш	Ш	Ш	II.	1111		111			Ш	Ш			Ш	Ш	Ш	\mathbf{m}
						 -	-ļ		44						+-+			ļļ-	++			-4-4			ļ-ļ-	4-4-		ļ			+-+-	+					ļ			ļļ	ļ			
۲.			†		+	 -	÷	+	+-+		11		·		+-+			† -	††			+++	+		+-+-	+-+-	 - -	+-+-			+-+	+++-		++			+++					††-	-++	++++
C	Ξi	i i		a	j:	m	1	Ċİ	Di.		m			Li	ΪÏ	j.		i i i	İΪ	331	ii:t	İΪ			ÜΪ	Ħ		m	m	i i i	ΪÏ	100	-i-i	Ü	i j		m	ji j			m	m	Hi	mi
(.				a	11.	I	.[Œ	333		Ш			Ш.	ПŢ				IJ.	1111	Щ	Щ			III.	Ш		Ш.		Ш.	III.	1111					M.	.]]			m.	Ш.	Ш	
ļ.,	4	 				ļļ-	.ļ		4-4		ļļ			ļļ-	+-+			ļļ-	ļ.,			+-+	4		ļ -	4-4	ļļ	ļļ	ļ ļ	ļļ-		4-4		++		ļļ	ļļ.	-44		ļļ		ļļ.		
			+		+	 -	÷								+-+				+-+			+-+	+		+-+-	+	 - -	+-+			+++	+		++			-+-				+-+	 -		
r	m	†-	1	Ť	†	m	†**	7	11		m			1-1-	77	†		1-1-	Ħ	111	11	++	1		11	111	1	11	1-1	11-	11	11	-1-1	11			Ħ	77			11	m	77	+++
C				Œ.		-		Œ			[[I)-	Ш				IJ	111	IJŢ	Ш			Π.	111		1.1.		I	III.	1					Œ.				III.		1[
١.	ļļ		ļ		- į	ļļ-	.ļ		. į į	- i	ļļ			įį.	4-4			ļļ-	ļ.ļ.			4-4	. į į		ļ-ķ-	ļ ļ	ļļ	ļ.,i.,	ļļ	ļļ-		4-4		4.4	i	ļļ	ļ.,ļ.	-44		ļļ	ļ.,	ļļ.		4-4-4
÷			+	+	-÷	 -	÷	+-+	+-+		1			ii-	+-+			ļ	††			+++	+		+-+-	+-+-	 - -	†- †- -			+-+	+++-		++		···	ŀ			···	+++-			
r	111		1	T	1	1111	1	17	111		111		1	111	11	1		1-1-	11	1111	111	11	1		7.7	111	1-1-	11	111	1111	11	111		11	-1		m	111			111	111	111	7777
Γ.				1		ļ	Ţ	1			H			1	ŢŢ			ļļ.	IJ	11.	111	11			I.I.	111	1	1.1.		I	11	1					II.				11.	ļ. ļ.	11.	
ļ.,						ļļ-									+++			}}-	 -			+-+			}-÷-	 		ļ	 	ļļ-	4-4-	4-4		++			}}-			ļ	ļ.,			4-4-4
ŀ	11		1	1		††-	·}	1-4	4-4		1			ii-	++			†}-	††			++			†-†-	+-+-	ļļ	†-†-		†	+-+	+-+		**		ļļ	1-4-			ļ}	†-†-	††-		++++
E		11		T	1		1		111		Ш				11				11	111	111	11			m	111		11		111	111	111	-1-1	11	1		m	111			11		111	
١.	11			1.1	4	ļļ.	. .	1.1	4.4		1		i	ļļ.	44	-4		1	14		4-4	44			1.1.	4-4-	ļļ	ļ.ļ.	L.L.	ļļ.	44	44	-4-4	44			ļ.ļ.	-4-4		ļi	1.1.	ļļ.	-11	-1-1-1
ļ.,							. .							ļ	+-+			ļ	 						ļ-+-		ļļ	ļ	 	łł-	+-+-	. .		+-+			ļ			ļ	ļ.,	i-		
r			1	**	4	††-	•••	1	4-4		1			11-	7-7	1			11						***	44	ļļ	***		tt-		4-4		3.7			111				***	111		
Ľ				П	11.	Ш	1	m	111		Ш				11	1			11	.11.	1	11			11	111	1			1		111		11			III.	111				Ш		
١.					4	ļļ.	.ļ		44					ļļ.	4-4			ļi.	14			-4-4	4		4-4-	4-4-		ļļ		ļļ.		4-4					ļļ.	-4-4		ļi	14.	 -		-4-4-1
ŀ			+	-+	÷-		÷		+		} }		:		+++			}}-	÷÷			++	÷		+-+-		 	ł-+-	-		+-+-	+-+		+-+	·		}-÷-				÷-÷-	⊹⊹		++++
r			1-1	1	+-	t-t-	†~	H	11		t		· · ·	tot	11			†	tt	-11-	-††	+++	1		1-1-	1-1-	†	1-1-	i i	††-	+-+	11		**			h			i	†-†-	tt	-tt	
С	\square	II.	Ш	a	31	1	1	Œ	333		Ш			Ш	\mathbf{m}	3			m	1111	Ш	\mathbf{m}			m	1111		m		Ш	III.	1111		\mathbf{I}			M.	333				1111	Ш	
ļ.,	ļļ		ļ		4	ļļ.	.ļ				ļļ			ļļ.	4-4			ļļ.	ļ.,			4-4			ļļ.	ļļ	ļļ	ļ.,i	ļ ļ	ļļ.		4.4		44			ļ.,ļ.	-44		ļļ	ļ., ļ.,	ļļ.		.4.4.4
			+	-+			÷								+-+	-+		ł	++			+-+	+		+-+-	+		+-+		 -	+-+-	+-+		+-+				-+						-+-+-
÷	111		1	+	+-	tt	÷	-+	***		m		ri	m	††	+		t-t-	tt		11	+++	1		†††	111	: :	1-1-	m	t-t-	+++	++-		++		: <u>:</u>	Ħ	+++		: :::::	†- †- -	†††	+++	++++
C					1	Ш	.[H			Ш	II			1(IJ		Ш	Ш			111	Ш		m		1	ŢŢ.	111	111	\mathbf{II}			M					W	Ш	III.
١.	ļļ	 	ļ	ļ.	- į	ii-	- j	ļ.,	4	i	ļļ	 	·	įį.	+-+			ļļ-	Ļ.			4-4-			ļļ-	44	įį	ļ.ļ.,	}	ii-		4.4		44		ļļ	ļķ.			jļ	ļ., ļ.,	ii-		444
ŀ			-	+-+	+	 -	÷		++						++				÷÷		+++	++			++	+-+-		 			+-+-	++-		++			}-÷-					 -		
r	mi			Ť		m	†	ΙŤ	11		m	+	11	ШĖ	77	1		Ħ	TŤ	1111	11	+++	1		TŤ	111	111	TŤ	r i	111	++	Ti	-1-1	11		::: <u>:</u> ::	ΙŤ	11		1111	111	TŤ	111	
[]	П			П	1	Ш					Ш			Ш	11	1		Ш	H		Ш	Ш			[.]	Ш		111	Ш	1	H	Ш					Ш					Ш	Ш	
ļ.,	ļļ		ļ			ļļ-	-}				}}			ļ	4-4			}}-	 			4-4-			 - -}-	ļļ	ļļ	ļ	ļļ		4-4	4-4-		44			}}-			ļ	ļ.,	{∳-		444
ŀ			ļ			† -	· • · · ·	}-÷	4-4	 					++			ļ}-	÷÷			+-+	·		++		ļļ	†- †- -		†		++-		++	 	ļ <u>-</u> i	} <u>-</u>			ļ	++-	 -		+++
•																																								~				

[4]

Fig. 1.3

(ii) Describe and explain the results.

description

explanation

[3]

Fig. 1.4 shows part of the lower surface of a leaf as viewed under a microscope.




Fig. 1.4

(d) Name the structures labelled **G** and **H**.

G	
Н	 [2]

- (e) The number of stomata on the lower surface of the leaf can be calculated by using Fig. 1.4.
 - (i) Count the number of stomata visible in Fig. 1.4.

number of stomata [1]

(ii)	The magnification of the image in Fig. 1.4 is × 300.	
	The length of one side of the image is 120 mm. The image is a square.	
	You can calculate the actual length of one side of the square of leaf surface shown in Fig. 1.4 by dividing the length of one side of the image by the magnification.	l
	Calculate the actual length of one side of the square of leaf surface shown in Fig. 1.4. Show your working.	
	actual length of one side of the square of leaf surfacemmm [1]]
(iii)	Calculate the actual total area of the square of leaf surface shown in Fig. 1.4. Show your working.	
	actual total area of the square of leaf surfacemmm² [2]
(iv)	The number of stomata per mm ² can be calculated from the number of stomata and the actual total area of the square of leaf surface shown in Fig. 1.4.	l
	Calculate the number of stomata per mm ² of this leaf. Show your working.	
	number of stomata per mm ² [2]
(v)	The total area of the lower surface of this leaf was measured and found to be $9000\mathrm{mm}^2$.	;
	Calculate the total number of stomata on the lower surface of this leaf. Show your working.	
	total number of stomata [1]]
	[Total: 27]

2 You are going to observe and draw one of your fingers.

For Examiner's Use

(a) Place the palm of your hand on the paper. Use the hand lens to examine one finger.

Make a large, labelled drawing of this finger.

[4]

(b) Fig. 2.1 shows the European mole, Talpa europa.





			The state of the s	
			hand × 0.8	
		Fig. 2.1		
(i) State one simil a and your hand.	arity, visible in Fig. 2.1, betwe	een the structure of the mole's ha	and
				[1]
(i		 2.1 to state two difference of the mole's hand and your ha 	s, visible in Fig. 2.1 between nd.	the
	feature	mole's hand	your hand	
	shape			
	size			
(c) (i) Name the group	of vertebrates to which the mo	le belongs.	[2]
				[1]
(i	ii) State one featur	e, visible in Fig. 2.1, that supp	orts your answer to (c)(i).	
				[1]

[Total: 9]

3 Arum lilies, such as *Arum maculatum*, are plants that have a smell like rotting meat. The smell attracts flies so that the flowers can be pollinated.

Some arum lilies have a purple coloured sheath and some have a light green coloured sheath.

For Examiner's Use

Fig. 3.1 shows an arum lily with part of the sheath cut away to show the inside.




Fig. 3.1

A group of students collected arum lilies from the same habitat, **two** with purple coloured sheaths and **three** with light green coloured sheaths.

They opened the sheaths of each lily and counted the number of flies inside.

The results are shown in Table 3.1.

Table 3.1

colour of sheath	number of flies	total number of flies	mean number of flies					
purple	3							
purple	5							
light green	5							
light green	6							
light green	4							

(a) Calculate the total and mean number of flies found in each colour of sheath.

Write your answers in Table 3.1.

[2]

(b)	Su	ggest two ways in which this investigation could be improved.
	1	
	2	
		[2]
		[Total: 4]

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.