

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY 0620/11

Paper 1 Multiple Choice October/November 2012

45 Minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.


Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

You may use a calculator.



International Examinations

1 What are the processes W, X, Y and Z in the following diagram?

$$\begin{array}{ccc} & W & X \\ \text{solid} & \rightleftharpoons & \text{liquid} & \rightleftharpoons & \text{gas} \\ & Y & Z \end{array}$$

| | W | Х | Y | Z |
|---|------------|----------|------------|------------|
| Α | condensing | boiling | freezing | melting |
| В | condensing | freezing | melting | boiling |
| С | melting | boiling | freezing | condensing |
| D | melting | freezing | condensing | boiling |

2 A mixture of sulfur and iron filings needs to be separated. The solubilities of sulfur and iron filings in water and carbon disulfide are shown in the table below.

| | solubility in water | solubility in carbon disulfide |
|--------------|------------------------|--------------------------------|
| sulfur | X | ✓ |
| iron filings | X | x |

What are possible methods of separating the sulfur and iron filings?

| | using water | using carbon disulfide | using a magnet |
|---|----------------|---------------------------|-------------------|
| Α | ✓ | ✓ | X |
| В | x | ✓ | ✓ |
| С | ✓ | x | ✓ |
| D | X | ✓ | X |

3 Part of the instructions in an experiment reads as follows.

Quickly add 50 cm³ of acid.

What is the best piece of apparatus to use?

- A a burette
- B a conical flask
- C a measuring cylinder
- **D** a pipette

4 Which statements comparing the properties of electrons, neutrons and protons are correct?

| | neutrons and protons are both heavier than electrons | only electrons and neutrons are charged |
|---|--|---|
| Α | ✓ | ✓ |
| В | ✓ | X |
| С | X | ✓ |
| D | X | X |

5 Which row gives the number of electrons in the outer electron shell of fluorine and of neon?

| | ¹⁹ ₉ F | ²⁰ ₁₀ Ne |
|---|------------------------------|--------------------------------|
| Α | 7 | 8 |
| В | 7 | 10 |
| С | 9 | 8 |
| D | 9 | 10 |

- 6 In the molecules CH₄, HCl and H₂O, which atoms use all of their outer shell electrons in bonding?
 - A C and C1
- **B** C and H
- **C** Cl and H
- **D** H and O

7 The table shows the electronic structures of four atoms.

| atom | electronic structure |
|------|----------------------|
| W | 2,1 |
| X | 2,7 |
| Y | 2,8,4 |
| Z | 2,8,8 |


Which two atoms combine to form an ionic compound?

- A W and X
- **B** W and Y
- C X and Y
- **D** X and Z

8 A compound has the formula CH₃CO₂H.

How should the relative molecular mass, M_r , of this compound be calculated?


- **A** 12 + 1 + 16
- **B** 3(12 + 1) + 2(12 + 16) + 1
- **C** $(4 \times 12) + (2 \times 1) + 16$
- **D** $(2 \times 12) + (4 \times 1) + (2 \times 16)$
- **9** The diagram shows the electrolysis of concentrated aqueous sodium chloride.



What is produced at each of the electrodes?

| product at cathode | | product at anode | |
|--------------------|----------|------------------|--|
| Α | hydrogen | chlorine | |
| В | hydrogen | oxygen | |
| С | sodium | chlorine | |
| D | sodium | oxygen | |

10 The diagram shows an electrolysis experiment using metals X and Y as electrodes.




One of the metals becomes coated with copper.

Which metal becomes coated and which aqueous solution is used?

| | metal | aqueous solution |
|---|-------|-------------------|
| Α | Х | $CrC\mathit{l}_3$ |
| В | X | CuC1 ₂ |
| С | Y | $CrC\mathit{l}_3$ |
| D | Υ | CuCl ₂ |

11 The diagrams show the difference in energies of the reactants and products in two types of reaction.



Which diagram and which type of energy change apply to a fuel burning in air?

| | diagram | type of energy change |
|---|---------|-----------------------|
| Α | 1 | endothermic |
| В | 1 | exothermic |
| С | 2 | endothermic |
| D | 2 | exothermic |

12 The diagram shows a match.



By striking the match, a chemical reaction takes place.

Which statements about the chemical reaction are correct?

| | type of reaction | reason |
|---|------------------|--|
| Α | endothermic | because energy is used to strike the match |
| В | endothermic | because energy is given out as the match burns |
| С | exothermic | because energy is used to strike the match |
| D | exothermic | because energy is given out as the match burns |

13 Separate samples of anhydrous and hydrated copper(II) sulfate are heated.



Which shows the correct colour changes?

| | anhydrous copper(II) sulfate | hydrated copper(II) sulfate | |
|---|------------------------------|-----------------------------|--|
| Α | blue to white | white to blue | |
| В | no change | blue to white | |
| С | white to blue | blue to white | |
| D | white to blue | no change | |

14 Which change is an oxidation?

- A FeO to Fe₂O₃
- **B** Fe₂O₃ to FeO
- \mathbf{C} H_2O_2 to H_2O
- **D** H_2O to H_2

- 15 Which change does **not** increase the speed of reaction between zinc and hydrochloric acid?
 - A adding a catalyst
 - B decreasing the particle size of the zinc
 - **C** decreasing the temperature
 - **D** using more concentrated acid
- 16 Which of these pairs of aqueous ions both react with dilute sulfuric acid to give a visible result?
 - **A** Ba²⁺ and C l^-
 - **B** Ba²⁺ and CO₃²⁻
 - **C** NH_4^+ and Cl^-
 - **D** NH_4^+ and CO_3^{2-}
- **17** Element X forms an acidic, covalent oxide.

Which row shows how many electrons there could be in the outer shell of an atom of X?


| | 1 | 2 | 6 | 7 |
|---|---|----------|---|---|
| Α | ✓ | √ | X | X |
| В | ✓ | X | ✓ | X |
| С | x | x | ✓ | ✓ |
| D | X | ✓ | X | ✓ |

18 Barium hydroxide is an alkali. It reacts with hydrochloric acid.

How does the pH of the hydrochloric acid change as an excess of aqueous barium hydroxide is added?

- A The pH decreases from 14 and becomes constant at 7.
- **B** The pH decreases from 14 to about 1.
- **C** The pH increases from 1 and becomes constant at 7.
- **D** The pH increases from 1 to about 14.
- 19 A compound is a salt if it
 - A can neutralise an acid.
 - **B** contains more than one element.
 - C dissolves in water.
 - **D** is formed when an acid reacts with a base.

20 The diagram shows an outline of the Periodic Table.



Which of the elements U, V, W, X and Y would react together in the ratio of 1:1?

- **A** U and X
- **B** U and Y
- **C** V and Y
- **D** W and X

21 The element rubidium, Rb, is immediately below potassium in the Periodic Table.

It reacts with bromine to form the compound rubidium bromide.

Which descriptions of this compound are correct?

| | type of bond | formula | colour | |
|---|----------------------------|-------------------|--------|--|
| Α | covalent | RbBr | brown | |
| В | covalent RbBr ₂ | | white | |
| С | ionic | RbBr | white | |
| D | ionic | RbBr ₂ | brown | |

22 The table gives information about four elements.

Which element is a transition metal?

| | colour of element | electrical conductivity of element | colour of oxide | |
|---|----------------------|--|--------------------|--|
| Α | black | high | colourless | |
| В | colourless | low | white | |
| С | grey | high | red | |
| D | yellow | low | colourless | |

| 23 | Why are | weather balloons | filled with | helium | rather th | an hydroge | n? |
|----|-----------|------------------|-------------|----------|-----------|------------|----|
| 23 | vviiv are | weather balloons | illieu with | Hellulli | raunei u | ian nyuru | чe |

- A Helium is found in air.
- **B** Helium is less dense than hydrogen.
- C Helium is more dense than hydrogen.
- **D** Helium is unreactive.

24 Some properties of aluminium are listed.

- 1 It has mechanical strength.
- 2 It conducts heat.
- 3 It is resistant to corrosion.
- 4 It has a low density.

Which properties make aluminium useful for making the bodies of aircraft?

- **A** 1, 2 and 3
- **B** 1, 2 and 4
- **C** 1, 3 and 4
- **D** 2, 3 and 4

25 Brass is used in electrical equipment.

It contains two1..... elements. Together they form2......


Which words correctly complete gaps 1 and 2?

| | 1 | 2 | | |
|---|--------------|---------------------|--|--|
| Α | metallic | a covalent compound | | |
| В | metallic | an alloy | | |
| С | non-metallic | a covalent compound | | |
| D | non-metallic | an alloy | | |

26 The Basic Oxygen Process converts iron into steel.

In step 1, oxygen is blown into impure molten iron.

In step 2, oxides are removed by reaction with calcium oxide.




Which chemical reaction takes place in step 1 and which type of oxides are removed in step 2?

| | chemical reaction in step 1 | type of oxides removed in step 2 |
|---|---------------------------------------|----------------------------------|
| Α | carbon is converted to carbon dioxide | acidic |
| В | carbon is converted to carbon dioxide | basic |
| С | iron is converted to iron(III) oxide | acidic |
| D | iron is converted to iron(III) oxide | basic |

27 Pieces of copper, iron, magnesium and zinc are added to separate test-tubes containing dilute hydrochloric acid.


Which test-tube contains iron and dilute hydrochloric acid?



- 28 Which processes are used in the treatment of water?
 - A filtration and chlorination
 - B filtration and reduction
 - C neutralisation and chlorination
 - **D** neutralisation and reduction
- **29** A factory burns coal with a high sulfur content.

Which pollutant is **most** likely to lead to the death of trees?


- A carbon dioxide
- B carbon monoxide
- C lead compounds
- **D** sulfur dioxide
- 30 What is the correct order of abundance of the gases in the air?
 - **A** nitrogen \rightarrow oxygen \rightarrow argon \rightarrow carbon dioxide
 - **B** nitrogen \rightarrow oxygen \rightarrow carbon dioxide \rightarrow argon
 - \mathbf{C} oxygen \rightarrow nitrogen \rightarrow argon \rightarrow carbon dioxide
 - **D** oxygen \rightarrow nitrogen \rightarrow carbon dioxide \rightarrow argon
- 31 The diagram shows an experiment to investigate how paint affects the rusting of iron.



What happens to the water level in tubes P and Q?

| | tube P | tube Q |
|---|-----------|-----------|
| Α | falls | rises |
| В | no change | rises |
| С | rises | falls |
| D | rises | no change |

32 The diagram shows two substances, X and Y, being heated together.




The Universal Indicator paper turns blue during the experiment.

What are substances X and Y?

- A ammonium nitrate and hydrochloric acid
- **B** ammonium nitrate and sodium hydroxide
- **C** sodium carbonate and hydrochloric acid
- **D** sodium carbonate and sodium hydroxide
- 33 Carbon dioxide is produced when dilute hydrochloric acid reacts with
 - A calcium sulfate.
 - B carbon.
 - **C** copper(II) carbonate.
 - **D** limewater.


34 A student is asked to draw a diagram showing the uses of limestone.



Which numbered lines show a correct use of limestone?

- A 1 and 2 only
- **B** 1 and 3 only
- C 2 and 3 only
- **D** 1, 2 and 3

35 Which structure is correctly named?



- 36 Which properties of the different compounds in petroleum enable its separation into fractions?
 - 1 boiling point
 - 2 chain length
 - 3 chemical reactivity
 - 4 solubility in water
 - A 1 and 2
- **B** 1 and 3
- **C** 2 and 4
- **D** 3 and 4

37 Alkenes have the general formula C_nH_{2n} .

Which of the following is an alkene?

- A CH₂
- B CH₄
- \mathbf{C} C_3H_6
- D C_6H_6

38 Bitumen is a substance obtained from the fractional distillation of petroleum.

Which row describes its boiling point and the size of its molecules?

| | boiling point | size of molecules | | |
|---|---------------|-------------------|--|--|
| Α | high | large | | |
| В | high | small | | |
| С | low | large | | |
| D | low | small | | |

39 A hydrocarbon X is cracked to make Y and hydrogen.

Compound Z is formed by the addition polymerisation of Y.

To which homologous series do X, Y and Z belong?

| | alkane | alkene | | |
|---|------------|--------|--|--|
| Α | X, Y and Z | _ | | |
| В | X and Y | Z | | |
| С | X and Z | Υ | | |
| D | Y and Z | X | | |

40 Which row is correct for ethanol?

| | burns | made by fermentation |
|---|-------|----------------------|
| Α | ✓ | ✓ |
| В | ✓ | x |
| С | x | ✓ |
| D | X | X |

BLANK PAGE

The Periodic Table of the Elements DATA SHEET

| | 0 | 4 He Helium | 20 Neon 10 A 40 A Argon | 84 Kr Krypton 36 | 131 Xe Xenon 54 | Radon 86 | | Lutetium 7.1 | Lr Lawrencium 103 |
|-------|-----|--------------------|---|-----------------------------------|-------------------------------------|------------------------------------|------------------------------------|--------------------------------------|---|
| | II/ | | 19 Fluorine 9 35.5 C1 CHlorine | 80 Br Bromine 35 | 127 | At Astatine 85 | | 173 Yb Ytterbium 70 | Nobelium |
| | ΙΛ | | 16 Oxygen 8 32 Suffur 16 | Se Selenium 34 | 128 Te Tellurium 52 | Po Polonium 84 | | 169 Tm Thulium | Md Mendelevium 101 |
| | > | | 14 Nitrogen 7 31 Phosphorus 15 15 | 75 As Arsenic | Sb Antimony 51 | 209 Bi Bismuth 83 | | 167 Er Erbium 68 | Fm Fermium |
| | Ν | | Carbon 6 28 Silicon 14 | 73 Ge Germanium 32 | 119 Sn Tin | 207 Pb Lead 82 | | 165 Ho Holmium 67 | Es Einsteinium 99 |
| | Ш | | 11 B Boron 5 A A I Aluminium | 70 Ga 31 | 115 n Indium 49 | 204 T 1 Thallium 81 | | 162 Dy Dysprosium 66 | Californium |
| | | | | 65 Zn Zinc 30 | 112 Cd Cadmium 48 | Hg Mercury 80 | | 159 Tb Terbium 65 | Bk Berkelium 97 |
| | | | | 64 Cu Copper 29 | 108 Ag Siiver 47 | 197 Au Gold 79 | | 157 Gd Gadolinium 64 | Curium 96 |
| Group | | | _ | 59 N ickel 28 | 106 Pd Palladium 46 | 195 Pt Platinum 78 | | 152 Eu Europium 63 | Am Americium 95 |
| G | | | | 59 Co Cobalt 27 | Rh Rhodium 45 | 192 r r | | Samarium 62 | Pu Plutonium |
| | | T Hydrogen | | 56 Fe Iron | Ru Ruthenium | 190 OS Osmium 76 | | Pm Promethium 61 | Neptunium |
| | | | _ | Manganese | Tc Technetium 43 | 186 Re Rhenium 75 | | Neodymium 60 | 238 U Uranium |
| | | | | 52 Cr Chromium 24 | 96 Mo Molybdenum 42 | 184 W Tungsten 74 | | Pr Praseodymium 59 | Pa Protactinium 91 |
| | | | | 51 V Vanadium 23 | Niobium 41 | 181 Ta Tantalum 73 | | 140 Cer ium 58 | 232 Th Thorium |
| | | | | 48 T Titanium 22 | 91 Zr Zirconium 40 | 178 Hf Hafnium 72 | | | mic mass abol mic) number |
| | | | | Scandium 21 | 89 Y Yttrium 39 | 139 La Lanthanum 57 * | 227 AC Actinium 89 | d series series | a = relative atomic mass X = atomic symbol b = proton (atomic) number |
| | = | | 9 Be Berylium 4 24 Mg Magnesium 12 | 40 Ca Calcium | Strontium | 137 Ba Barium 56 | 226 Ra Radium 88 | *58-71 Lanthanoid series | т х в |
| | _ | | 7 Lithium 3 23 Na Sodium 11 | 39 K Potassium 19 | Rb Rubidium | 133 CS Caesium 55 | Fr Francium 87 | *58-71 L | Key b |

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.