

### CHEMISTRY

Paper 1 Multiple Choice (Core)

0620/12 October/November 2016

45 minutes

Additional Materials:

Multiple Choice Answer Sheet Soft clean eraser Soft pencil (type B or HB is recommended)

# **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

78093

Do not use staples, paper clips, glue or correction fluid. Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you. DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers A, B, C and D.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

## Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer. Any rough working should be done in this booklet. A copy of the Periodic Table is printed on page 16. Electronic calculators may be used.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 15 printed pages and 1 blank page.




1 'Particles moving **very slowly** from an area of higher concentration to an area of lower concentration.'

Which process is being described?

- **A** a liquid being frozen
- **B** a solid melting
- **C** a substance diffusing through a liquid
- **D** a substance diffusing through the air
- **2** A student mixes 25 cm<sup>3</sup> samples of dilute hydrochloric acid with different volumes of aqueous sodium hydroxide.

In each case, the student measures the change in temperature to test if the reaction is exothermic.

Which piece of apparatus is not needed?



3 A sample contains a mixture of powdered limestone (calcium carbonate), sugar and wax.

What is the correct way to obtain a pure sample of sugar?

- A Dissolve the mixture in dilute hydrochloric acid, filter and wash the residue.
- **B** Dissolve the mixture in hexane, filter and evaporate the filtrate.
- **C** Dissolve the mixture in water, filter and evaporate the filtrate.
- **D** Dissolve the mixture in water, filter and wash the residue.


particle	proton number	nucleon number	number of protons		
Na	11	23	11	W	11
Na⁺	11	23	11	12	Х
0	8	16	8	Y	8
O <sup>2-</sup>	8	16	8	8	Z

4 The table shows information about four different particles.

What are the values of W, X, Y and Z?

	W	Х	Y	Z
Α	11	10	10	8
в	11	11	8	10
С	12	10	8	10
D	12	11	10	8

5 Which pair of statements about diamond and graphite is correct?



- A Diamond and graphite are both pure carbon. They are both macromolecules.
- **B** Diamond and graphite can both be used as electrodes. Graphite is also used as a lubricant.
- **C** Diamond has covalent bonds. Graphite has ionic bonds.
- **D** Diamond is hard with a high melting point. Graphite is soft with a low melting point.


	sodium ion	chloride ion
Α	2,8	2,8,7
В	2,8	2,8,8
С	2,8,1	2,8,7
D	2,8,1	2,8,8

6 Which row shows the electronic structure of the sodium ion and the chloride ion in sodium chloride?

7 A molecule of X contains two bromine atoms, three carbon atoms, six hydrogen atoms and one oxygen atom.

What is the formula of X?


- **A** CHBrO **B**  $C_3H_6B_2O$  **C**  $C_3H_6Br_2O$  **D** C3H6Br2O
- 8 The diagram shows the electrolysis of concentrated aqueous sodium chloride using inert electrodes.



Which substances are produced at the electrodes?

	anode	cathode				
Α	colourless gas	colourless gas				
в	colourless gas	green gas				
С	green gas	colourless gas				
D	green gas	green gas				

9 Which apparatus could be used to electroplate an iron nail with copper?



10 Which experiment is the most exothermic?

	initial temperature/°C	final temperature/°C
Α	20	5
В	20	32
С	25	12
D	25	34


- **11** Which substance is **not** used as a fuel?
  - A bitumen
  - **B** diesel
  - C gasoline
  - D hydrogen

**12** Zinc granules are reacted with excess dilute hydrochloric acid.

The volume of hydrogen given off is measured at different times.

The results are shown on the graph, labelled experiment 1.

The results for a second experiment are also shown on the graph, labelled experiment 2.



Which change to the conditions was made in experiment 2?

- A The concentration of the hydrochloric acid was decreased.
- **B** The size of the zinc granules was decreased.
- **C** The surface area of the zinc granules was increased.
- **D** The temperature was increased.
- **13** When green crystals of nickel(II) sulfate are heated, water is given off and a yellow solid remains. When water is added to the yellow solid, the green colour returns.

Which process describes these changes?

- A combustion
- **B** corrosion
- **C** neutralisation
- D reversible reaction
- 14 In which reaction is the copper compound reduced?
  - $\textbf{A} \quad CuCO_3 \rightarrow CuO + CO_2$
  - $\textbf{B} \quad \text{CuO} \ \textbf{+} \ \text{H}_2\text{SO}_4 \ \rightarrow \ \text{CuSO}_4 \ \textbf{+} \ \text{H}_2\text{O}$
  - **C**  $CuSO_4 + 2NaOH \rightarrow Cu(OH)_2 + Na_2SO_4$
  - $\textbf{D} \quad 2CuO \ + \ C \ \rightarrow \ 2Cu \ + \ CO_2$

**15** The element selenium forms the oxide SeO<sub>2</sub>. This oxide dissolves in concentrated aqueous sodium hydroxide.

The element zirconium forms the oxide ZrO<sub>2</sub>. This oxide dissolves in concentrated sulfuric acid.

How are the elements selenium and zirconium classified?

	selenium	zirconium			
Α	metal	metal			
в	metal	non-metal			
С	non-metal	metal			
D	non-metal	non-metal			

**16** Aqueous sodium hydroxide was added slowly, until in excess, to separate solutions of W, X, Y and Z.

The results are shown.

solution	initial observation with aqueous sodium hydroxide	final observation with excess aqueous sodium hydroxide
W	white precipitate formed	precipitate dissolves
X	white precipitate formed	no change
Y	pale blue precipitate formed	no change
Z	green precipitate formed	no change

Which row identifies the metal ions in the solutions?


	metal ion in solution W	metal ion in solution X	metal ion in solution Y	metal ion in solution Z
Α	aluminium	calcium	copper(II)	iron(II)
в	aluminium	calcium	iron(II)	copper(II)
С	aluminium	iron(II)	calcium	copper(II)
D	calcium	aluminium	copper(II)	iron(II)

**17** Acids can react with metal oxides, carbonates and metals.

	acid with metal oxide	acid with carbonate	acid with metal	
Α	1	1	1	key
в	1	x	x	$\checkmark$ = gas is produced
С	x	$\checkmark$	$\checkmark$	<b>x</b> = no gas is produced
D	x	$\checkmark$	X	

Which reactions produce a gas?

**18** The apparatus shown is used to prepare aqueous copper(II) sulfate.



What are X and Y?

	Х	Y			
Α	copper	aqueous iron(II) sulfate			
в	copper(II) chloride	sulfuric acid			
С	copper(II) oxide	sulfuric acid			
D	sulfur	aqueous copper(II) chloride			

**19** Part of the Periodic Table is shown.

V												W	
Х											Y	Ζ	

Which statement about the elements is correct?

- **A** V has a higher melting point than X.
- **B** X is less reactive than V.
- **C** Y has less metallic character than Z.
- **D** Z is more reactive than W.
- 20 What is not a property of Group I metals?
  - **A** They are soft and can be cut with a knife.
  - **B** They react when exposed to oxygen in the air.
  - **C** They produce an acidic solution when they react with water.
  - **D** They react rapidly with water producing hydrogen gas.
- 21 Which gas is **not** a noble gas?
  - A fluorine
  - B helium
  - C radon
  - D xenon
- 22 Which element is a transition element?

	colour of chloride	melting point of element/°C
Α	orange	113
В	orange	1535
С	white	113
D	white	1535

- 23 Which statement about the elements in Group VII is not correct?
  - **A**  $Br_2$  is less reactive than  $I_2$ .
  - **B**  $Cl_2$  is used for water treatment.
  - **C**  $F_2$  is a covalent molecule.
  - **D**  $I_2$  forms a purple vapour when warmed.
- 24 Four metals are listed in decreasing order of reactivity.

magnesium zinc iron copper

Titanium reacts with acid and cannot be extracted from its ore by heating with carbon.

Where should titanium be placed in the list?

- A below copper
- B between iron and copper
- C between magnesium and zinc
- **D** between zinc and iron
- **25** Impurities in iron obtained from the blast furnace include carbon, phosphorus and silicon.

Which impurities are removed from the molten iron as gases when it is made into steel?

- A carbon and phosphorus
- B carbon and silicon
- C carbon only
- D phosphorus and silicon

Some of the results are **not** correct.

	res	ults
	metal	gas given off
1	copper	yes
2	iron	yes
3	magnesium	no
4	zinc	yes

11

Which two results are correct?

Α	1 and 3	В	1 and 4	С	2 and 3	D	2 and 4
---	---------	---	---------	---	---------	---	---------

- 27 What is a common use of mild steel?
  - A aircraft manufacture
  - **B** electrical wiring
  - **C** making car bodies
  - **D** making cutlery
- **28** River water contains soluble impurities, insoluble impurities and bacteria.

River water is made safe to drink by filtration and chlorination.

Which statement is correct?

- A Filtration removes bacteria and insoluble impurities, and chlorination removes soluble impurities.
- **B** Filtration removes insoluble impurities, and chlorination kills the bacteria.
- **C** Filtration removes soluble and insoluble impurities, and chlorination kills the bacteria.
- **D** Filtration removes soluble impurities and bacteria, and chlorination removes insoluble impurities.
- **29** Air is a mixture of gases.

Which gas is present in the largest amount?

- A argon
- B carbon dioxide
- **C** nitrogen
- D oxygen

30 Which information about carbon dioxide and methane is correct?

		carbon dioxide	methane	
Α	formed when vegetation decomposes	$\checkmark$	x	key
В	greenhouse gas	$\checkmark$	$\checkmark$	✓ = true
С	present in unpolluted air	x	x	X = false
D	produced during respiration	×	$\checkmark$	

31 Aqueous sodium hydroxide is added to a sample of a fertiliser and the mixture warmed.

Ammonia gas is given off.

Which ion does the fertiliser contain?

- A ammonium
- **B** nitrate
- С phosphate
- D potassium
- 32 Which reaction would not result in the production of carbon dioxide?
  - **A** combustion of methane
  - **B** fermentation
  - С reaction between an acid and a metal
  - **D** respiration
- 33 Which substance gives off carbon dioxide on heating?
  - Α lime
  - В limestone
  - С limewater
  - **D** slaked lime
- 34 Petroleum is separated into fractions.

Which statement is not correct?

- Α Each fraction contains a mixture of hydrocarbon molecules.
- Fuel oil burns easily and is used as fuel in cars. В
- С Refinery gas is the fraction containing the smallest molecules.
- The fractions are separated depending on their boiling point range. D

**35** Butane reacts as shown.

butane catalyst and heat butene + hydrogen

What is this type of reaction?


- A combustion
- B cracking
- **C** polymerisation
- D reduction
- 36 Which compound is not a member of the alkene homologous series?
  - A CH<sub>3</sub>CHCH<sub>2</sub>
  - **B**  $CH_3CH_2CHCH_2$
  - **C** CH<sub>3</sub>CHCHCH<sub>3</sub>
  - D CH<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>CH<sub>3</sub>
- 37 Which compound decolourises aqueous bromine?
  - A 2-methylpropane
  - B butane
  - **C** cyclohexane
  - D hexene
- **38** The equation represents the fermentation of X.

X \_\_\_\_\_ ethanol + carbon dioxide

What is X?

- A ethanoic acid
- B ethene
- C glucose
- D methanol

39 Which molecule can be polymerised?



- 40 Which equation for the complete combustion of ethanol is correct?
  - $\textbf{A} \quad C_2H_5OH \ \textbf{+} \ \ 3O_2 \ \rightarrow \ 2CO_2 \ \textbf{+} \ \ 3H_2O$
  - $\textbf{B} \quad 2C_2H_5OH \ \textbf{+} \ 7O_2 \ \rightarrow \ 4CO_2 \ \textbf{+} \ 6H_2O$
  - $\textbf{C} \quad 2C_2H_5OH \ \textbf{+} \ 5O_2 \ \rightarrow \ 2CO_2 \ \textbf{+} \ 6H_2O$
  - $\textbf{D} \quad 4C_2H_5OH \ \textbf{+} \ 7O_2 \ \rightarrow \ 4CO_2 \ \textbf{+} \ 10H_2O$

### **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	VIII	2	He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	Ъ	krypton 84	54	Xe	xenon 131	86	Rn	radon	I			
	ΝI				6	LL	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	П	iodine 127	85	At	astatine	I			
	١٨				∞	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	Te	tellurium 128	84	Ро	polonium	I	. 116	2	livermorium -
	>				7	z	nitrogen 14	15	٩	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	E	bismuth	209			
	N				9	ပ	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead	207	114	Ρl	flerovium -
					5	Ш	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium	204			
											30	Zn	zinc 65	48	Cd	cadmium 112	80	Hg	mercury	201	112	5 C	copernicium -
											29	Cu	copper 64	47	Ag	silver 108	79	Au	gold	197	111	бХ	roentgenium -
Group											28	ïZ	nickel 59	46	Pd	palladium 106	78	Ţ	platinum	195	110	Ds	darmstadtium -
					_						27	ပိ	cobalt 59	45	Rh	rhodium 103	77	Ir	iridium	192	109	Mt	meitnerium -
		١	I	hydrogen 1							26	Ъe	iron 56	44	Ru	ruthenium 101	76	SO	osmium	190	108	Hs	hassium –
					-						25	Mn	manganese 55	43	ЦC	technetium -	75	Re	rhenium	186	107	Вh	bohrium –
						bol	ass				24	ų	chromium 52	42	Mo	molybdenum 96	74	×	tungsten	184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Ца	tantalum	181	105	an	dubnium I
						ato	rela				22	F	titanium 48	40	Zr	zirconium 91	72	Ŧ	hafnium	178	104	ŗ	rutherfordium -
											21	လိ	scandium 45	39	≻	yttrium 89	57-71	lanthanoids			89-103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	S	strontium 88	56	Ba	barium	137	88	Кa	radium -
	_				3	:	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium	133	87	L	francium -

71 Lu Iutetium 175 103 awrencium \_ 70 Ytterbium 173 102 No nobelium mendelevium  $\overset{69}{Md} \overset{1}{}_{101} \overset{1}{}_{101} \overset{69}{}_{101}$ 67 Holmium 165 99 ES G6 dysprosium 163 98 Cf californium 65 Tb 159 97 97 berkelium 64 Gd 157 96 B Cm -Am americium 63 Eu europium 95 62 Samarium 150 94 94 Pu oromethium Pm 6 ieptunium <sup>20</sup> S neodymium 144 <sup>00</sup> Nd uranium 238 28 ∪ braseodymiun. 91 Paarentinium 231 P 59 58 Cerium 140 90 90 90 232 232 57 La lanthanum 139 89 AC actinium lanthanoids actinoids

# The volume of one mole of any gas is $24\,dm^3$ at room temperature and pressure (r.t.p.)

16