

## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CHEMISTRY 0620/23

Paper 2 Multiple Choice (Extended) May/June 2018

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

#### **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO **NOT** WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

#### Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.


The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 14 printed pages and 2 blank pages.



**1** Ammonia gas is reacted with hydrogen chloride gas using the apparatus shown.

Solid ammonium chloride is produced.



Which statement explains why the solid ammonium chloride is formed nearer to the hydrogen chloride?

- **A** Ammonia solution is a base and hydrogen chloride solution is an acid.
- **B** Ammonia molecules diffuse more slowly than hydrogen chloride molecules.
- **C** Hydrogen chloride has a greater molecular mass than ammonia.
- **D** Hydrogen chloride moves by Brownian motion.
- **2** Paper chromatography is done in the same way with three different mixtures of dyes. Each mixture contains at least one of the dyes W, X, Y and Z.

The  $R_f$  values of the dyes in the three mixtures are shown.


dye	R <sub>f</sub> values from mixture 1	R <sub>f</sub> values from mixture 2	R <sub>f</sub> values from mixture 3
W	0.15	0.15	0.15
Х	0.00	0.00	0.00
Υ	0.50	0.50	0.50
Z	0.00	0.91	0.91

Which conclusion is correct?

- **A** Dye W is nearest the solvent front and is present only in mixture 1 and mixture 3.
- **B** Dye X has travelled furthest up the chromatography paper.
- **C** Dye Y is the only dye present in all three mixtures.
- **D** Dye Z is nearest the solvent front and is found in only two of the mixtures.

3 Solid R reacted with dilute sulfuric acid.


The initial temperature of the dilute sulfuric acid and the final temperature of the solution are shown.



What was the change in temperature in °C?

- $\mathbf{A} 6$
- **B** -4
- C 4
- **D** 6

4 The 'lead' in a pencil is made of a mixture of graphite and clay.



When the percentage of graphite is increased, the pencil slides across the paper more easily.

Which statement explains this observation?

- A Graphite has a high melting point.
- **B** Graphite is a form of carbon.
- **C** Graphite is a lubricant.
- **D** Graphite is a non-metal.
- 5 Iron has an atomic number of 26. It occurs as the isotopes <sup>54</sup>Fe, <sup>56</sup>Fe, <sup>57</sup>Fe and <sup>58</sup>Fe.

Which statement explains why these isotopes have the same chemical properties?

- A They have similar mass numbers.
- **B** They have the same number of electrons in their outer shells.
- **C** They have the same number of neutrons in their nuclei.
- **D** They have the same number of protons in their nuclei.

6	Нον	w many silicon a	toms	s are bonded to	each	n oxygen atom in	a c	rystal of silicon(IV) oxide?
	Α	1	В	2	С	3	D	4
7	Which substance is <b>not</b> a macromolecule?							
	Α	diamond						
	В	graphite						
	С	silicon(IV) oxid	е					
	D	sulfur						
8	10 0	•	ous I	nydrocarbon, C <sub>x</sub>	Η <sub>y</sub> , \	ormula of a hydro		con, $C_xH_y$ .
		at is C <sub>x</sub> H <sub>v</sub> ?		•				
		CH <sub>4</sub>	R	$C_2H_4$	C	$C_2H_6$	n	C₃H <sub>8</sub>
	^	O1 14	_	O <sub>2</sub> 1 14		O21 16		03118
9	4.0 0.2	0g of solid sodi 00 mol/dm³.	um	hydroxide is ad	ded	to water to mak	ке а	solution with a concentration of
	Wh	at is the volume	of w	ater used?				
	Α	$0.5\mathrm{cm}^3$	В	20 cm <sup>3</sup>	С	500 cm <sup>3</sup>	D	2000 cm <sup>3</sup>
10	Αqι	ueous copper(II)	sulf	ate is electrolyse	ed u	sing copper elec	trod	es.
	Wh	ich statement is	corr	ect?				
	Α	Oxygen gas is	prod	uced at the posi	tive	electrode.		
	В	The blue colour	of t	he solution grad	ually	/ fades.		
	С	The concentrat	ion d	of copper ions in	the	solution stays th	e sa	me.
	D	The mass of the	e ne	gative electrode	dec	reases.		

11 Dilute sulfuric acid is electrolysed using inert electrodes.

What are the ionic half-equations for the reactions that take place at each electrode?

	positive electrode	negative electrode
Α	$2H^+ + 2e^- \rightarrow H_2$	$4OH^{-} \rightarrow 2H_{2}O + O_{2} + 4e^{-}$
В	$2H^{+} + 2e^{-} \rightarrow H_{2}$	$4OH^- + 4H^+ \rightarrow 4H_2O$
С	$4OH^{-} \rightarrow 2H_{2}O + O_{2} + 4e^{-}$	$2H^+ + 2e^- \rightarrow H_2$
D	$4OH^- + 4H^+ \rightarrow 4H_2O$	$2H^+ + 2e^- \rightarrow H_2$

- **12** Information about two reactions is given.
  - The neutralisation reaction between citric acid and sodium hydrogencarbonate is endothermic.
  - The displacement reaction between magnesium and carbon dioxide is exothermic.

Which statements about the two reactions are correct?

- The energy of the products formed in the neutralisation reaction is greater than the energy of the reactants.
- 2 The energy of magnesium and carbon dioxide is greater than the energy of magnesium oxide and carbon.
- In an exothermic reaction, the energy required to break the bonds is greater than the 3 energy released when the new bonds are formed.
- **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only
- 13 Ethene reacts with hydrogen. The equation is shown.

$$CH_2=CH_2 + H_2 \rightarrow C_2H_6$$

The bond energies are shown in the table. The reaction is exothermic.

bond	bond energy in kJ/mol
C–C	+350
C=C	+610
C–H	+410
H–H	+436

What is the energy change for the reaction?

- **A** -560 kJ/mol **B** -124 kJ/mol
- **C** +486 kJ/mol **D** +5496 kJ/mol

**14** Which row describes the effects of increasing both concentration and temperature on the collisions between reacting particles?

	increasing concentration	increasing temperature
Α	more collisions per second only	more collisions per second only
В	more collisions per second and more collisions with sufficient energy to react	more collisions per second only
С	more collisions per second only	more collisions per second and more collisions with sufficient energy to react
D	more collisions per second and more collisions with sufficient energy to react	more collisions per second and more collisions with sufficient energy to react

15 In the Contact process, sulfur dioxide is converted into sulfur trioxide in a reversible reaction.

$$2SO_2(g) + O_2(g) \rightleftharpoons 2SO_3(g)$$

The forward reaction is exothermic.

Which conditions give the highest yield of sulfur trioxide at equilibrium?

	pressure /atmospheres	temperature
Α	0.5	high
В	0.5	low
С	1.5	high
D	1.5	low

**16** The equation for a redox reaction is shown.

$$2Fe^{3+} + Zn \rightarrow 2Fe^{2+} + Zn^{2+}$$

Which statements are correct?

- 1 Fe<sup>3+</sup> is reduced to form Fe<sup>2+</sup>.
- 2 Zn oxidises the Fe<sup>3+</sup> ions.
- 3 Fe<sup>3+</sup> is an oxidising agent.

**A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

- 17 Which statement about oxides is correct?
  - A A solution of magnesium oxide has a pH less than pH 7.
  - **B** A solution of sulfur dioxide has a pH greater than pH 7.
  - **C** Magnesium oxide reacts with nitric acid to make a salt.
  - **D** Sulfur dioxide reacts with hydrochloric acid to make a salt.
- **18** The equation represents an equilibrium in aqueous ammonia.

$$NH_3(aq) + H_2O(I) \rightleftharpoons NH_4^+(aq) + OH^-(aq)$$

How does aqueous ammonia behave in this reaction?

- A as a strong acid
- B as a strong base
- C as a weak acid
- D as a weak base
- **19** An excess of aqueous sodium sulfate was added to aqueous barium chloride and the mixture was filtered.

Which row shows the identity of the residue and the substances present in the filtrate?

	residue	substances in filtrate
Α	barium sulfate	barium chloride and sodium chloride
В	barium sulfate	sodium chloride and sodium sulfate
С	sodium chloride	barium chloride and sodium sulfate
D	sodium chloride	barium sulfate and sodium sulfate


- 20 Which methods are suitable for preparing both zinc sulfate and copper(II) sulfate?
  - 1 reacting the metal oxide with warm dilute aqueous sulfuric acid
  - 2 reacting the metal with dilute aqueous sulfuric acid
  - 3 reacting the metal carbonate with dilute aqueous sulfuric acid
  - **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

21 Which element is classified as a non-metal in the Periodic Table?

- A calcium
- **B** chlorine
- **C** chromium
- **D** copper
- 22 Part of the Periodic Table is shown.

Element Q has a low boiling point, low density and does not conduct electricity.


Which element is Q?





23 Which row describes a typical transition element?


	density in g/cm <sup>3</sup>	melting point in °C	boiling point in °C	colour of oxide
Α	0.97	98	883	white
В	2.64	769	1382	white
С	3.10	<b>-</b> 7	59	yellow
D	8.96	1085	2562	red

**24** Which diagram represents a solid alloy?









25 The ionic equations for four reactions are shown.

$$Z + X^{2+} \rightarrow Z^{2+} + X$$
 $Z + 2W^{+} \rightarrow Z^{2+} + 2W$ 
 $X + 2W^{+} \rightarrow X^{2+} + 2W$ 
 $Y + Z^{2+} \rightarrow Y^{2+} + Z$ 

What is the order of reactivity of the four metals, W, X, Y and Z?

	most reactiv	r	least eactive	
Α	W	Х	Z	Υ
В	Х	W	Υ	Z
С	Υ	Z	Х	W
D	Z	W	Χ	Υ

26 Which equation represents the first stage in the extraction of zinc from zinc blende?

A 
$$2ZnS + 3O_2 \rightarrow 2ZnO + 2SO_2$$

$$\textbf{B} \quad ZnS \, + \, H_2O \, \rightarrow \, ZnO \, + \, H_2S$$


$$\mathbf{C}$$
 ZnO + CO  $\rightarrow$  Zn + CO<sub>2</sub>

$$\textbf{D} \quad \text{ZnO} \, + \, \text{H}_2 \text{SO}_4 \, \rightarrow \, \text{ZnSO}_4 \, + \, \text{H}_2 \text{O}$$

27 Which statement explains why aluminium is used to manufacture aircraft?

- **A** It has a low density.
- **B** It is a good conductor of electricity.
- **C** It is a good conductor of heat.
- **D** It is ductile.

28 Dry air is passed over hot copper until all the oxygen has reacted.



The volume of gas at the end of the reaction is 120 cm<sup>3</sup>.

What is the starting volume of dry air?

- **A** 132 cm<sup>3</sup>
- **B** 152 cm<sup>3</sup>
- $C 180 \, \text{cm}^3$
- **D** 570 cm<sup>3</sup>

29 A steel bicycle which had been left outdoors for several months was starting to rust.

What would **not** reduce the rate of corrosion?

- A Remove the rust and paint the bicycle.
- **B** Remove the rust and store the bicycle in a dry shed.
- **C** Remove the rust and wipe the bicycle with a clean, damp cloth.
- **D** Remove the rust and wipe the bicycle with an oily cloth.
- 30 Which statements about water are correct?
  - Household water contains dissolved salts.
  - 2 Water for household use is filtered to remove soluble impurities.
  - 3 Water is treated with chlorine to kill bacteria.
  - 4 Water is used in industry for cooling.
  - **A** 1, 2, 3 and 4
  - **B** 1, 2 and 3 only
  - C 1, 3 and 4 only
  - **D** 2, 3 and 4 only

31 Ammonia is manufactured by reacting hydrogen with nitrogen in the Haber process.

Which row describes the sources of hydrogen and nitrogen and the conditions used in the manufacture of ammonia in the Haber process?

	source of hydrogen	source of nitrogen	temperature of reaction/°C	pressure of reaction/atm
Α	air	natural gas	250	2
В	air	natural gas	250	200
С	natural gas	air	450	2
D	natural gas	air	450	200

- 32 Which statements about the carbon cycle are correct?
  - 1 Carbon dioxide is added to the atmosphere by respiration.
  - 2 Carbon dioxide is added to the atmosphere by combustion of coal.
  - 3 Carbon dioxide is removed from the atmosphere by photosynthesis.
  - **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only
- **33** Element Z forms an oxide, ZO<sub>2</sub>. Three uses of ZO<sub>2</sub> are listed.
  - bleaching agent
  - killing bacteria
  - manufacturing an important acid

What is Z?

- A carbon
- **B** lead
- C nitrogen
- **D** sulfur

34	Limestone	is an	important	material	with	many	uses.
----	-----------	-------	-----------	----------	------	------	-------

Limestone is heated to produce .....1..... and carbon dioxide.

This reaction is called .....2......

Which words correctly complete gaps 1 and 2?

	1	2
Α	lime	neutralisation
В	lime	thermal decomposition
С	slaked lime	neutralisation
D	slaked lime	thermal decomposition

## **35** What is **not** the correct use of the fraction named?

	name of fraction	use					
Α	fuel oil	making waxes					
В	gas oil	fuel in diesel engines					
С	kerosene	jet fuel					
D	naphtha	making chemicals					

# **36** Methane, ethane and propane belong to a family of hydrocarbons called alkanes.

What is the general formula of an alkane?

Α.	$\sim$	
Α	Un	่⊓วก

 $\mathbf{B} \quad \mathsf{C}_{\mathsf{n}}\mathsf{H}_{\mathsf{2n+1}}$ 

$\mathbf{c}$	С Н.
C	$C_nH_{2n-1}$

 $\mathbf{D}$   $C_nH_{2n+2}$ 

# **37** Which substances can be obtained by cracking hydrocarbons?

A ethanol and ethene

B ethanol and hydrogen

**C** ethene and hydrogen

**D** ethene and poly(ethene)

38 Which row describes an advantage and a disadvantage of making ethanol by fermentation?

	advantage	disadvantage					
Α	uses a renewable resource	occurs at a slow rate					
В	needs a high temperature	produces impure ethanol as a product					
С	produces pure ethanol as a product	needs a high temperature					
D	occurs at a slow rate	uses a non-renewable resource					

- **39** Which esters have the molecular formula  $C_5H_{10}O_2$ ?
  - 1 ethyl propanoate
  - 2 propyl ethanoate
  - 3 butyl methanoate
  - 4 methyl butanoate
  - **A** 1, 2, 3 and 4
  - **B** 1, 2 and 3 only
  - C 1 and 2 only
  - **D** 3 and 4 only
- **40** A polymer linkage contains carbon, hydrogen, nitrogen and oxygen atoms.

Which row about the polymer is correct?

	type of polymer	formed by
Α	polyamide	addition polymerisation
В	polyamide	condensation polymerisation
С	polyester	addition polymerisation
D	polyester	condensation polymerisation

# **BLANK PAGE**

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	$\equiv$	<sup>2</sup> H	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	굿	krypton 84	54	×	xenon 131	98	R	radon																				
	<b>=</b>			6	ட	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	Ą	astatine -																				
	>			80	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	Б	tellurium 128	84	Ъо	molod –	116	^	livemorium _																	
	>			7	Z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209																				
	≥			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium																	
	≡			2	Ω	boron 11	13	Νſ	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	lΤ	thallium 204																				
							•			30	Zu	zinc 65	48	B	cadmium 112	80	ΡĜ	mercury 201	112	S	copernicium -																	
										29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium																	
Group																											28	z	nickel 59	46	Pd	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
Gre										27	ပိ	cobalt 59	45	R	rhodium 103	22	Ir	iridium 192	109	Mt	meitnerium -																	
		- I	hydrogen 1											Ru	ruthenium 101	9/	SO	osmium 190	108	Hs	hassium -																	
										25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –																	
					pol	ass						chromium 52		Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -																	
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	gN	niobium 93	73	д	tantalum 181	105	Сb	dubnium –																	
					ato	rels				22	F	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	꿆	rutherfordium -																	
										21	သွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids																		
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	99	Ba	barium 137	88	Ra	radium																	
	_			က	=	lithium 7	11	Na	sodium 23	19	¥	potassium 39	37	S S	rubidium 85	55	Cs	caesium 133	87	ᇁ	francium -																	

71	Γn	Intetium	175	103	۲	lawrencium	I
	Υp						I
69	Ta	thulium	169	101	Md	mendelevium	ı
89	Д	erbium	167	100	Fm	ferminm	I
29	웃	holmium	165	66	Es	einsteinium	ı
99	۵	dysprosium	163	86	ర	califomium	I
65	Tp	terbium	159	26	益	berkelium	_
64	Вd	gadolinium	157	96	Cm	curium	I
63	Ш	europium	152	98	Am	americium	1
62	Sm	samarium	150	94	Pn	plutonium	_
61	Pm	promethium	ı	93	Np	neptunium	_
09	βN				$\supset$	uranium	238
59	P	praseodymium	141	91	Ра	protactinium	231
58	Se Ce				۲	thorium	232
22	Га	lanthanum	139	88	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).