

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**

Cambridge International General Certificate of Secondary Education

## **MARK SCHEME for the October/November 2015 series**

### **0580 MATHEMATICS**

**0580/13**

Paper 1 (Paper 1 (Core)), maximum raw mark 56

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2015 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

bestexamhelp.com

® IGCSE is the registered trademark of Cambridge International Examinations.

<b>Page 2</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2015</b>	<b>0580</b>	<b>13</b>

### Abbreviations

cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfww	not from wrong working
soi	seen or implied

Question	Answer	Mark	Part marks
<b>1</b>	6054	<b>1</b>	
<b>2</b>	6.7	<b>1</b>	
<b>3</b>	3	<b>1</b>	
<b>4</b>	170 cao	<b>1</b>	
<b>5</b>	[0].101 or [0].1005 to [0].1006	<b>1</b>	
<b>6</b>	6	<b>1</b>	
<b>7 (a)</b>	12, 15	<b>1</b>	
<b>(b)</b>	11, 13	<b>1</b>	
<b>8 (a)</b>	5	<b>1</b>	
<b>(b)</b>	Subtract 4 oe	<b>1</b>	
<b>9</b>	5 – u final answer	<b>2</b>	<b>B1</b> for 5 + ku or j – u, k ≠ 0 as final answer
<b>10 (a)</b>	2	<b>1</b>	
<b>(b)</b>	–9	<b>1</b>	
<b>11</b>	23.6 or 23.57 to 23.58	<b>2</b>	<b>M1</b> for sin [=] $\frac{2}{5}$ oe
<b>12</b>	2 <sup>3</sup> × 3 <sup>2</sup> or 2 × 2 × 2 × 3 × 3	<b>2</b>	<b>B1</b> for 2, 2, 2, 3, 3
<b>13</b>	31.6 [2....]	<b>2</b>	<b>M1</b> for $\sqrt{18^2 + 26^2}$
<b>14</b>	Correct triangle with correct arcs	<b>2</b>	<b>B1</b> for correct triangle without arcs or 1 correct side with arcs
<b>15</b>	562.5 cm <sup>3</sup>	<b>2</b> <b>1</b>	<b>M1</b> for 5 × 12.5 × 9
<b>16</b>	Any two of $\frac{8}{12}$ , $\frac{2}{12}$ or $\frac{3}{12}$ oe  $\frac{8}{12} + \frac{2}{12} - \frac{3}{12}$ oe  $\frac{7}{12}$	<b>M1</b>  <b>M1</b>  <b>A1</b>	<b>M1</b> for any 2 correct over a common denominator, eg $\frac{4}{6}$ and $\frac{1}{6}$  or <b>SC2</b> for final answer $\frac{13}{12}$ or $1\frac{1}{12}$ with full working
<b>17 (a)</b>	3x + 21 final answer	<b>1</b>	
<b>(b)</b>	2x (1 – 2x) final answer	<b>2</b>	<b>B1</b> for 2(x – 2x <sup>2</sup> ) or x(2 – 4x) as final answer

<b>Page 3</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – October/November 2015</b>	<b>0580</b>	<b>13</b>

<b>Question</b>	<b>Answer</b>	<b>Mark</b>	<b>Part marks</b>
<b>18 (a)</b>	230	<b>1</b>	
<b>(b)</b>	C marked in correct position	<b>2</b>	<b>B1</b> for correct distance 8 cm or correct bearing 155°
<b>19 (a)</b>	[0].00017	<b>1</b>	
<b>(b)</b>	$1.026 \times 10^{-3}$	<b>2</b>	<b>B1</b> for $10.26 \times 10^{-4}$ oe
<b>20 (a)</b>	96	<b>2</b>	<b>M1</b> for $360 - (66 + 98 + 112)$
<b>(b)</b>	4140	<b>2</b>	<b>M1</b> for $(25 - 2) \times 180$ or $25 \times \left(180 - \frac{360}{25}\right)$
<b>21 (a)</b>	12 nfw	<b>2</b>	<b>M1</b> for $\frac{x}{7.5} = \frac{10}{6.25}$ oe
<b>(b)</b>	3.75 cao	<b>2</b>	<b>M1</b> for $\frac{y}{6} = \frac{6.25}{10}$ oe
<b>22</b>	Correctly equating one set of coefficients	<b>M1</b>	eg $10x + 4y = 16$ and $10x - 15y = 130$ or $15x + 6y = 24$ and $4x - 6y = 52$
	Correct method to eliminate one variable	<b>M1</b>	eg $19y = k$ or $hx = 114$ or $19x = m$ or $ny = 76$
	[x =] 4	<b>A1</b>	
	[y =] -6	<b>A1</b>	
			If zero scored <b>SC1</b> for 2 values satisfying one of the original equations. <b>SC1</b> if no working shown, but 2 correct answers given
<b>23 (a) (i)</b>	60	<b>1</b>	
<b>(ii)</b>	$\frac{90}{360}$ oe	<b>1</b>	
<b>(iii)</b>	46	<b>2</b>	<b>M1</b> for $\frac{138}{360} \times 120$
<b>(b)</b>	2.4 nfw	<b>3</b>	<b>M1</b> for $(0 \times 3) + (1 \times 3) + (2 \times 8) + (3 \times 5) + (4 \times 4) + (5 \times 2)$ implied by 60 <b>M1dep</b> for <i>their</i> $60 \div 25$