## **CAMBRIDGE INTERNATIONAL EXAMINATIONS**

**Cambridge International General Certificate of Secondary Education** 

## MARK SCHEME for the March 2016 series

## 0580 MATHEMATICS

0580/22

Paper 2 (Paper 22 – Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the March 2016 series for most Cambridge IGCSE® and Cambridge International A and AS Level components.



Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – March 2016	0580	22

## **Abbreviations**

cao correct answer only

dep dependent

FT follow through after error isw ignore subsequent working

oe or equivalent SC Special Case

nfww not from wrong working

soi seen or implied

Qu.	Answers	Mark	Part Marks
1	7, -4	1	
2	2x(1-2y) final answer	2	M1 for $2(x - 2xy)$ or $x(2 - 4y)$ or for correct answer then spoilt
3	75.1 or 75.09 to 75.10	2	<b>M1</b> for cos [=] $\frac{0.9}{3.5}$
4	n < 1.5 oe final answer	2	<b>B1</b> for 1.5 oe in answer
			or <b>M1</b> for $3 > 8n - 6n$ oe
5	9.1 oe	2	<b>M1</b> for $\frac{5.2}{PQ} = \frac{12.4}{21.7}$ oe
6	$\frac{4}{9}$ oe, must be fraction	2	<b>M1</b> for $10 \times 0.\dot{4} - 0.\dot{4}$ oe
7	130 or 130.0 to 130.1	2	<b>M1</b> for $\frac{1}{2} \times 22.3 \times 27.6 \times \sin 25$
8	$\frac{1}{5} \begin{pmatrix} 7 & 2 \\ 8 & 3 \end{pmatrix} $ oe isw	2	M1 for $\frac{1}{5} \begin{pmatrix} a & b \\ c & d \end{pmatrix}$ soi or $k \begin{pmatrix} 7 & 2 \\ 8 & 3 \end{pmatrix}$ $k \neq 0$ or det = 5 soi
9	$\frac{35(or\ 95)}{60} + \frac{39}{60}$	M1	accept $\frac{35k(or\ 95k)}{60k} + \frac{39k}{60k}$
	$2\frac{7}{30}$	A2	or <b>A1</b> for $\frac{67}{30}$ or $\frac{134k}{60k}$ or $1\frac{74k}{60k}$ or $2\frac{14k}{60k}$
10	64 000	3	<b>M2</b> for $\frac{1.6 \times 20000^2}{100^2}$ oe or
			<b>M1</b> for figs 64 in answer or $1 \text{ cm}^2 = 40000 \text{ m}^2$

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – March 2016	0580	22

Qu.	Answers	Mark	Part Marks
11	16.58 cao	3	<b>B2</b> for 16.6 or 16.580 to 16.583 final answer or 16.58 not as final answer or $ \mathbf{M1} \text{ for } \frac{38}{360} \times 2 \times \pi \times 25 $ and $ \mathbf{B1} \text{ for rounding their more accurate answer correctly to 4sf} $
12	87 cao nfww	3	<b>B2</b> for 87.04 or 87.0 nfww or <b>M1</b> for 500.5 or 5.75 seen or for $(500 + 0.5) \div (5.8 - 0.05)$ and <b>B1</b> for <b>truncating</b> their decimal answer to an integer
13 (a)	$2^5 \times 3^2 \times 7$ oe final answer	3	<b>B2</b> for product of two of $2^5$ , $3^2$ , 7 or <b>B1</b> for 2, 3 and 7 seen or <b>M1</b> for $2 \times 1008$ or $3 \times 672$ or $7 \times 288$ soi
(b)	$2.016 \times 10^3$	1	
14 (a)	$x^8y^7$ final answer	2	<b>B1</b> for answer $x^8 y^k$ or $x^k y^7 (k \neq 0)$
(b)	$27p^6m^{15}$ final answer	2	<b>B1</b> for 2 correct of 27, $p^6$ , $m^{15}$ in a product as answer
15	111.2 or 111.1 to 111.2	4	M2 for [cos =] $\frac{2.8^2 + 3.6^2 - 5.3^2}{2 \times 2.8 \times 3.6}$ or M1 for implicit form A1 for [cos =] -0.362 to -0.361
16	44.1 or 44.07	4	M1 for 4 of mid-values 15 30 45 55 75 soi M1 for $\sum fx$ for any $x$ in intervals including boundaries M1 dep for $\sum fx \div 70$ Dep on 2nd M mark earned

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – March 2016	0580	22

	Qu.	Answers	Mark	Part Marks
17		$\frac{-(-11) \pm \sqrt{(-11)^2 - 4(3)(4)}}{2 \times 3}$	2	<b>B1</b> for $\sqrt{(-11)^2 - 4(3)(4)}$ or better
		0.41 and 3.26 final ans cao	B1B1	and, if in form $\frac{p + \sqrt{q}}{r}$ or $\frac{p - \sqrt{q}}{r}$ , <b>B1</b> for $p = -(-11)$ and $r = 2(3)$
				or 0.409 and 3.257 or -0.41 and -3.26 or 0.41 and 3.26 seen in working
18	(a)	47	1	
	(b)	117	2	<b>M1</b> for 360 – (115 + 85 + 97)
	(c)	244	2	<b>B1</b> for 116 seen at centre or 122 seen at circumference
19		$y < 2$ oe and $x \geqslant -2$ oe	2	B1 for either correct
		$y \geqslant \frac{1}{2} x + 1$ oe and $y \leqslant -x + 3$ oe	3	<b>B2</b> for either $y \ge \frac{1}{2} x + 1$ oe or $y \le -x + 3$ oe
				or <b>SC2</b> for $y = \frac{1}{2}x + 1$ oe <b>and</b> $y = -x + 3$ oe
				or <b>SC1</b> for $y = \frac{1}{2} x + 1$ oe or $y = -x + 3$ oe
				or <b>SC4</b> for $y \le 2$ oe, $x > -2$ oe, $y > \frac{1}{2} x + 1$ oe
				and $y < -x + 3$ oe
20	(a)	9a+3b	1	
	<b>(b)</b>	36a + 6b = 96 or $9a + 3b = 21$	B1	
		for correct method to eliminate one variable	M1	
		a = 3 $b = -2$	A1 A1	If M0 A0 A0 scored SC1 for
				2 values satisfying $36a+6b=96$ or $9a+3b=21$ or if no working shown, but 2 correct answers given

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – March 2016	0580	22

	Qu.	Answers	Mark	Part Marks
21	(a)	$\frac{2}{3}$ oe	1	
	(b)	their $\frac{2}{3}$ , $\frac{7}{8}$ , $\frac{5}{8}$ oe	2	<b>B1</b> for either $\frac{7}{8}$ or $\frac{5}{8}$
	(c) (i)	$\frac{1}{24}$ oe	2	<b>M1</b> for $\frac{1}{3} \times \frac{1}{8}$ seen
	(ii)	$\frac{17}{24}$ oe	3	<b>M2FT</b> for $\frac{1}{3} \times \frac{7}{8} + \frac{2}{3} \times \frac{5}{8}$
				or <b>M1FT</b> for $\frac{1}{3} \times \frac{7}{8}$ or $\frac{2}{3} \times \frac{5}{8}$