

Cambridge Assessment International Education

Cambridge International General Certificate of Secondary Education

PHYSICS 0625/32

Paper 3 Core Theory May/June 2018

MARK SCHEME
Maximum Mark: 80

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2018 series for most Cambridge IGCSE™, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

 $\mathsf{IGCSE^{TM}}$ is a registered trademark.

This syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



Cambridge IGCSE – Mark Scheme

PUBLISHED

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always whole marks (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded positively:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- · marks are not deducted for errors
- · marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

© UCLES 2018 Page 2 of 10

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

© UCLES 2018 Page 3 of 10

Question	Answer				
1(a)	section of graph description of the motion accelerating from X to Y stationary from Y to Z constant speed 1 mark for each correct line. 2 or more lines from any section loses the mark.	3			
1(b)	(distance travelled) = area under graph OR ½ × base × height	1			
	½ × 40 × 20	1			
	400 (m)	1			
1(c)	1st section/WX/from 0 s to 30 s has greater gradient than last (section)/YZ/from 60 s to 100 s	1			

© UCLES 2018 Page 4 of 10

Question	Answer				
2(a)	$(W =) m \times g$	1			
	650 × 8	1			
	5200 (N)	1			
2(b)(i)	(volume of log =) $3 \times 0.04 = 0.12 (\text{m}^3)$	1			
	D = M/V OR (D =) M/V	1			
	550 (kg/m³)	1			
2(b)(ii)	The density of logs is less than density of water owtte.	1			

Question	Answer	Marks
3(a)(i)	(moment =) force × distance	1
	150 × 0.5	1
	75	1
	N m	1
3(a)(ii)	accept any example involving turning forces	1
3(b)	increase distance (of force from pivot point)	1

© UCLES 2018 Page 5 of 10

Question	Answer	Marks
4(a)(i)	38 (°C)	1
4(a)(ii)	2nd box ticked i.e. expansion of liquid	1
4(b)	conduction	1
4(c)	any three from: water is a fluid water molecules gain (kinetic) energy/move faster/further apart water expands/volume increases warm/hot water or molecules rises convection (current created) cooler/cold/water falls/sinks (to be heated again)	3
	correct reference to density change of water	1

Question	Answer			
5(a)	(focal length =) 5 (cm)	1		
5(b)(i)	line through F and then parallel to PA from centre of lens			
5(b)(ii)	raight line from top of object through centre of lens			
5(b)(iii)	age indicated at point where rays cross			
	arrow drawn inverted on RHS of lens	1		

© UCLES 2018 Page 6 of 10

Question	Answer	Marks
6(a)	(thermal energy is used) to produce steam	1
	steam turns a turbine	1
	(turbine) turns a generator	1
6(b)	any two from: radioactive material/waste produced problems storing waste long half-life of waste/fission products (accidental) leak of nuclear/radioactive material	2

Question	Answer	Marks			
7(a)(i)	microwaves	1			
7(a)(ii)	$3.0 \times 10^8 (\text{m/s})$	1			
7(a)(iii)	olet or X-rays or gamma/γ-rays				
7(b)(i)	X-rays any one from: detecting broken bones/damaged teeth or detecting/treating cancer	1			
	gamma: any one from: detecting/treating cancer or sterilising (hospital) equipment/food	1			
7(b)(ii)	any two from: ionising radiations/high frequency/high energy (e-m radiation) (may) damage or mutate cells/DNA (may) cause radiation burns	2			

© UCLES 2018 Page 7 of 10

Question	Answer	Marks
8(a)(i)	vibrates	1
8(a)(ii)	longitudinal	1
8(a)(iii)	vacuum	1
8(b)(i)	1000 (Hz)	1
8(b)(ii)	frequency in range 10 001 to 30 000 (Hz)	1
8(b)(iii)	lowest frequency heard by humans is 20 Hz	1
	(but) elephants can hear frequencies below 20 Hz	1
8(b)(iv)	ultrasound	1

Question	Answer	Marks
9(a)(i)	top box (electrons) ticked	1
9(a)(ii)	12 + 6 seen or 18 (Ω)	1
9(a)(iii)	$(V =) I \times R$	1
	$(V =) 0.50 \times 18(.0)$	1
	(V =) 9.0 (V) ecf from (a)(ii)	1
9(b)	(reading/current) increases	1
	(because effective circuit) resistance decreases/resistors in parallel have less resistance	1

© UCLES 2018 Page 8 of 10

Question	Answer	Marks
10(a)(i)	second box (The balloon loses electrons) ticked	1
10(a)(ii)	positive (charge)	1
	like charge(s) repel	1
10(b)	circle around copper AND silver	1

Question	Answer	Marks
11(a)(i)	(Q is the) secondary/output (coil)	1
11(a)(ii)	1. (soft–) iron	1
	2. core	1
11(a)(iii)	magnetic field OR e.m.f. OR magnet	1
	changing OR alternating	1
11(a)(iv)	EITHER moreAND step-down OR fewerAND step-up	1
11(b)	any two from: smaller current (in wires) smaller drop in p.d./voltage (across cables) smaller heating effect less energy wasted/more efficient thinner cables can be used fewer pylons neededl (electricity) can be transmitted over long(er) distances	2

© UCLES 2018 Page 9 of 10

Question	Answer		Marks	
12(a)	symbol	description		3
	A	number of neutrons		
		element symbol		
	Z	proton number		
		nucleon number		
	×	number of atoms		
	1 mark for each corre	ect line. 2 or more lines from a	any section loses the mark.	
12(b)(i)	18/6 or 3 half lives s	seen or implied		1
	1/8 or division by 8			1
	1.5 (mg)			1
12(b)(ii)		-moving ely charged particle s smaller than a proton/neutro	on	2
12(b)(iii)	Z/proton number	med es/turns into a proton r increases by one decreases by one		1

© UCLES 2018 Page 10 of 10