

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

General Certificate of Education

Advanced Subsidiary Level and Advanced Level

| CANDIDATE NAME | | | | | |
|-------------------|--|--------------------|---|--|--|
| CENTRE NUMBER | | CANDIDAT NUMBER | E | | |

751376098

BIOLOGY 9700/35

Advanced Practical Skills 1

2 hours

May/June 2012

Candidates answer on the Question Paper.

Additional Materials: As listed in the Confidential Instructions.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black ink.

You may use a pencil for any diagrams, graphs or rough working.

Do **not** use red ink, staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

| For Examiner's Use | | |
|--------------------|--|--|
| 1 | | |
| 2 | | |
| Total | | |

This document consists of 11 printed pages and 1 blank page.



You are reminded that you have **only one hour** for each question in the practical examination.

For Examiner's Use

You should:

- Read carefully through the whole of Question 1 and Question 2.
- Plan your use of the time to make sure that you finish all the work that you would like to do.

You will **gain marks** for recording your results according to the instructions.

1 When plant cells are placed into different concentrations of sodium chloride solution, water moves between the cells and the solutions. This will affect how much a piece of plant tissue can bend.

Fig. 1.1 shows how the angle of bend of a sample of plant tissue can be measured after you have pushed it until it will bend no further without breaking.




Fig. 1.1

You are provided with eight pieces of plant tissue, each soaked in a different concentration of sodium chloride solution labelled **P1**, **P2**, **P3** and **P4**.

P1, **P2** and **P3** each contain one of the concentrations of sodium chloride solution, 1.00 mol dm⁻³, 0.50 mol dm⁻³ and 0.25 mol dm⁻³ but not necessarily in that order.

P4 has an unknown concentration of sodium chloride solution.

(a) (i) When samples of the plant tissue from each of the concentrations of sodium chloride solution are put into water, water will move.

Select the correct words from "least", "most", "same" to complete the sentence below.

You may use a word once, more than once or not at all.

You are required to:

 Observe and record the effect of putting samples of plant tissue from P1, P2, P3 and P4 into water, W, for different times up to 10 minutes.

For Examiner's Use

• Use these results to answer (b)(ii) concerning the concentrations of the sodium chloride solutions, P1, P2, P3 and P4.

The size of plant tissue is a variable which needs to be considered. Each piece of plant tissue should be a standard size.

| (ii) | Decide how you will make sure that the pieces of plant tissue are standard size. |
|---------|---|
| | State the size you will use. |
| | |
| | [1] |
| (iii) | Describe how you will obtain accurate results to record the angle of bend of the plant samples. |
| | [1] |
| You are | advised to read steps 1 to 5 before proceeding. |
| (iv) | To observe the effect of putting samples of plant tissue from P1 , P2 , P3 and P4 into W for different times up to 10 minutes you need to decide the times you will use. |
| | State the times at which you will measure the angle of bend. |
| | [1] |

Proceed as follows:

- 1. Cut the pieces of plant tissue as stated in (a)(ii).
- 2. Measure the angle of bend of the samples of plant tissue from P1, P2, P3 and P4 as shown in Fig. 1.1. Record your results in (b)(i).
- 3. Put the samples from P1, P2, P3 and P4 into separate containers and add W to each container so that the samples are covered.
- 4. Start timing.
- 5. Measure the samples at each of the times that you decided in (a)(iv).

For Examiner's Use

| (b) | (i) | Prepare the space below | w and record your re | sults. | |
|-----|-------|--|---------------------------|-------------------------------------|------------------------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | [7] |
| | (ii) | Use your results in (b) solutions. | (i) to identify the o | concentrations of th | e sodium chloride |
| | | Complete the diagram b P2 and P3. Write "P4" w | | | |
| | | 0.25 mol dm ⁻³ | 0.50 mol dm ⁻³ | 1.0 | 0 mol dm ⁻³ |
| _ | | | | | |
| | | | | | [2] |
| | (iii) | Explain the effect of put | ting the plant tissue | from P1 into water, \ | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | [1] |
| | | | | | |

| (iv) | Identify two significant errors in this investigation. | For Examiner's |
|------|--|----------------|
| | | Use |
| | | |
| | | |
| | | |
| | [2] | |
| (v) | A protractor was used to measure the angle of bend. | |
| | State the value of the smallest division on the protractor | |
| | State the actual error in using the protractor to measure the angle of bend. | |
| | | |
| | [1] | |
| (vi) | Suggest how you would make this investigation as reliable as possible. | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | [3] | |
| | [Total: 20] | |

[Total: 20]

2 Iodine solution and methylene blue solution are used as stains for biological material.

For Examiner's Use

You are required to:

- observe the effect of using the different stains, iodine solution and methylene blue solution, on thin sections of plant material, S
- record observations of the cells and their cell contents.

lodine solution and methylene blue solution will stain your skin. Handle the stained plant material with forceps.

If any methylene blue comes into contact with your skin wash it off immediately with water.

- 1. Label two microscope slides, **S1** and **S2**.
- 2. Put **one or two drops** of iodine solution onto slide **S1** and **one or two drops** of methylene blue solution onto slide **S2**.
- 3. Cut two very thin sections of the plant material, **S**.
- 4. Put a thin section onto the drops of stain on each slide as shown in Fig. 2.1.




Fig. 2.1

- 5. Put a few more drops of iodine solution onto the plant section on **S1** and put a few more drops of methylene blue solution onto the plant section on **S2**. Make sure the iodine solution and the methylene blue solution cover each of the sections.
- 6. Place a coverslip onto each slide. The coverslip may not lie flat.
- 7. Use the paper towel to dry off any excess liquid around the coverslip.
- 8. View the slides using the microscope. Look for the thinnest part of the section, which may be at the edge, so that the cells and their contents can be observed.

(a) From each slide **S1** and **S2**, make large labelled drawings of two adjacent (touching) cells and their cell contents.

For Examiner's Use

Label one starch grain.

Annotate your drawings to describe one observable difference between **S1** and **S2**.

[6]

Fig. 2.2 is a photomicrograph of a transverse section through the vascular tissue of a leaf. This plant is native to the Himalayan mountains.

For Examiner's Use




Fig. 2.2

(b) (i) Draw a large plan diagram of the tissues in the section shown in Fig. 2.2.Label the xylem.

[6]

(ii) In Fig. 2.2 there is an outer ring of cells.

For Examiner's Use

Calculate the ratio of the mean length of these cells to the mean width of these cells.

You may lose marks if you do not show your working or if you do not use appropriate units.

[2]

Question 2 continues on page 10

In an investigation the concentration of sugars in a plant were measured over 24 hours. For the first eight hours, the plant was in the dark, then it was placed in the light for the remaining 16 hours.

For Examiner's Use


The concentrations of sugars were measured in samples taken from leaves and from phloem sieve tubes.

Table 2.1 shows the results of this investigation.

Table 2.1

| time / heave | concentration of sugars / μmol | |
|--------------|--------------------------------|-----------------------|
| time / hours | in leaves | in phloem sieve tubes |
| 0 | 0.38 | 0.22 |
| 5 | 0.21 | 0.17 |
| 8 | 0.12 | 0.12 |
| 15 | 0.24 | 0.16 |
| 24 | 0.39 | 0.22 |

(c) (i) Plot a graph of the data shown in Table 2.1.



[4]

| For Examiner's Use | Describe the trend for the concentration of sugars in the phloem. Suggest an explanation for the trend. | (ii) |
|--------------------------|---|------|
| | | |
| | | |
| | | |
| | | |
| | [2] | |
| | [Total: 20] | |

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.