MARK SCHEME for the October/November 2013 series

9700 BIOLOGY

9700/21

Paper 2 (AS Structured Questions), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



| Page 2 | Mark Scheme | Syllabus | Paper |
|--------|--|----------|-------|
| | GCE AS/A LEVEL – October/November 2013 | 9700 | 21 |

Mark scheme abbreviations:

| | separates marking points |
|------------------|---|
| , | |
| 1 | alternative answers for the same point |
| R | reject |
| Α | accept (for answers correctly cued by the question, or by extra guidance) |
| AW | alternative wording (where responses vary more than usual) |
| <u>underline</u> | actual word given must be used by candidate (grammatical variants excepted) |
| max | indicates the maximum number of marks that can be given |
| ora | or reverse argument |
| mp | marking point (with relevant number) |
| ecf | error carried forward |
| I | ignore |
| | - |

| Page | 3 | Mark Scheme | | Paper |
|---------|-------|--|------|-------|
| | | GCE AS/A LEVEL – October/November 2013 | 9700 | 21 |
| (a) (i) | | hase ; ophase I | | |
| (iii) | two l | nomologous chromosomes shaded; | | |
| (iii) | cent | riole ; A centrosome/microtubule organising centre/M | ГОС | |
| | | from | | |

produces spindle/produces spindle fibres; produce/organises, microtubules; disassembles/AW, spindle/spindle fibres/microtubules; [max 2] **A** one e.g. of role of, spindle fibres/microtubules *if a link to centriole has been made allow if centriole incorrectly named or if not given*

(b) max 2 if no attempt made at both X and Y

X / cell surface membrane

- 1 forms a (cleavage) furrow ; **A** 'pinches in'/constricts/AW
- 2 ref. fusion ;
- 3 to divide cell into two ; **A** *idea of* formation of two (separate) cells linked to behaviour of (cell surface) membrane;
- 4 ref. to cytokinesis/contractile ring;

Y / nuclear envelope

- 5 disassembles/breaks down/AW;
- 6 during prophase/by end of prophase/before metaphase ;
 A by the end of prometaphase
- 7 re-forms/AW, during telophase (from ER);

[max 3]

[Total: 7]

| | Page 4 | 4 | Mark Scheme | Syllabus | Paper |
|---|---------------------------|---------------------------------|--|-------------|---------|
| | | | GCE AS/A LEVEL – October/November 2013 | 9700 | 21 |
| 2 | (a) (i) | G ; | | | [1] |
| | (ii) | B/C | ; | | [1] |
| | (iii) | A/F | ; | | [1] |
| | (iv) | В; | | | [1] |
| | (v) | D ; | | | [1] |
| | (b) 1 2 3 4 5 | enzy ref. l activ exar | gen and hydrogen/substrates, bind to/AW, active site ; /me-substrate complex (forms) ; ock and key/induced fit, mechanism ; /ation energy of reaction is lowered ; nple of how activation energy lowered ; e.g. strain on (triple) bond of, N ₂ / (di)nitrogen A bond broken between nitrogen (atoms) nitrogen and hydrogen ions held close together for bond transfer of electrons alternative pathway | I formation | |
| | 6 | prod | uct/NH ₄ ⁺ , leaves active site ; | | |
| | 7 8 | | , required/used/provided from respiration ; anaerobic conditions for enzyme action ; | | |
| | 9 | | gestion as to use of, vanadium/molybdenum, in active s e.g. act as cofactor/coenzyme transfer of, electrons/protons | ite; | [max 4] |

| Page 5 | Mark Scheme | Syllabus | Paper |
|--------|--|----------|-------|
| | GCE AS/A LEVEL – October/November 2013 | 9700 | 21 |

- (c) 1 concentration of all the ions is greater in the root tissue than in the solution ; ora A roots
 - 2 comparative data quote ;

according to these data

- 3 (so) ions will not diffuse into the root tissue ;
 - A if (facilitated) diffusion only, initially/till equilibrium reached
- 4 (so) active transport ; A active, uptake/pumping I facilitated diffusion
- 5 use ATP; A energy
 - R ATP energy
- move ions, against concentration gradient/from low to high concentration;
 A diffusion gradient
- 7 use, membrane/integral/intrinsic/transmembrane/transport/carrier, proteins ; R channel proteins
- 8 are specific/have specific binding sites ;
- 9 involve, conformational/shape, change;
- 10 comparative data quote to suggest that some ions are pumped more than others ; e.g. steepest gradients for $K^{^+}$ and SO $_4^{^-}$
- 11 phospholipid bilayer/hydrophobic core (of cell surface membrane) is impermeable to ions;
- 12 so ions cannot diffuse out/(membrane) proteins only allow inward flow of ions;
- 13 AVP ; e.g. suggestion of differing numbers of specific membrane proteins to explain observation of mp 10 [max 5]

[Total: 14]

| Page 6 | Mark Scheme | Syllabus | Paper |
|--------|--|----------|-------|
| | GCE AS/A LEVEL – October/November 2013 | 9700 | 21 |

3 (a) max 1 if no ref. to TB and COPD or if correct definitions given and ref. to TB/COPD incorrect (TB is an infectious disease, COPD non-infectious)

TB caused by, a pathogen/*Mycobacterium*/*M. tuberculosis*/*M. Bovis*; ora *for* COPD A microorganism/bacterium/bacteria I virus/fungus/protoctist A infectious disease is caused by a pathogen ora

- TB is/COPD is not, transmissible/communicable/can be passed from one organism to another ; *allow detail of TB transmission e.g. droplet infection / in contaminated milk* **A** infectious disease is transmissible ora
- COPD caused by, damage to / irritation of, lung tissue; AW accept relevant ref. to tobacco smoking

[2]

- (b) (i) 1 lining/epithelium/wall, is thin/one cell thick/squamous;
 - I thin interstitium
 - R cell walls of alveoli
 - ${\bf R}$ alveoli are one cell thick
 - ${f R}$ endothelium/membrane
 - 2 (so) short <u>diffusion</u> distance/only <u>diffuse</u> through two cells ;
 - 3 (collectively/many, so) large surface area for diffusion;
 R an alveolus has a large surface area
 I high SA:V ratio/increase SA
 - 4 surrounded by/many/network of, <u>capillaries</u>; I good blood supply
 - 5 red blood cells are very close to air (in alveoli);
 - 6 (so) maintain, diffusion/concentration/partial pressure, gradient(s);
 - 7 elastin / elastic fibres, allow(s) alveoli to, increase in volume/expand/stretch/stop bursting/recoil ; I alveoli are elastic

R contract

[max 3]

| Page 7 | Mark Scheme | Syllabus | Paper |
|--------|--|----------|-------|
| | GCE AS/A LEVEL – October/November 2013 | 9700 | 21 |

- (ii) allow microorganisms or named type of microorganism or infectious agent for pathogens
 - 1 recognise, non-self/foreign, antigens, (on pathogen);
 - 2 receptors (on macrophage) bind antigens (on pathogen);
 - 3 (or), pathogen/AW, adheres/ 'sticks', to (cell surface) membrane ;
 - 4 infolding of (macrophage cell surface) membrane around/engulf/phagocytosis of, pathogen ; **R** engulf antigen
 - 5 vacuole/vesicle/phagosome, forms;
 - 6 ref. to lysosomes ;
 - 7 hydrolytic/digestive/named, enzymes ;
 e.g. lysozyme/protease/nuclease
 A pathogen broken down by enzymes
 - 8 hydrolysis of named compound(s);
 - 9 ref. to destroying / killing, pathogen;
 - 10 ref. to antigen presentation ;
accept idea even though does not occur in alveoli[max 4]
- (c) 1 emphysema;
 - 2 (alveolar walls broken down so) less surface area for, gas exchange/diffusion ; A impaired/AW, gas exchange/diffusion
 - 3 difficulty in breathing/restriction in air flow/shortness of breath wheezing/rapid breathing;
 - 4 blood is less well oxygenated/less oxygen reaches, tissues/muscles;
 - 5 any two other, signs/symptoms ;;
 - 6 e.g. lethargy/tiredness/fatigue/constraints on mobility or activity wheezing persistent/AW, coughing chest tightness; R chest pain more prone to/frequent, chest/respiratory, infections
 A more frequent colds/influenza ('flu) weight loss swollen, ankles/feet increase in thickness of, right ventricle/right side of heart increase in blood pressure in pulmonary artery

[max 3] [Total: 12]

| | Page 8 | | } | Mark Scheme | Syllabus | Paper |
|---|--------|------|---------------|---|------------------|---------------|
| | | | | GCE AS/A LEVEL – October/November 2013 | 9700 | 21 |
| 4 | (a) | 1 | mito | chondrion ; A mitochondria A outer mitochondrial membrane | | |
| | | 2 | prod | luces/synthesises/AW, ATP; A release/supply, AT R produces energy R ATP energy | P/energy | |
| | | | or | | | |
| | | | for c | outer mitochondrial membrane allows exit of (synthesis | ed) ATP to cell | |
| | | 3 | | nple of use of ATP in liver cells ; e.g. for synthesis of, cholesterol/glycogen/protein/bi AW intracellular movement of vesicles | ological molecul | es/polymers/ |
| | | | | exocytosis/endocytosis/bulk transport | | |
| | | | | active transport | | [3] |
| | | | | | | |
| | (b) | (i) | chol | proteins are soluble ; esterol is not water-soluble ; esterol surrounded by/lipoproteins have, phospholi | oid beads/prote | ains that are |
| | | | | ophilic; AW | | |
| | | | allov | vs transport in blood ; | | [max 1] |
| | | (ii) | mak | esterol needed for ing/components of, membranes ; nbrane stability ; | | |
| | | | regu | lating the fluidity of, membranes/phospholipid bilayer; | | |
| | | | | luction of, steroid hormones/named steroid hormone; ; e.g. helps prevent entry of, ions/polar molecules | | [max 2] |
| | (c) | | icles ween | travel to cell surface membrane ; A travels throug | gh cytoplasm to | owards space |
| | | | cytos | | | |
| | | | | membrane, fusion (with cell surface membrane) ; /cholesterol, released ; | | [max 2] |
| | (d) | 0. | Am | ation/adding sugar molecules to proteins/making glyco odifying proteins | proteins; | |
| | | | | rylating proteins; olding, proteins; | | |
| | | ass | embl | y of polypeptides into proteins (with quaternary structur | e); | |
| | | AV | | g. lipid synthesis lysosome formation | | [max 1] |
| | | | | | | [Total: 9] |
| | | | | | | |

| I | Page 9 | 9 Mark Scheme | Syllabus | Paper |
|------|------------------|--|----------|-------|
| | | GCE AS/A LEVEL – October/November 2013 | 9700 | 21 |
| 5 (a | a) (i) | GTG ; | | |
| | | ACU; | | |
| | | leu; | | [3 |
| | (ii) | primary structure ; | | [|
| (| b) 1 2 | mutation ; base substitution/T \rightarrow A in template strand of DNA/AW | ; | |
| | trar | base substitution/T→ A in template strand of DNA/AW <i>nscription</i> DNA has CAC as 6 th triplet : | ; | |

- 3 DNA has CAC as 6^{H} triplet ;
- 4 (so) mRNA has GUG as (6th) codon ;

allow one mark for altered mRNA codon if no marks gained for mps 3 and 4

translation

- 5 different tRNA involved/tRNA specific to val and not glu;
- 6 anticodon on tRNA has CAC (with valine);
- 7 tRNA brings, incorrect amino acid/val, to ribosome;
- 8 further detail ; e.g. incorrect amino acid incorporated into growing polypeptide chain

[max 5]

[Total: 9]

| Page 10 | Mark Scheme | Syllabus | Paper |
|---------|--|----------|-------|
| | GCE AS/A LEVEL – October/November 2013 | 9700 | 21 |

6 (a) niche

functional role/function/role/AW, of a species within an ecosystem ; A population/organism, *for species*

accept description

community

all populations of all species/all organisms/AW, living in a (particular) area/AW, (at the same time); [2]

(b) 1 changing/increasing/decreasing, numbers of sea otters has (large) effect on the rest of the ecosystem ;

effect on kelp

- 2 prey on sea urchins, which, graze/feed on, kelp;
- 3 if, no/few, otters numbers of urchins increase, so kelp decreases ; ora
- 4 sea urchins have no other predator;

role of kelp

- 5 kelp, is a producer/initial input of energy into ecosystem;
- 6 so less kelp means less energy available for the ecosystem ;
- 7 kelp provides habitats for many other species;
- 8 loss of kelp (significantly), changes structure of ecosystem/ref. to 'deforestation';

effect on other organisms

- 9 decrease in numbers (of sea otters) leads (initially) to increase in numbers of their prey/named organism from Fig. 6.1; ora
- 10 for any one example ref. to consequence / knock-on effect;
- 11 AVP ; e.g. ref. to effect on, energy flow through ecosystem/regulation of populations within the ecosystem/community structure [max 4]
- (c) 1 (determine) energy content of consumed kelp, absorbed/that can be used, by sea urchins; AW
 - 2 (determine) energy content of kelp consumed by sea urchins;

allow other reasonable suggestions for mps 1 and 2

- 3 *idea of* comparing energy contents and expressing as a, percentage/proportion/ratio ; A equation *or* worded e.g. mp 1 divided by mp 2
- 4 (calculated as) per unit, area/volume, per unit time ; **A** example e.g.(J) m⁻³ year⁻¹ [max 3]

[Total: 9]