MARK SCHEME for the May/June 2015 series

9700 BIOLOGY

9700/35

Paper 3 (Advanced Practical Skills 1), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2	Mark Scheme	Syllabus	Paper					
	Cambridge International AS/A Level – May/June 2015	9700	35					
Markaabam	a abbraviationa:							
Mark scheme abbreviations:								
;	separates marking points							
1	alternative answers for the same point							
R	reject							
Α	accept (for answers correctly cued by the question, or by extra	quidance)						
AW	alternative wording (where responses vary more than usual)							
		ionto occonto	1)					
<u>underline</u>								
max	indicates the maximum number of marks that can be given							
ora	or reverse argument							
mp	marking point (with relevant number)							
ecf	error carried forward							
1								
1	ignore							

Pag	je 3	3	Mark SchemeSyllabusCambridge International AS/A Level – May/June 20159700	s Paper 35		
1 ((a)	(lev	vel of risk) medium or high ;	35 [1]		
((b)	(i)				
			shows transfer of 20cm^3 of solution from previous beaker to 2 beakers ;			
			adds water / W + 20 cm ³ to three beakers ;			
		(ii)	1 table with heading underlined (top or to left of data) + percentage concentration of urea / U ;			
			2 table with heading (any column / row headed) + time + seconds ;			
			3 records time for at least 4 concentrations + lowest concentration of U recorded first ;			
			4 records repeats ;			
			5 records time in whole seconds ;	[5]		
	((iii)	difficult to judge end-point ;			
			mixing of U and E not standardized or size of litmus not the same for each test-tube ;	[2]		
	((iv)	use of mechanical stirrer or use of ruler to measure accurately the size of litmus paper ;			
		(v)	syringe ;			
	((vi)	decrease the temperature + use of thermostatically-controlled water-bath ;			
			decrease concentration of E + dilution of E ;			
			decrease volume of E + stated volume of E (less than 0.5 cm^3);	[max 2]		
((c)	(i)	<i>orientation</i> (<i>x</i> -axis) time of sampling (/) minutes + (<i>y</i> -axis) ¹³ CO ₂ in the breath (/) arbitrar units ;	у		
			scale (x-axis) 2 cm to 20 labelled each 2 cm + must have 30 at the origin + (y-axis) 2 cm to 2 labelled each 2 cm + must have 10 at the origin ;			
			plotting correct plotting of 5 points as small cross / dot in circle \pm half a square ;			
			<i>line</i> 5 plots with ruled lines exactly point to point + quality smooth line less than 1 mm thick ;	[4]		

Ρ	age 4	4		Mark Scheme	Syllabus	Paper
				Cambridge International AS/A Level – May/June 2015	9700	35
		(ii)	less urea / substrate + as urea is broken down ; fewer enzyme-substrate complexes + slower rate of reaction ;			
						[2]
						[Total: 21]
2	(a)	(i)	1	drawn at least 2 layers of tissue + size at least 100 mm + no sh	nading;	
			2	no cells + correct half drawn ;		
			3	epidermis of bulges drawn as two lines ;		
			4	draws angular inner region ;		
			5	correct label with label line ending in the pith;		[5]
		(ii)	1 thin and continuous lines + size at least 40 mm for at least one cell ;			
			2	draws only 4 cells + 2 cells from epidermis touching + 2 cells fr touching ;	rom cortex	
			3	4 cells with walls drawn as double lines ;		
			4	for at least 2 cells, walls drawn with middle lamella between the	e cells ;	
			5	correct label with label line ending at the cell wall ;		[5]
	(b)	(i)	sho	ows 0.028 multiplied by 1000 ;		
			sho	shows answer as 28 μm ;		[2]
		(ii)	shows length of line ${f X}$ as eyepiece graticule units within range ;			
			sho	shows length of X multiplied by 28 μm ;		
		(iii)	air	spaces + <i>idea of</i> buoyancy or relatively small amount of xylem a diffusing through epidermis ;	as water	[1]
	(c)	1	org	ganises table with 3 columns or rows + with appropriate headings + one column or row for features ;	5	
		2	ob	servable difference between K1 and Fig. 2.2, e.g. position of vas tissue ;	scular	
		3	ob	servable difference between K1 and Fig. 2.2, e.g. presence of ai	r spaces ;	
		4	ob	servable difference between K1 and Fig. 2.2, e.g. presence of pi	th ;	[4]
						[Total: 19]