

Cambridge International Examinations

Cambridge International Advanced Subsidiary and Advanced Level

BIOLOGY 9700/12

Paper 1 Multiple Choice February/March 2018

1 hour

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

Electronic calculators may be used.



1 The eyepiece lens of a microscope can be fitted with an eyepiece graticule.

Which of these statements about eyepiece graticules are correct?

- 1 They measure the actual length of cells in micrometres.
- 2 They help biologists to draw cells with correct proportions.
- 3 They change in size when the objective lens is changed from $\times 10$ to $\times 40$.
- **A** 1, 2 and 3 **B** 1 and 3 only **C** 1 only **D** 2 only
- **2** A student was asked to use the scale bar shown to calculate the magnification of a cell on a photomicrograph.

Which method could the student use to calculate the magnification of the cell?

- A divide the diameter of the cell by the length of the scale bar, both measured in the same units of length
- **B** measure the diameter of the cell in millimetres, multiply by 2000 and divide by the length of the scale bar measured in millimetres
- **C** measure the length of the scale bar in millimetres, convert to micrometres and divide by 2
- **D** measure the length of the scale bar in millimetres, convert to micrometres and multiply by 2
- **3** Which eyepiece and objective lens combination of a light microscope allows the greatest number of cells in a field of view to be seen?

	eyepiece lens	objective lens
Α	×5	×10
В	×5	×40
С	×10	×10
D	×10	×40

4 Which row correctly matches each cell structure with its function?

	microtubules	rough endoplasmic reticulum
Α	allow vesicles to move within the cell	synthesises amino acids
В	form cilia and centrioles	produces ribosomes
С	form the spindle during prophase	transports proteins
D	move chromosomes during anaphase	makes triglycerides and phospholipids

5	Wh	ich anima	al cells wou	ld have the mos	t ext	ensive Gol	gi bod	dies?						
	A	ciliated	epithelial ce	ells										
	В	goblet c	ells											
	С	red bloc	d cells											
	D	smooth	muscle cell	s										
6	Wh	ich of the	ese process	es will require A	TP?									
		1 transport of water in the xylem												
		2 semi-conservative replication of DNA												
		3 facilitated diffusion of amino acids into the cell												
	A	1, 2 and	13 B	1 and 2 only	С	2 and 3 or	nly	D	2 only					
7	Wh	ich conce	entrations co	ould be produce	d by	a serial dil	ution	of ar	ո 8.00% gluc	ose so	lution?			
	A	4.00%,	2.00%, 1.00	0%, 0.50% and 0).25%	%								
	В	4.00%,	3.00%, 2.00)%, 1.00% and 0	0.009	%								
	С	6.00%,	4.00%, 2.00)%, 1.00% and 0	0.509	%								
	D	8.00%,	6.00%, 4.00	0%, 2.00% and 0	0.009	%								
8	A s	tudent w	ote these s	tatements abou	t pol	ysaccharide	es.							
		1	Amylose is	formed from co	nde	nsation rea	ction	s bet	ween β-gluc	ose mo	nomer	S.		
		2		in amylopectin molecules.	mo	lecules for	m b	etwe	en carbon	atoms	1 and	4 on		
		3	In unbrand adjacent m	ched β-glucose nonomer.	cha	ains, each	mon	omer	r is rotated	180°	relative	to its		
	Wh	ich of the	ese stateme	nts are correct?										
	Α	1 and 2	В	1 only	С	2 and 3		D	3 only					

9 Which diagram correctly shows the formation of a peptide bond between two amino acids?

В

10 Sugars with a ring structure can also have a linear structure.


Which sugar molecules could be represented by the linear structure shown in the diagram?

- **A** α -glucose, deoxyribose and ribose
- **B** α -glucose only
- C deoxyribose and ribose only
- **D** deoxyribose only

- 11 Which molecules are globular proteins?
 - 1 amylase
 - 2 haemoglobin
 - 3 DNA polymerase
 - **A** 1, 2 and 3
- **B** 1 and 2 only
- 1 and 3 only
- 2 only
- 12 When hydrolysed, which molecules have products containing a carboxyl group?
 - 1 phospholipids
 - 2 polysaccharides
 - 3 proteins
 - **A** 1 and 2
- **B** 1 and 3
- **C** 2 and 3
- **D** 3 only
- 13 Lysosomes contain many different hydrolytic enzymes that may act within cells (intracellular enzymes) or outside cells (extracellular enzymes).

Which process must occur in order for lysosomal enzymes to act outside the cell?

- A active transport
- **B** endocytosis
- C exocytosis
- **D** phagocytosis
- **14** The diagram shows an enzyme, its substrate and an enzyme/substrate complex.



Which statement explains how the substrate is able to enter the active site of the enzyme?

- **A** Contact between the substrate and the enzyme causes a change in the enzyme shape.
- **B** The shape of the active site and the shape of the substrate are complementary.
- **C** The substrate within the active site forms hydrogen bonds with amino acids.
- **D** When the enzyme/substrate complex forms, the tertiary structure of the enzyme changes.

15	Wh	at could	be used to	calculate the i	ate of	an enzyme	-catalysed	d reaction?
		1	the appea	rance of prod	uct			
		2	the disapp	earance of su	ıbstrate	:		
		3	the Micha	elis-Menten co	onstant	$\left(K_{m}\right)$		
	A	1 and 2	В	1 and 3	С	1 only	D	2 and 3
16	Cho	olesterol	is an integr	al component	of the	cell surface	e membra	ne.
	Wh	ich state	ment about	cholesterol is	correc	t?		
	Α	It allows	s ions to pa	ss freely throu	gh the	cell surfac	e membra	ine.
	В	It has a	hydrophob	ic head and a	hydrop	hilic tail.		
	С	It helps	to regulate	the fluidity of	the cel	l surface m	nembrane.	
	D	It reduc	es the mec	hanical stabili	ty of the	e phosphol	ipid bilaye	er.
17		ich type mbranes		in phospholip	oids ha	is a role	in increa	sing the fluidity of cell surface
	A	c-c						
	В	c=c						
	С	C-O						
	D	c=0						
18				nces can pas	s dired	ctly through	h cell surf	ace membranes without using a
		1	Ca ²⁺					
		2	CO_2					
		3	C ₆ H ₁₂ O ₆					
	Α	1 and 2		1 and 3	С	2 and 3	D	2 only
			_				_	,
19		•		ATP to move return with su			ıt of the c	ell and co-transporter proteins to
	Wh	ich two p	orocesses a	re involved in	this mo	ovement?		
	Α	active to	ransport an	d diffusion				
	В	active to	ransport an	d facilitated di	ffusion			
	С	exocyto	sis and diff	usion				

© UCLES 2018 9700/12/F/M/18

D exocytosis and facilitated diffusion

20 How many copies of each different DNA molecule will be found in a cell at the start of each of these stages of the mitotic cell cycle?

	G₂ of interphase	prophase	cytokinesis
Α	1	1	2
В	1	2	1
С	2	1	2
D	2	2	2

21 Three parts of a chromosome and their functions are listed.

part

P1 centromere

P2 histone proteins

P3 telomere

function

F1 packages DNA into compact structures


F2 holds two chromatids together

F3 prevents loss of genes

Which combination is correct?

A P1 and F1 B P1 and F3 C P2 and F2 D P3 and F3

22 The graphs show various distance measurements taken from metaphase of mitosis onwards. The graphs are to scale when compared to one another.



Which row correctly identifies the distance measurement for each graph?

	X	Υ	Z
A	distance between poles of spindle	distance between sister chromatids	distance of centromeres from poles of spindle
В	distance between poles of spindle	distance of centromeres from poles of spindle	distance between sister chromatids
С	distance of centromeres from poles of spindle	distance between poles of spindle	distance between sister chromatids
D	distance of centromeres from poles of spindle	distance between sister chromatids	distance between poles of spindle

23 A culture of bacteria was allowed to reproduce using nucleotides containing the heavy isotope of nitrogen (¹⁵N). After several generations, all of the bacterial DNA molecules contained heavy nitrogen.

DNA was extracted from a sample of the culture, mixed with caesium chloride solution and spun at high speed in a centrifuge. In this process, DNA molecules of different masses separate into bands at different positions in the centrifuge tube. The heavier the DNA molecules, the closer to the bottom of the centrifuge tube that a band forms.

The diagram shows the position of the DNA molecules containing heavy nitrogen in the centrifuge tube.



The culture of bacteria was then allowed to reproduce using nucleotides containing the light isotope of nitrogen (¹⁴N).

DNA samples were taken and separated by centrifugation after the bacteria had divided once and again after the bacteria had divided twice.

In which positions would the DNA be found after the cells had divided once and after the cells had divided twice?

	after dividing once	after dividing twice
	alter dividing once	arter dividing twice
Α	half at K and half at L	quarter at K, quarter at M and half at L
В	half at K and half at M	quarter at K, quarter at M and half at L
С	all at L	half at K and half at L
D	all at M	half at L and half at M

24 The diagram represents a molecule of ATP.

What are the components of ATP labelled P, Q and R?

	Р	Q	R
Α	adenine	deoxyribose	phosphates
В	adenosine	pentose	a phosphate group
С	adenosine	ribose	phosphorus
D	purine	pentose	phosphates


25 The table shows three anticodons for different amino acids.

amino acid	anticodon
alanine	CGU
histidine	GUA
serine	UCA

Which DNA triplet on the DNA template strand codes for the amino acid serine?


- **A** AGU
- **B** TCA
- **C** TGT
- **D** UCA

26 The photomicrograph shows a transport tissue in the stem of a grape vine.



What is the structure labelled T?

- A companion cell
- **B** sieve plate
- **C** sieve tube element
- D xylem vessel element
- 27 The diagrams show transverse sections of parts of a plant. Transport tissues are labelled 1 to 6.



Which row shows tissues that mainly transport water and tissues that mainly transport sucrose?

	mainly transport water	mainly transport sucrose
Α	1 and 3	4 and 6
В	2 and 3	4 and 5
С	3 and 5	2 and 6
D	4 and 6	2 and 3

28 What will increase the rate of transpiration?

		1	increasi	ng th	e humidity					
		2	increasi	ng th	e light intens	ity				
		3	decreas	ing t	he temperatu	re				
		4	decreas	sing t	he wind spee	d				
	Α	1, 2 and	13 I	B 1	, 3 and 4	С	2 only	D	4 only	
		.,			, 5 a. a.		_ 0,	_	· o.i.y	
29	Wh	ich prope	erties of v	vater	are importan	t for t	ransport in	xylem?		
		1	cohesio	n						
		2	adhesio	n						
		3	high en	ergy	requirement f	or ev	aporation			
		4	good so	lvent	properties					
	A	1, 2 and	d 4 I	B 1	and 4 only	С	2, 3 and 4	D	2 and 3 only	
30	Wh	ich state	ment abo	out th	e blood flow i	n the	cardiac cyc	le is cor	rect?	
	Α	Blood f		the	aorta throu	gh th	ne semiluna	ar valve	due to contraction of the righ	t
	В	Blood fl relaxes		the I	eft atrium thr	ough	the pulmon	ary artei	ry when the wall of the left atrium	1
	С	Blood f		the	right atrium	throu	gh the vena	a cava v	when the wall of the right atrium	1
	D	Blood fl atrium.	ows into	the r	ight ventricle	throu	igh the sem	ilunar va	alve due to contraction of the righ	t
31	Wh	ich of the	ese stater	ment	s about the fo	ormat	ion of haem	oglobinio	c acid are correct?	
		1	It depe	ends	on the format	tion o	f carbamino	haemog	lobin.	
		2	It remo	oves	excess hydro	gen i	ons prevent	ing the b	plood becoming too acidic.	
		3	It is lin	ked t	to the action o	of car	bonic anhyd	Irase.		
	Α	1, 2 and	d 3 I	B 1	and 2 only	С	1 only	D	2 and 3 only	

- **32** What can combine with the haem group of a haemoglobin molecule?
 - 1 oxygen
 - 2 carbon dioxide
 - 3 carbon monoxide
 - **A** 1, 2 and 3 **B** 1 and 3 only **C**
- 33 Which factors would help a person to adjust from living at a low altitude to living at a high altitude?


2 and 3 only

3 only

- 1 formation of fewer red blood cells
- 2 an increase in the oxygen-carrying capacity of the blood
- 3 an increase in the output of blood by the heart
- **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only
- 34 Chronic obstructive pulmonary disease (COPD) includes bronchitis and emphysema.

Which symptom is specific to emphysema?

- A excess mucus secretion by the goblet cells
- **B** inflammation of the bronchial epithelium
- C loss of elasticity of the alveolar walls
- **D** thickening of the smooth muscle of the bronchi
- **35** What identifies the structures present in a bronchus?



36	Which of	these	terms	can	be	used	to	describe	the	role	of	mosquitoes	in	the	transmission	of
	malaria?															

- 1 malarial parasite
- 2 pathogen
- 3 vector
- **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 3 only
- 37 Bacteria that infect skin wounds can become resistant to the antibiotic commonly used to kill them.

Which statement explains how these bacteria could become resistant to the antibiotic?

- **A** Exposure to the antibiotic causes a change in the bacterial cell wall, preventing the antibiotic from working.
- **B** Other bacteria that normally protect the skin against infection are killed by the antibiotic, allowing the infectious bacteria to survive.
- **C** Random mutations in DNA allow some of the bacteria to survive in the presence of the antibiotic.
- **D** The antibiotic causes the bacterial DNA to mutate, allowing the bacteria to survive in the presence of the antibiotic.
- 38 Some children are born with severe combined immunodeficiency (SCID).

Children with this inherited disease do not normally have any T-lymphocytes and suffer from many infectious diseases.

How may these children be cured from SCID?

- A transfusion of antibodies
- B treatment with stem cells
- C use of different antibiotics
- D vaccination against all diseases
- **39** The hybridoma method is used for the production of monoclonal antibodies.

Which two types of cell are used in this method?

- A stem cell and B-lymphocyte
- B stem cell and T-lymphocyte
- C tumour cell and B-lymphocyte
- D tumour cell and T-lymphocyte

40 A vaccine is used to create artificial active immunity. After being given a vaccine, it will take a period of time before a person develops long-term immunity against the disease.

Which statement about this period of time explains this delay?

- A No memory cells have been produced from B-lymphocytes.
- **B** No plasma cells have been produced from B-lymphocytes.
- **C** The primary immune response has not produced enough antibodies.
- **D** The secondary immune response has not produced enough antibodies.

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.