

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CHEMISTRY 0620/53

Paper 5 Practical Test October/November 2012

CONFIDENTIAL INSTRUCTIONS

Great care should be taken to ensure that any confidential information given does not reach the candidates either directly or indirectly.

READ THESE INSTRUCTIONS FIRST

The teacher responsible for preparing the examination is **not** allowed to consult the question paper before the examination. Teachers should, as part of the preparation of the examination requirements, carry out any tests indicated on page 2 in order to satisfy themselves that the supplied materials are satisfactory.

The standard Report Form to be included with the scripts is given on pages 7 and 8. Please detach and enclose it with the scripts. If scripts are despatched in more than one envelope, it is essential that a copy of the Supervisor's Results and of the Report Form are sent inside **each** envelope.

More material may be issued if required, without penalty, but this should not be necessary. Safety spectacles may be provided if considered necessary.

Supervisors are advised to remind candidates that all substances in the examination should be treated with caution. Please also see under 'General Apparatus' on the use of pipette fillers and safety goggles.

In accordance with COSHH (Control of Substances Hazardous to Health) Regulations, operative in the UK, a hazard appraisal of the examination has been carried out.

Attention is drawn, in particular, to certain materials used in the examination. The following codes are used where relevant.

C = corrosive substance F = highly flammable substance

H = harmful or irritating substance **O** = oxidising substance

N = harmful to the environment T = toxic substance

Hazard data sheets should be available from your suppliers.

If you have any queries regarding these Instructions, please contact CIE

by e-mail: International@cie.org.uk,

by phone: +44 1223 553554, by fax: +44 1223 553558,

stating the Centre number, the nature of the query and the syllabus number quoted above.

UNIVERSITY of CAMBRIDGE
International Examinations

For Question 1

Each candidate will require

- (a) one 25 cm³ or 50 cm³ measuring cylinder
- **(b)** one stirring thermometer, 0–110 °C
- (c) one polystyrene cup and a 250 cm³ beaker
- [C] (d) 100 cm³ of aqueous sodium hydroxide of concentration 2.0 mol/dm³ labelled sodium hydroxide solution for question 1
 - (e) 50 cm³ of aqueous sulfuric acid of concentration 1.0 mol/dm³ labelled acid G
- [H] (f) 50 cm³ of aqueous phosphoric(V) acid, H₃PO₄, of concentration 1.0 mol/dm³ labelled acid H
 - (g) access to water and distilled water
 - (h) one 50 cm³ burette

For Question 2

Each candidate will require

- (a) 20 cm³ of an aqueous solution of iron(II) sulfate, FeSO₄.7H₂O, made by dissolving 56 g of iron(II) sulfate crystals in 100 cm³ of 1 mol/dm³ sulfuric acid and making up to 1 dm³ with further sulfuric acid, labelled **solution J**
- **(b)** 20 cm³ of an aqueous solution of chromium(III) nitrate, Cr(NO₃)₃.9H₂O, made by dissolving 40 g of chromium(III) nitrate crystals in 100 cm³ of distilled water and making up to 1 dm³, labelled **solution K**
- (c) pH indicator papers and chart
- (d) rack of test-tubes
- (e) distilled water
- (f) aqueous barium nitrate of concentration suitable to give a positive sulfate test, labelled barium nitrate solution
- (g) aqueous hydrochloric acid of concentration 1 mol/dm³, labelled hydrochloric acid
- [C] (h) aqueous sodium hydroxide of concentration 1 mol/dm³, labelled sodium hydroxide
 - (i) aqueous ammonia of concentration 1 mol/dm³, labelled aqueous ammonia
- [N] [H] (j) aqueous silver nitrate of concentration suitable to give a positive halide test, labelled **silver nitrate solution**
- [C] (k) dilute nitric acid of concentration 1 mol/dm³, labelled nitric acid
 - (I) 10 volume hydrogen peroxide solution equivalent to 0.8 mol/dm³ or a 3 % solution, labelled **hydrogen peroxide**
 - (m) aluminium powder, labelled aluminium
 - (n) spatula
 - (o) one 10 cm³ measuring cylinder
 - (p) a Bunsen burner, matches and test-tube holder
 - (q) teat pipettes
 - (r) splints

Labels do not need to include concentrations.

THE SUPERVISOR'S REPORT IS ON PAGES 7 AND 8

THE SUPERVISOR'S REPORT IS ON PAGES 7 AND 8

THE SUPERVISOR'S REPORT IS ON PAGES 7 AND 8

This form must be completed and returned in the envelope with the scripts.

REPORT ON PRACTICAL CHEMISTRY

NOVEMBER 2012

1 (a) Supervisor's Results

It is recommended that the Supervisor should be a chemistry teacher.

The Supervisor is asked to carry out the experiments in Questions 1 and 2 and to record the results on a spare copy of the question paper clearly labelled 'Supervisor's Results'. Failure to enclose these results and this report form may lead to candidates being unavoidably penalised.

Second session

(b) The candidate numbers of candidates in each session were:

First session

© UCLES 2012 0620/53/CI/O/N/12

- 2 The Supervisor is invited to report details of any difficulties experienced by candidates giving names and candidate numbers. The report should include reference to:
 - (a) any general difficulties encountered in making preparations for the examination;
 - (b) difficulties due to faulty apparatus or materials;
 - (c) accidents to apparatus or materials.

Other cases of individual hardship, e.g. illness, temporary disability, should be reported direct to UCLES on the normal *Application for Special Consideration* form.

NAME OF CENTRE				
CENTRE NUMBER				
		SIGNED	Supervisor	
DECLARATION (to b	e signed by the Principal)			
The preparation of the of the examination.	is practical examination has be	een carried out	t so as to maintain fully t	he security
NAME	(in block c			
SIGNED				(Principal)

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.