

Cambridge International Examinations Cambridge International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
CHEMISTRY			0620/52
Paper 5 Practic	al Test		February/March 2015
			1 hour 15 minutes
Candidates ans	wer on the Question Paper.		
Additional Mate	rials: As listed in the Confidential Instructions		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.Write in dark blue or black pen.You may use an HB pencil for any diagrams or graphs.Do not use staples, paper clips, glue or correction fluid.DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions. Electronic calculators may be used. You may lose marks if you do not show your working or if you do not use appropriate units. Practical notes are provided on page 8.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use

Total

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 7 printed pages and 1 blank page.



BLANK PAGE

1 You are going to investigate the solubility of salt **D** in water at various temperatures.

Read all the instructions below carefully before starting the experiments.

Instructions

You are going to carry out four experiments.

(a) Experiment 1

You are provided with a clean boiling tube containing 4g of salt **D**. Fill the burette provided with distilled water and add 10.0 cm^3 of water to the boiling tube. Heat the mixture of salt **D** and water **carefully** until all of the solid has dissolved.

Remove the boiling tube from the heat and allow the solution to cool. Stir the solution gently with the thermometer.

Note the temperature at which crystals **first appear** and record the temperature in the table at the top of **page 4**.

Keep the boiling tube and its contents for the remaining three experiments in this question.

(b) Experiment 2

From the burette, add a further 2.0 cm³ of water to the boiling tube and contents from Experiment 1.

Heat the mixture to dissolve the crystals as before. Find the temperature at which crystals first appear.

It will help if the boiling tube is dipped for **short** periods of time in a beaker of cold water to speed up the rate of cooling.

Record, in the table, the total volume of water in the boiling tube and the temperature at which crystals first appear.

(c) Experiment 3

From the burette, add a further 2.0 cm³ of water to the boiling tube and contents from Experiment 2. Repeat the experiment exactly as before.

Record, in the table, the total volume of water in the boiling tube and the temperature at which crystals first appear.


(d) Experiment 4

From the burette, add a further 4.0 cm³ of water to the boiling tube and contents from Experiment 3. Repeat the experiment exactly as before. Note all the results in the table.

At the end of Experiment 4, the total volume of water in the boiling tube will be 18.0 cm³.

Experiment number	total volume of water/cm ³	temperature at which crystals first appear/°C
1	10.0	
2		
3		
4		

(e) Plot the results on the grid below and draw a smooth line graph.



[5]

(f)	From your graph , find the temperature at which crystals of D would first appear if the total volume of water in the solution was 20.0 cm ³ . Show clearly on the grid how you worked out your answer.
	°C [2]
(g)	How did you know when salt D was completely dissolved in the water?
(h)	The solubility of salt D at 100 °C is 57 g in 100 cm ³ of water.
	Suggest, with a reason, the effect of using 8g of salt D instead of 4g in these experiments.
	[2]
(i)	Salt C is less soluble in water than salt D .
	Sketch on the grid the graph you would expect for salt C . Label this graph. [2]
(j)	Describe and explain one improvement that could be made to the experimental method to obtain more reliable results in this investigation.
	improvement
	explanation
	[Total: 19]

Before moving on to Question 2, carefully place your solution of salt D, boiling tube, stopper and thermometer into the container labelled waste for Question 1.

2 You are provided with two metal salt solutions, E and F. Carry out the following tests on E and F, recording all of your observations in the table. Conclusions must **not** be written in the table.

	tests	observations
tests on solution E		
(a)	Describe the appearance of solution E .	
	de the solution into three equal portions in arate test-tubes.	
(b)	To the first portion of the solution, add a few drops of dilute nitric acid and about 1 cm ³ of aqueous barium nitrate.	[2]
(c)	To the second portion of the solution, add excess aqueous sodium hydroxide and shake the mixture.	[1]
	Filter the mixture. Gently warm the filtrate and test the gas given off.	
	Note how the residue on the filter paper changes after five minutes.	[1]
(d)	To the third portion of the solution, add about 1cm^3 of aqueous potassium manganate(VII).	[1]
	Now add aqueous sodium hydroxide to the mixture.	
test	s on solution F	
(e)	(i) Describe the appearance of solution F .	
	(ii) Test the pH of solution F .	[1]
(f)	Add a few zinc granules to the solution F provided in the boiling tube. Shake the tube every minute. Note how the colour of the solution changes over the next five minutes.	[3]

(g)	What conclusions can you draw about solution E ?
	[4]
	What conclusions can you draw about solution F ?
	[2]
	[Total: 21]

NOTES FOR USE IN QUALITATIVE ANALYSIS

Test for anions

anion	test	test result
carbonate (CO ₃ ^{2–})	add dilute acid	effervescence, carbon dioxide produced
chloride (C <i>l</i> ⁻) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	white ppt.
iodide (I ⁻) [in solution]	acidify with dilute nitric acid, then add aqueous silver nitrate	yellow ppt.
nitrate (NO₃⁻) [in solution]	add aqueous sodium hydroxide then aluminium foil; warm carefully	ammonia produced
sulfate (SO ₄ ²⁻) [in solution]	acidify with dilute nitric acid, then aqueous barium nitrate	white ppt.

Test for aqueous cations

cation	effect of aqueous sodium hydroxide	effect of aqueous ammonia
aluminium (Al ³⁺)	white ppt., soluble in excess giving a colourless solution	white ppt., insoluble in excess
ammonium (NH ₄ ⁺)	ammonia produced on warming	-
calcium (Ca ²⁺)	white ppt., insoluble in excess	no ppt., or very slight white ppt.
copper (Cu ²⁺)	light blue ppt., insoluble in excess	light blue ppt., soluble in excess giving a dark blue solution
iron(II) (Fe ²⁺)	green ppt., insoluble in excess	green ppt., insoluble in excess
iron(III) (Fe ³⁺)	red-brown ppt., insoluble in excess	red-brown ppt., insoluble in excess
zinc (Zn ²⁺)	white ppt., soluble in excess giving a colourless solution	white ppt., soluble in excess giving a colourless solution

Test for gases

gas	test and test results
ammonia (NH ₃)	turns damp red litmus paper blue
carbon dioxide (CO ₂)	turns limewater milky
chlorine (Cl ₂)	bleaches damp litmus paper
hydrogen (H ₂)	'pops' with a lighted splint
oxygen (O ₂)	relights a glowing splint

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.