

## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

**CHEMISTRY** 0620/21

May/June 2016 Paper 2 Multiple Choice (Extended)

45 Minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

#### **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are forty questions on this paper. Answer all questions. For each question there are four possible answers A, B, C and D.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

#### Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.


A copy of the Periodic Table is printed on page 20.

Electronic calculators may be used.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate. This document consists of 17 printed pages and 3 blank pages.



1 The rate of diffusion of two gases, methane,  $CH_4$ , and ethene,  $C_2H_4$ , is measured using the apparatus shown.




Which gas diffuses faster and why?

	gas that diffuses faster	reason
Α	ethene	Ethene molecules are heavier and so move faster.
В	ethene	Ethene molecules have a double bond which makes them more reactive.
С	methane	Methane molecules are lighter and so move faster.
D	methane	Methane molecules are smaller so they can get out of the small hole more easily.

**2** A sample of a dye is investigated by chromatography.

A line is drawn across a piece of chromatography paper and a spot of the dye is placed on it.

The paper is placed in water.




## Which row is correct?

	what is used to draw the line	position of spot
Α	ink	above the level of the water
В	ink	below the level of the water
С	pencil	above the level of the water
D	pencil	below the level of the water

3 The paper chromatogram below was obtained from four different dyes.

Which dye has an  $R_f$  value of 0.7?



- **4** Which statements about isotopes of the same element are correct?
  - 1 They are atoms which have the same chemical properties because they have the same number of electrons in their outer shell.
  - 2 They are atoms which have the same number of electrons and neutrons but different numbers of protons.
  - 3 They are atoms which have the same number of electrons and protons but different numbers of neutrons.
  - **A** 1 and 2
- **B** 1 and 3
- C 2 only
- **D** 3 only
- 5 The table shows the electronic structure of four atoms.

atom	electronic structure
W	2,8,1
X	2,8,4
Y	2,8,7
Z	2,8,8

Which two atoms combine to form a covalent compound?

A W and X

**B** W and Y


C X and Y

**D** X and Z

6 Which statement describes the attractive forces between molecules (intermolecular forces)?

- A They are strong covalent bonds which hold molecules together.
- **B** They are strong ionic bonds which hold molecules together.
- C They are weak forces formed between covalently-bonded molecules.
- **D** They are weak forces which hold ions together in a lattice.

7 The diagram represents the general structure of a solid Z.



What is Z?

- **A** aluminium
- **B** iodine
- C silicon dioxide
- **D** sulfur

**8** A compound, X, contains 40.0% carbon, 6.7% hydrogen and 53.3% oxygen by mass.

The relative molecular mass,  $M_r$ , of X is 60.

What is the molecular formula of X?

- A CH<sub>2</sub>O
- B CH<sub>4</sub>O
- $\mathbf{C}$   $C_2H_4O$
- $\mathbf{D}$   $C_2H_4O_2$

9 25 cm<sup>3</sup> of 0.1 mol/dm<sup>3</sup> hydrochloric acid exactly neutralise 20 cm<sup>3</sup> of aqueous sodium hydroxide.

The equation for this reaction is:

NaOH + 
$$HCl \rightarrow NaCl + H_2O$$

What is the concentration of the sodium hydroxide solution?

- $\mathbf{A} = 0.080 \, \text{mol/dm}^3$
- **B** 0.800 mol/dm<sup>3</sup>
- $\mathbf{C} = 0.125 \, \text{mol/dm}^3$
- $\mathbf{D}$  1.25 mol/dm<sup>3</sup>

10 Which reactions could take place at the anode during electrolysis?

1 
$$4OH^{-}(aq) \rightarrow 2H_2O(I) + O_2(g) + 4e^{-}$$

2 
$$2Cl^{-}(aq) \rightarrow Cl_{2}(g) + 2e^{-}$$


3 
$$Cu^{2+}(aq) + 2e^{-} \rightarrow Cu(s)$$

4 
$$2H^{+}(aq) + 2e^{-} \rightarrow H_{2}(g)$$


- **A** 1 and 2
- **B** 1 and 4
- **C** 2 and 4
- **D** 3 and 4

11 The diagram shows some properties that substances may have.

To which labelled part of the diagram does <sup>235</sup>U belong?



12 The diagram shows a simple cell.



Which statement about the process occurring when the cell is in operation is correct?

- A Cu<sup>2+</sup> ions are formed in solution.
- **B** Electrons travel through the solution.
- **C** The reaction  $Zn \rightarrow Zn^{2+} + 2e^{-}$  occurs.
- **D** The zinc electrode increases in mass.

**13** Hydrogen burns exothermically in oxygen.

The equation for the reaction is:

$$2H_2 + O_2 \rightarrow 2H_2O$$

The table shows the bond energies involved.


bond	bond energy in kJ/mol	
H–H	436	
O=O	498	
O–H	464	

What is the energy given out during the reaction?

- **A** -3226 kJ/mol
- **B** -884 kJ/mol
- **C** -486 kJ/mol
- **D** -442 kJ/mol

# **14** A liquid X reacts with solid Y to form a gas.

Which two diagrams show suitable methods for investigating the rate (speed) of the reaction?



- 15 Which statements explain why increasing temperature increases the rate of a chemical reaction?
  - 1 Heat makes the molecules move faster and collide more often.
  - 2 Heat makes the molecules collide with more energy so they are more likely to react.
  - 3 Increasing temperature lowers the activation energy for the reaction.
  - **A** 1 and 2
- **B** 1 and 3
- C 1 only
- **D** 2 only

**16** Steam reacts with carbon in an endothermic reaction.

$$C(s) + H_2O(g) \rightleftharpoons CO(g) + H_2(g)$$

Which conditions of temperature and pressure would give the largest yield of hydrogen?

	temperature	pressure
Α	high	high
В	high	low
С	low	high
D	low	low

17 Which equation represents a reduction reaction?

$$A \quad Fe^{2^+} + e^- \rightarrow Fe^{3^+}$$

$$\mathbf{B} \quad \mathsf{Fe^{2+}} \, \rightarrow \, \mathsf{Fe^{3+}} \, + \, \mathsf{e^{-}}$$

**C** 
$$Fe^{3+} + e^{-} \rightarrow Fe^{2+}$$

**D** 
$$Fe^{3+} \rightarrow Fe^{2+} + e^{-}$$

18 Which statements are properties of an acid?

1 reacts with ammonium sulfate to form ammonia

2 turns red litmus blue

	1	2
Α	✓	✓
В	✓	X
С	X	✓
D	X	X

19 Which row describes whether an amphoteric oxide reacts with acids and bases?

	reacts with acids	reacts with bases
Α	no	no
В	no	yes
С	yes	no
D	yes	yes

- **20** Which substance reacts with dilute sulfuric acid to form a salt that can be removed from the resulting mixture by filtration?
  - A aqueous barium chloride
  - B aqueous sodium hydroxide
  - C copper
  - **D** copper(II) carbonate
- 21 Where in the Periodic Table is the metallic character of the elements greatest?

	left or right side of a period	at the top or bottom of a group
Α	left	bottom
В	left	top
С	right	bottom
D	right	top

22 Some properties of four elements, P, Q, R and S, are shown in the table.

Two of these elements are in Group I of the Periodic Table and two are in Group VII.

element	reaction with water	physical state at room temperature
Р	reacts vigorously	solid
Q	does not react with water	solid
R	reacts explosively	solid
S	dissolves giving a coloured solution	liquid

Which statement is correct?

- A P is below R in Group I.
- **B** Q is above R in Group I.
- **C** Q is below S in Group VII.
- **D** R is below S in Group VII.

23 Which of the following could be a transition element?

	melting point in °C	density in g/cm <sup>3</sup>	colour	electrical conductor
Α	114	4.9	purple	no
В	659	2.7	grey	yes
С	1677	4.5	grey	yes
D	3727	2.3	black	yes

24 Two statements about argon are given.

1 Argon has a full outer shell of electrons.

2 Argon is very reactive and is used in lamps.

Which is correct?

A Both statements are correct and statement 2 explains statement 1.

**B** Both statements are correct but statement 2 does not explain statement 1.

C Statement 1 is correct but statement 2 is incorrect.

**D** Statement 2 is correct but statement 1 is incorrect.

25 A student investigated the reactions of four metals, R, S, T and U, with solutions of their salts.

The results are given in the table.

metal	metal salt	result
R	S nitrate	reacts
R	T nitrate	reacts
S	U nitrate	no reaction
Т	U nitrate	reacts
U	R nitrate	no reaction

What is the order of reactivity of the metals, most reactive first?

 $\textbf{A} \quad \mathsf{R} \to \mathsf{S} \to \mathsf{U} \to \mathsf{T}$ 

 $\textbf{B} \quad \mathsf{R} \to \mathsf{T} \to \mathsf{U} \to \mathsf{S}$ 

 $\textbf{C} \quad S \to U \to T \! \to R$ 

 $\textbf{D} \quad \mathsf{U} \to \mathsf{R} \to \mathsf{T} \to \mathsf{S}$ 

**26** Three students, X, Y and Z, were told that solid P reacts with dilute acids and also conducts electricity.


The table shows the students' suggestions about the identity of P.

Х	Y	Z
copper	iron	graphite

Which of the students are correct?

- $\mathbf{A}$  X, Y and Z
- **B** X only
- **C** Y only
- **D** Z only
- 27 Which statement about the uses of metals is correct?
  - **A** Aluminium is used in the manufacture of aircraft because of its strength and high density.
  - **B** Copper is used in electrical wiring because of its strength and high density.
  - **C** Mild steel is used in the manufacture of car bodies because of its strength and resistance to corrosion.
  - **D** Stainless steel is used in the construction of chemical plant because of its strength and resistance to corrosion.
- **28** Aluminium is manufactured by electrolysis of aluminium oxide.


The diagram shows the electrolysis cell.



Which statement about the process is **not** correct?

- A Aluminium ions gain electrons during the electrolysis and are reduced.
- **B** Cryolite is added to reduce the melting point of the aluminium oxide.
- **C** The anode and cathode are made of graphite.
- **D** The cathode has to be replaced regularly because it is burnt away.


29 The diagram shows an experiment to investigate how paint affects the rusting of iron.



What happens to the water level in tubes P and Q?

	tube P	tube Q
Α	falls	rises
В	no change	rises
С	rises	falls
D	rises	no change

30 A new planet has been discovered and its atmosphere has been analysed.



The table shows the composition of its atmosphere.

gas	percentage by volume
carbon dioxide	4
nitrogen	72
oxygen	24

Which gases are present in the atmosphere of the planet in a higher percentage than they are in the Earth's atmosphere?

- A carbon dioxide and oxygen
- B carbon dioxide only
- C nitrogen and oxygen
- **D** nitrogen only

31 Many car exhaust systems contain a catalytic converter.

Which change does **not** occur in a catalytic converter?

- A carbon dioxide → carbon
- **B** carbon monoxide → carbon dioxide
- **C** nitrogen oxides → nitrogen
- $\mathbf{D}$  unburnt hydrocarbons  $\rightarrow$  carbon dioxide and water
- **32** Ammonia is formed by a reversible reaction.

$$N_2(g) + 3H_2(g) \rightleftharpoons 2NH_3(g)$$

The forward reaction is exothermic.

Which changes in conditions would increase the yield of ammonia?

	increase in pressure	increase in temperature
Α	✓	✓
В	✓	X
С	X	✓
D	x	x

**33** The equation for an exothermic reaction in the Contact process is shown.

$$2SO_2(g) + O_2(g) \rightarrow 2SO_3(g)$$

Which effects do increasing the temperature and using a catalyst have on the rate of formation of sulfur trioxide,  $SO_3$ ?


	increasing the temperature	using a catalyst
Α	rate decreases	rate decreases
В	rate decreases	rate increases
С	rate increases	rate decreases
D	rate increases	rate increases

**34** A farmer's soil is very low in both nitrogen (N) and phosphorus (P).

Which fertiliser would improve the quality of this soil most effectively?

		percentage	
	nitrogen (N)	phosphorus (P)	potassium (K)
Α	11	11	27
В	12	37	10
С	28	10	10
D	31	29	9

**35** The diagram shows the separation of petroleum into fractions.



What could X, Y and Z represent?

	Х	Υ	Z
Α	diesel oil	lubricating fraction	paraffin
В	lubricating fraction	diesel oil	paraffin
С	paraffin	lubricating fraction	diesel oil
D	paraffin	diesel oil	lubricating fraction

36	Whi	ich o	f the	compo	unds	sho	wn are	in th	ne sa	ame	homol	ogous	seri	es?	)	
			1	CH₃OH												
			2	CH <sub>3</sub> CH	<sub>2</sub> OH											
			3	CH₃CO	ОН											
			4	CH₃CH	<sub>2</sub> CH <sub>2</sub>	<sub>2</sub> OH										
	Α	1, 2	and	3	В	1, 2	and 4		С	1, 3	3 and 4	İ	D	2, 3	3 and 4	ļ
37	Whi	ich c	omp	ounds c	onta	in th	ne same	e nur	nber	of	carbon,	hydro	gen	an	d oxyg	er
				W			>	(				Υ				

**A** W and X **B** W and Y **C** X and Z **D** Y and Z

n atoms?

W	X	Y	Z
ethyl methanoate	methyl ethanoate	methyl methanoate	ethyl ethanoate

- 38 What is an advantage of producing ethanol by fermentation of sugar compared to the catalytic addition of steam to ethene?
  - **A** The alcohol produced is purer.
  - В The process is faster.
  - C The process uses high temperature.
  - The process uses renewable raw materials. D

**39** The structure of a monomer is shown.

Which polymer can be made from this monomer?

40 Which formula represents a polyester?

A —O——O—

© UCLES 2016

# **BLANK PAGE**

# **BLANK PAGE**

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

								Gro	Group								
=												≡	≥	>	>	=>	<b>=</b>
							- I										2 J
×	X	X	×	Key			hydrogen 1										helium 4
	atomic	atomic	tomic	atomic number		J						2	9	7	8	6	10
Be atomic symbo	atomic	atomic	πic	symk	loc							Δ	ပ	z	0	ш	Ne
berylium relative 8	relative a	relative	ive	name relative atomic mass	SS							boron 11	carbon 12	nitrogen 14	oxygen 16	fluorine 19	neon 20
												13	14	15	16	17	18
Mg												Αl	:S	۵	ഗ	Cl	٩Ľ
magnesium 24												aluminium 27	silicon 28	phosphorus 31	sulfur 32	chlorine 35.5	argon 40
21 22	22			23	24	25	26	27	28	29	30	31	32	33	34	35	36
Sc	F			>	ပ်	M	Fe	ပိ	Z	Cn	Zu	Ga	Ge	As	Se	Ŗ	궃
titanium v	titanium v		vanac 5	anadium 51	chromium 52	manganese 55	iron 56	cobalt 59	nickel 59	copper 64	zinc 65	gallium 70	germanium 73	arsenic 75	selenium 79	bromine 80	krypton 84
39 40	40		14			43	4	45	46	47	48	49	50	51	52	53	54
Y	Zr		Z	q		ည	Ru	R	Pd	Ag	g	In	Sn	Sp	<u>e</u>	Н	Xe
strontium yttrium zirconium niobii 88 89 91 93	zirconium 91		niobii 93	Ę .		technetium -	ruthenium 101	rhodium 103	palladium 106	silver 108	cadmium 112	indium 115	tin 119	antimony 122	tellurium 128	iodine 127	xenon 131
57–71 72	72			73	l	75	9/	77	78	79	80	81	82	83	84	85	98
lanthanoids Hf	生			Та	>	Re	Os	'n	₹	Αn	Нg	lΤ	Ъ	Ξ	Ро	At	Rn
hafnium 178			ta	tantalum 181	tungsten 184	rhenium 186	osmium 190	iridium 192	platinum 195	gold 197	mercury 201	thallium 204	lead 207	bismuth 209	polonium –	astatine -	radon
89–103		104		105	106	107	108	109	110	111	112		114		116		
¥	¥			Dp	Sg	Bh	Hs	₹	Ds	Rg	ű		F1				
rutherfordium			ਰ	dubnium -	seaborgium -	bohrium	hassium -	meitnerium -	darmstadtium -	roentgenium -	copernicium		flerovium -		livermorium -		
_	_			_	_		_	_		_	_					_	

71	P	lutetium 175	103	۲	lawrencium	I
70	Υb	ytterbium 173	102	%	nobelium	ı
69	E	thulium 169	101	Md	mendelevium	ı
89	Щ	erbium 167	100	Fm	fermium	ı
29	운	holmium 165	66	Es	einsteinium	ı
99	ò	dysprosium 163	86	ర	californium	ļ
99	Tp	terbium 159	26	BK	berkelium	ı
64	Gd	gadolinium 157	96	Cm	curium	ı
63	ВП	europium 152	92	Am	americium	ļ
62	Sm	samarium 150	94	Pu	plutonium	ı
61	Pm	promethium	93	ď	neptunium	ı
09	βN	neodymium 144	92	$\supset$	uranium	238
69	Ą	praseodymium 141	91	Ра	protactinium	231
28	Ce	cerium 140	06	T	thorium	232
22	Гa	lanthanum 139	89	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.)