

CHEMISTRY

0620/32 October/November 2017

Paper 3 Core Theory MARK SCHEME Maximum Mark: 80

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

bestexamhelp.com

® IGCSE is a registered trademark.

This syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 7 printed pages.

International Education

Question	Answer	Marks
1(a)(i)	Α	1
1(a)(ii)	C	1
1(a)(iii)	D	1
1(a)(iv)	D	1
1(a)(v)	E	1
1(b)	 any 3 from: metals conduct electricity / heat ORA metals are malleable ORA metals are ductile ORA metals are sonorous / ring when hit ORA metals are shiny / lustrous ORA 	3
1(c)	substance contain two (or more different) elements which are bonded together / which are chemically combined	1

Question	Answer	Marks
2(a)	 any 3 from: greater percentage of helium (on Saturn) / less helium on Earth greater percentage of hydrogen (on Saturn) / little hydrogen on Earth no oxygen on Saturn / oxygen on Earth / Earth has 1/5 oxygen lower percentage of other gases (on Saturn) / more of other gases on Earth greater percentage of argon on Earth / less argon on Saturn no OR very little nitrogen on Saturn / Earth has about 80% nitrogen / Earth has a lot of nitrogen 	3
2(b)(i)	hydrogen is less dense than helium	1
2(b)(ii)	gas	1
	-250 °C is above the boiling point	1

Question	Answer	Marks
2(c)(i)	(damp) <u>red</u> litmus	1
	turns blue	1
2(c)(ii)	labels 'N' and 'H' in the correct circles	1
	one pair of electrons in each overlap area and no non-bonding electrons or extra bonding electrons added	1
2(d)	51 IF full credit is not awarded, allow 1 mark for (S =) 32, (N =) 14 and (H =) 1	2
2(e)(i)	carbon dioxide / CO ₂	1
2(e)(ii)	global warming / effect of global warming, e.g. melting ice caps / desertification / more extreme weather / death of corals / more risk of flooding	1

Question	Answer	Marks
3(a)(i)	functional group shown as -COOH / -CO ₂ H or displayed formula	1
3(a)(ii)	pH 4	1
3(a)(iii)	neutralisation	1
3(a)(iv)	releases heat / heat given out	1
3(b)	C ₃ H ₈ O ₃	1
3(c)	2 (CO)	1
	3 (H ₂ O)	1

Question	Answer	Marks
3(d)(i)	distillation	1
	water is the distillate / water collects in the condenser / sodium chloride remains in the flask	1
	idea of different boiling points (of water and sodium chloride)	1
3(d)(ii)	boiling <u>point</u> / melting <u>point</u>	1
3(d)(iii)	(aqueous) silver nitrate (acidified with nitric acid)	1
	white precipitate	1

Question	Answer	Marks
4(a)	electrical conductivity of zinc: conducts	1
	solubility in water of sodium chloride: soluble	1
4(b)	low boiling point / does not conduct when solid or molten	1
4(c)	does not conduct when solid but conducts when molten IF full credit is not awarded, allow 1 mark for conducts when molten	2
4(d)	positive electrode (anode): iodine	1
	negative electrode (cathode): calcium	1
4(e)	number of protons: 15	1
	number of neutrons: 16	1
4(f)	acidic because phosphorus is a non-metal	1
4(g)	goes (directly) from solid to vapour / gas (without liquid state being formed)	1

Question	Answer	Marks
5(a)	nickel(II) oxide loses oxygen / oxidation number of nickel decreases / nickel gains electrons	1
5(b)	reversible reaction	1
5(c)(i)	carbon monoxide is a gas / carbon monoxide escapes from the mixture	1
5(c)(ii)	toxic / poisonous	1
5(d)(i)	 any 2 from: nickel has a high melting / boiling point ORA nickel has a high density ORA nickel is hard / strong ORA 	2
5(d)(ii)	nickel(II) chloride is coloured ORA / nickel(II) chloride can be a catalyst ORA	1
5(e)(i)	boiling point: any value between 680–750 °C inclusive	1
	relative reactivity of rubidium with water: reacts explosively / bigger flame (than potassium) / forms bubbles extremely rapidly / faster that potassium but slower than caesium / rapidly bursts into flame	1
5(e)(ii)	density increases down the group ORA	1

Question	Answer	Marks
6(a)	any 5 from:	5
	from ethene: • steam • high temperature • catalyst by fermentation: • yeast / zymase / enzymes • absence of oxygen / anaerobic • water / aqueous (suspension) • suitable temperature quoted (10–40 °C)	
6(b)(i)	saturated hydrocarbon: no change / aqueous bromine remains orange	1
	unsaturated hydrocarbon: aqueous bromine decolourised	1
6(b)(ii)	a large molecule formed from many monomers	1
6(b)(iii)	clothing / named article of clothing	1

Question	Answer	Marks
7(a)	 any 3 from: diffusion molecules move (from place to place) (molecules move) randomly molecules collide molecules spread out / mix up (bulk) movement of molecules from areas of where they are at higher concentration to where they are at lower concentration 	3

Question	Answer	Marks
7(b)	Cl ₂	1
	2 (SC <i>l</i> ₂)	1
7(c)	P: freezing	1
	Q: condensing / condensation	1

Question	Answer	Marks
8(a)	89.6 (g)	1
8(b)(i)	220 (cm ³)	1
8(b)(ii)	49 (min)	1
8(b)(iii)	goes faster / increases (rate)	1
8(c)(i)	16%	1
8(c)(ii)	any 2 from: neutralise soil reduce acidity of soils so plants grow properly / so plants grow well 	2