

# **Cambridge Assessment International Education**

Cambridge International General Certificate of Secondary Education

0620/12 **CHEMISTRY** 

October/November 2019 Paper 1 Multiple Choice (Core)

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

### **READ THESE INSTRUCTIONS FIRST**

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO **NOT** WRITE IN ANY BARCODES.

There are forty questions on this paper. Answer all questions. For each question there are four possible answers A, B, C and D.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

## Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.

This syllabus is regulated for use in England, Wales and Northern Ireland as a Cambridge International Level1/Level 2 Certificate.



1 The diagram shows a cup of hot tea.



Which row describes the water particles in the air above the cup compared with the water particles in the cup?

	moving faster	closer together
Α	✓	×
В	✓	✓
С	X	X
D	X	✓

**2** A student is asked to measure the time taken for 0.4g of magnesium carbonate to react completely with 25.0 cm<sup>3</sup> of dilute hydrochloric acid.


Which pieces of apparatus does the student need?

- A balance, stop-clock, pipette
- **B** balance, stop-clock, thermometer
- **C** balance, pipette, thermometer
- **D** stop-clock, pipette, thermometer
- 3 Petroleum is a mixture.

Which method is used to separate petroleum?

- A chromatography
- **B** cracking
- **C** filtration
- D fractional distillation

4 Magnesium hydroxide can be obtained from sea water as shown.




Which process is used in the separation stage to separate solid magnesium hydroxide from the mixture?

- A crystallisation
- **B** filtration
- **C** distillation
- **D** chromatography
- 5 What is the total number of electrons in one molecule of ammonia, NH<sub>3</sub>?
  - **A** 6
- **B** 8
- **C** 10
- **D** 11

**6** An isotope of lithium has the symbol  ${}_{3}^{7}Li$ .

What is the arrangement of electrons in one atom of this isotope of lithium?



- 7 Which statement about an alloy is correct?
  - **A** It is a compound made of two or more elements, one of which is a metal.
  - **B** It is a layer of a metal plated onto another metal.
  - **C** It is a mixture of a metal with other elements.
  - **D** It is a single element.

8 Graphite is a form of carbon.

Why can graphite be used as a lubricant?


- **A** Graphite contains unbonded electrons which move through the structure.
- **B** Graphite contains weak covalent bonds so the atoms move easily.
- **C** Graphite has a low melting point so it easily turns into a liquid.
- **D** Graphite has weak attractive forces between layers so they can move.
- **9** Magnesium burns in oxygen to form magnesium oxide.

The equation for the reaction is shown.

$$2Mg + O_2 \rightarrow 2MgO$$

Which mass of magnesium oxide is formed when 48 g of magnesium is burned?

- **A** 20 g
- **B** 40 g
- **C** 80 g
- **D** 160 g
- **10** The apparatus used for electrolysis is shown.



Which statement is correct?

- **A** Copper forms at the anode in some electrolysis reactions.
- **B** Hydrogen forms at the cathode in some electrolysis reactions.
- **C** Oxygen forms at the cathode in some electrolysis reactions.
- **D** The negative electrode is called the anode.

11 The temperature of the water in two beakers, X and Y, is measured as 21.5 °C.

5g of sodium chloride is dissolved in the water in beaker X. The temperature changes to 18.0 °C.

5 g of calcium oxide is dissolved in the water in beaker Y. The temperature changes to 29.4 °C.

Which types of process are occurring in beakers X and Y?

	Х	Υ
Α	endothermic	endothermic
В	endothermic	exothermic
С	exothermic	endothermic
D	exothermic	exothermic

**12** Which reaction produces a white-coloured substance?

- **A** adding water to anhydrous cobalt(II) chloride
- **B** adding water to anhydrous copper(II) sulfate
- **C** heating hydrated cobalt(II) chloride
- **D** heating hydrated copper(II) sulfate
- **13** Four students collect the gas produced from the reaction of calcium carbonate with dilute hydrochloric acid. Each student records the time taken to collect a volume of gas.

Which results show the highest average rate of reaction?

- A 15 cm<sup>3</sup> of gas collected in 20 seconds
- **B** 50 cm<sup>3</sup> of gas collected in 40 seconds
- C 75 cm<sup>3</sup> of gas collected in 80 seconds
- **D** 90 cm<sup>3</sup> of gas collected in 100 seconds
- 14 Which row identifies a chemical and a physical change?

	chemical change	physical change
Α	boiling ethanol	burning ethanol
В	burning ethanol	evaporating ethanol
С	dissolving ethanol in water	burning ethanol
D	evaporating ethanol	dissolving ethanol in water

15 When magnesium is heated with zinc oxide a reaction occurs.

The equation is shown.

$$Mg + ZnO \rightarrow MgO + Zn$$

Which substance is oxidised?

- **A** magnesium
- B magnesium oxide
- C zinc
- **D** zinc oxide
- 16 Which statement describes the properties of hydrochloric acid?
  - A Carbon dioxide is produced when limestone reacts with hydrochloric acid.
  - **B** Hydrogen is produced when sodium hydroxide reacts with hydrochloric acid.
  - **C** Methyl orange turns yellow in strong hydrochloric acid.
  - **D** Red litmus paper turns blue when dipped into hydrochloric acid.
- **17** A sample of X is heated with aqueous sodium hydroxide and small pieces of aluminium.

A gas is produced which turns red litmus paper blue.

Aqueous sodium hydroxide solution is added to a second sample of X. A pale green precipitate is observed.

What is X?

- A ammonium nitrate
- **B** chromium(II) chloride
- **C** iron(II) nitrate
- **D** iron(II) sulfate
- 18 Which element forms an acidic oxide?
  - A calcium
  - **B** lithium
  - C magnesium
  - **D** sulfur

- **19** A method used to make copper(II) sulfate crystals is shown.
  - 1 Place dilute sulfuric acid in a beaker.
  - 2 Warm the acid.
  - 3 Add copper(II) oxide until it is in excess.
  - 4 Filter the mixture.
  - 5 Evaporate the filtrate until crystals start to form.
  - 6 Leave the filtrate to cool.

What are the purposes of step 3 and step 4?

	step 3	step 4					
Α	to ensure all of the acid has reacted	to obtain solid copper(II) sulfate					
В	to ensure all of the acid has reacted	to remove the excess of copper(II) oxide					
С	to speed up the reaction	to obtain solid copper(II) sulfate					
D	to speed up the reaction	to remove the excess of copper(II) oxide					

- **20** Which statements describe changes that occur from left to right across a period of the Periodic Table?
  - 1 The atomic number of the elements increases.
  - 2 The metallic character of the elements decreases.
  - 3 The physical state of the elements changes from gas to solid.
  - A 2 only B 1 and 2 only C 1 and 3 only D 2 and 3 only
- 21 Which pair of elements reacts together most violently?
  - A chlorine and lithium
  - B chlorine and potassium
  - C iodine and lithium
  - **D** iodine and potassium
- **22** Which is a typical property of transition elements?
  - A can act as catalysts
  - B poor electrical conductivity
  - **C** low melting point
  - **D** low density

23 Helium is a noble gas.

Which statement about helium is correct?

- A It has eight electrons in its outer shell.
- **B** It is a diatomic gas.
- C It is reactive.
- **D** It is used for filling balloons.
- **24** Some properties of substance X are listed.
  - It conducts electricity when molten.
  - It has a high melting point.
  - It burns in oxygen and the oxide dissolves in water to give a solution with pH 11.

# What is X?

- A a covalent compound
- B a macromolecule
- C a metal
- **D** an ionic compound

25 Four unknown metals, Q, R, S and T, are reacted with water, steam and dilute hydrochloric acid.

The results are shown in the table.

	reaction with water							
Q	slow reaction	fast reaction	fast reaction					
R	no reaction	no reaction	no reaction					
S	no reaction	very slow reaction	slow reaction					
Т	fast reaction	explodes	explodes					

Which statements are correct?

- 1 R is the least reactive metal.
- 2 T could be potassium.
- 3 S is more reactive than Q and R.
- 4 Metals react faster with steam than they do with water.
- **A** 1, 2 and 4 only
- B 1 and 2 only
- C 2 and 3 only
- **D** 3 and 4 only
- 26 What is added to molten iron to make steel?
  - A small amounts of carbon
  - **B** limestone and coke
  - C calcium oxide and oxygen
  - **D** hematite and air
- 27 Which row describes the uses of aluminium, copper and mild steel?

	aluminium	copper	mild steel				
Α	aircraft bodies	electrical wiring	car bodies				
В	car bodies	cooking utensils	electrical wiring				
С	electrical wiring	aircraft bodies	food containers				
D	food containers	aircraft bodies	cooking utensils				

**28** River water contains soluble impurities, insoluble impurities and bacteria.

River water is made safe to drink by filtration and chlorination.


Which statement is correct?

- A Filtration removes bacteria and insoluble impurities, and chlorination removes soluble impurities.
- **B** Filtration removes insoluble impurities, and chlorination kills the bacteria.
- **C** Filtration removes soluble and insoluble impurities, and chlorination kills the bacteria.
- **D** Filtration removes soluble impurities and bacteria, and chlorination removes insoluble impurities.
- **29** Clean, dry air contains nitrogen, oxygen and small amounts of other gases. The noble gases have been left out of the table.


Which row shows the composition of clean, dry air?

	nitrogen/%	oxygen/%	other gases						
Α	21	78	small amount of carbon dioxide						
В	21	78	small amount of carbon monoxide						
С	78	21	small amount of carbon dioxide						
D	78	21	small amount of carbon monoxide						

**30** The apparatus shown is set up and left for a week.



Which diagram shows the level of the water at the end of the week?



31 Farmers add calcium oxide (lime) and ammonium salts to their fields.

The compounds are not added at the same time because they react with each other.

Which gas is produced in this reaction?

- A ammonia
- B carbon dioxide
- C hydrogen
- **D** nitrogen
- 32 Which information about carbon dioxide and methane is correct?

		carbon dioxide	methane	
Α	formed when vegetation decomposes	✓	X	key
В	greenhouse gas	✓	✓	✓ = true
С	present in unpolluted air	×	x	x = false
D	produced during respiration	X	✓	


- 33 Which statement about the uses of sulfur dioxide is not correct?
  - A It is used as a bleach in the manufacture of paper.
  - **B** It is used as a food preservative.
  - **C** It is used in the manufacture of cement.
  - **D** It is used in the manufacture of sulfuric acid.
- **34** Which statement about limestone and lime is correct?
  - **A** Limestone combines with water to produce slaked lime.
  - **B** Lime is obtained from limestone by oxidation.
  - **C** Lime is used in the desulfurisation of flue gases.
  - **D** Lime is used in the treatment of alkaline soil.
- 35 Some fractions obtained from petroleum are listed.

	fraction	fraction use					
1	gasoline	waxes and polishes	below refinery gas				
2	bitumen	making roads	above kerosene				
3	kerosene	jet fuel	below gasoline				
4	refinery gas	heating and cooking	above gasoline				

Which rows are correct?

- **A** 1, 3 and 4
- **B** 2, 3 and 4
- C 3 and 4 only
- **D** 4 only

**36** The structures of three compounds are shown.




Which statement explains why these three compounds have similar chemical properties?

- **A** They all contain bromine, carbon and hydrogen.
- **B** They all contain the same functional group.
- C They are all carbon-based molecules.
- **D** They are all saturated molecules.
- **37** Which statement about ethane is correct?
  - A It rapidly decolourises aqueous bromine.
  - B It does not burn.
  - **C** It forms long-chain compounds called polymers.
  - **D** It only contains single bonds between its atoms.
- **38** Which products are obtained by the cracking of an alkane?

	alkene	hydrogen	water
Α	✓	✓	✓
В	✓	✓	X
С	✓	X	✓
D	X	✓	✓

- **39** Which statement about an aqueous solution of ethanoic acid is correct?
  - **A** It reacts with magnesium to form water as one of the products.
  - **B** It reacts with sodium carbonate to form carbon dioxide.
  - **C** It reacts with sodium hydroxide to form hydrogen.
  - **D** It turns red litmus paper blue.

**40** The diagram shows the structure of a monomer and of the polymer made from it.



What are the monomer and polymer?

	monomer	polymer
Α	ethane	poly(ethane)
В	ethane	poly(ethene)
С	ethene	poly(ethane)
D	ethene	poly(ethene)

# **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

≡>	2	He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon									
<b>=</b>				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	¥	astatine -									
5				8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ъ	polonium -	116		livermorium -						
>				7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209									
≥				9	O	carbon 12	14	Si	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium						
=				2	Δ	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204									
							1			30	Zu	zinc 65	48	g	cadmium 112	80	Я	mercury 201	112	ပ်	copernicium						
		H Hydrogen Key								29	D.	copper 64	47	Ag	silver 108	62	Αu	gold 197	111	Rg	roentgenium -						
-			H hydrogen 1								28	z	nickel 59	46	Pd	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -					
																27	ပိ	cobalt 59	45	格	rhodium 103	77	٦	iridium 192	109	Ĭ	meitnerium -
	- I			hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	Hs	hassium					
						J						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium –				
							loc	SS								Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -				
			Key	tomic number	mic sym	name tive atomic ma				23	>	vanadium 51	41				<u>n</u>	tantalum 181	105	Ор	dubnium						
					at	, co		ato	rela				22	j	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	¥	rutherfordium -			
							J			21	လွ	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids							
=						4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	56	Ba	barium 137	88	Ra	radium				
_				3	::	lithium 7	1	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	Ļ	francium -						
				1	III		11	II	III	II	II	II	II	II	I	1   1   1   1   1   1   1   1   1   1	1	1	II	III	II						

71	n	lutetium	175	103	۲	lawrencium	I
70	Υp	ytterbium	173	102	%	nobelium	I
69	H	thulium	169	101	Md	mendelevium	1
89	ш	erbium	167	100	Fm	fermium	1
29	웃	holmium	165	66	Es	einsteinium	_
99	Ω	dysprosium	163	86	ర్	califomium	_
65	Д	terbium	159	26	ă	berkelium	_
64	Gd	gadolinium	157	96	Cm	curium	_
63	Ш	europium	152	98	Am	americium	_
62	Sm	samarium	150	94	Pn	plutonium	_
61	Pm	promethium	ı	93	ď	neptunium	ı
09	β	neodymium	144	92	$\supset$	uranium	238
69	Ţ	praseodymium	141	91	Ра	protactinium	231
58	Ce	cerium	140	06	T	thorium	232
22	Гa	lanthanum	139	68	Ac	actinium	I

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).