



Cambridge Assessment International Education
Cambridge International General Certificate of Secondary Education

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

CHEMISTRY

0620/33

Paper 3 Theory (Core)

October/November 2019

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 20.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This syllabus is regulated for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of **17** printed pages and **3** blank pages.



1 This question is about solids and gases.

(a) The list gives the names of eight substances which are gases at room temperature.

ammonia
butane
carbon dioxide
carbon monoxide
chlorine
methane
propene
sulfur dioxide

Answer the following questions about these gases.

Each gas may be used once, more than once or not at all.

State which gas:

(i) is a poisonous product formed by the incomplete combustion of carbon

..... [1]

(ii) is an alkene

..... [1]

(iii) is formed when limestone is thermally decomposed

..... [1]

(iv) is an element

..... [1]

(v) causes acid rain.

..... [1]

(b) When a piece of solid carbon dioxide is placed in a warm room, it undergoes sublimation.

(i) What is meant by the term *sublimation*?

.....
..... [2]

(ii) Use the kinetic particle model to describe the motion **and** separation of the particles in:

solid carbon dioxide

.....
.....

carbon dioxide gas.

.....
.....

[4]

[Total: 11]

2 Biogas is made by fermenting animal and vegetable waste.


(a) The table shows the percentage composition of the gases present in a sample of biogas.

substance present	percentage present in biogas
carbon dioxide	36.8
hydrogen	0.6
methane	54.5
nitrogen	6.5
water vapour	
other substances	0.1
total	100.0

(i) Deduce the percentage of water vapour present in this sample of biogas.

..... [1]

(ii) Complete the dot-and-cross diagram to show the electron arrangement in a molecule of water. Show outer shell electrons only.



[2]

(iii) Describe a chemical test for water.

test

observation

[2]

- (b) (i) Balance the chemical equation for the oxidation of methane to form hydrogen.




- (ii) Which **one** of these compounds belongs to the same homologous series as methane?

Draw a circle around the correct answer.

butane butene methanoic acid methanol [1]

- (c) Methane is present in the refinery gas fraction produced by the fractional distillation of petroleum.

- (i) Match the fractions on the left with their uses on the right.
The first one has been done for you.



[2]

- (ii) Describe the fractional distillation of petroleum.
In your answer:

- state the physical property on which the separation of the fractions depends
- describe how the distillation is done to separate the fractions.

.....

.....

.....

.....


.....

.....

..... [3]

(d) The biogas fermentation mixture contains a small amount of compound **M**.

The structure of compound **M** is shown.



(i) On the structure shown, draw a circle around the carboxylic acid functional group. [1]

(ii) How many different types of atoms are present in compound **M**?

..... [1]


[Total: 15]

- 3 A student investigated the reaction of magnesium carbonate with an excess of dilute hydrochloric acid.



The rate of reaction can be found by measuring the decrease in the mass of the reaction mixture over time.

The results are shown on the graph.



- (a) Determine the mass of the reaction mixture after 58 seconds.

..... [1]

- (b) At which point on the graph, **A**, **B**, **C** or **D**, was the rate of reaction the fastest?
Use the graph to explain your answer.

.....

..... [2]

- (c) When 0.42 g of magnesium carbonate is used, 120 cm³ of carbon dioxide is formed.

Determine the volume of carbon dioxide produced when 1.26 g of magnesium carbonate reacts completely.

volume of carbon dioxide = cm³ [1]

- (d) What effect do the following have on the rate of this reaction?

- Decreasing the concentration of the acid.
All other conditions are kept the same.

.....

- Using smaller pieces of magnesium carbonate.
All other conditions are kept the same.

.....

[2]

[Total: 6]

4 This question is about sulfur and compounds of sulfur.

An isotope of sulfur is written as shown.



(a) Deduce the number of protons, electrons and neutrons in this isotope of sulfur.

number of protons

number of electrons

number of neutrons

[3]

(b) Draw the electronic structure of a sulfur atom.

[2]

(c) The table shows some observations made when four metals are heated with liquid sulfur.

metal	observations
copper	turns black very slowly
gold	no reaction
sodium	reacts explosively
tin	turns black slowly

Use this information to put the **four** metals in order of their reactivity.
Put the least reactive metal first.

least reactive \longrightarrow most reactive

--	--	--	--

[2]

(d) Name **one** source of sulfur.


..... [1]

(e) Sulfur is used in the manufacture of sulfur dioxide and sulfuric acid.

(i) Give **one** different use of sulfur dioxide.

..... [1]

(ii) Complete the word equation for the reaction of dilute sulfuric acid with magnesium.



[2]

[Total: 11]

5 This question is about Group I elements.

(a) The properties of some Group I elements are shown in the table.

element	melting point in °C	boiling point in °C	relative thermal conductivity	atomic radius / pm
lithium	1342	84	152
sodium	97	883	142	186
potassium	63	760	102
rubidium	39	686	58	248

(i) Complete the table to estimate:

- the melting point of lithium
- the atomic radius of potassium.

[2]

(ii) Describe the trend in the boiling points of the Group I elements down the group.

..... [1]

(iii) Caesium is below rubidium in Group I.

Use the information in the table to suggest why it is difficult to predict the thermal conductivity of caesium.

.....
..... [1]

(iv) Predict the physical state of rubidium at 45 °C.
Give a reason for your answer.

.....
..... [2]

(b) Lithium reacts with oxygen to form lithium oxide.

(i) Balance the chemical equation for this reaction.



(ii) Is lithium oxide an acidic oxide or a basic oxide?
Give a reason for your answer.

.....

 [1]

(iii) State the name of the particle which is lost from a lithium atom when it forms a lithium ion.

..... [1]

(iv) A compound of lithium has the formula $\text{C}_2\text{H}_5\text{Li}$.

Complete the table to calculate the relative molecular mass of $\text{C}_2\text{H}_5\text{Li}$.
Use your Periodic Table to help you.


type of atom	number of atoms	relative atomic mass	
carbon			
hydrogen	5	1	$5 \times 1 = 5$
lithium			

relative molecular mass = [2]

[Total: 12]

6 Sodium hydroxide and ammonia are both bases. They both turn red litmus blue.

(a) The chemical equation shows a reaction that produces sodium hydroxide.



Complete the word equation for this reaction.

.....	+	→	sodium hydroxide	+
----------------	---	----------------	---	---------------------	---	----------------

[2]


(b) Aqueous sodium hydroxide can be used to test for chromium(III) ions and iron(II) ions.

Complete the table to show the expected observations.

ion	observation on adding a small volume of aqueous sodium hydroxide	observation on adding an excess of aqueous sodium hydroxide
chromium(III) (Cr ³⁺)		
iron(II) (Fe ²⁺)		

[3]

(c) A student set up a long glass tube as shown.



At first, the litmus paper remained red.
 After a short time the litmus paper was completely blue.

Explain these observations using the kinetic particle model.

.....

.....

.....

.....

.....

.....

.....

..... [3]

(d) Oxides of nitrogen are formed when ammonia is heated with oxygen in the presence of a catalyst.

(i) Suggest why a catalyst is used.

..... [1]

(ii) State **one** other process which puts oxides of nitrogen into the atmosphere.

..... [1]

(iii) State **one** adverse effect of oxides of nitrogen on health.

..... [1]

(e) Ammonium nitrate is present in many fertilisers.

Which **one** of these compounds is also present in many fertilisers?
Tick **one** box.

barium hydroxide

potassium phosphate

sodium chloride

tin(II) sulfate

[1]

(f) When ammonium chloride dissolves in water, the temperature of the solution decreases.

What is the name for a reaction where the temperature of the solution decreases?

..... [1]

[Total: 13]

7 Aluminium is manufactured by the electrolysis of molten aluminium oxide.

(a) Predict the products of the electrolysis of molten aluminium oxide at:

the positive electrode

the negative electrode.

[2]

(b) Complete these sentences about the uses of aluminium using words from the list.

conductivity **corrosion** **density** **heavy**
malleability **reduction** **strong** **weak**

Aluminium is used in the manufacture of aircraft because it is relatively and has a low Aluminium is used for food containers because of its resistance to

[3]

(c) The following statements are about the procedure for making crystals of hydrated aluminium sulfate from aluminium hydroxide and sulfuric acid.

- A** Filter off the excess aluminium hydroxide.
- B** Filter off the crystals and dry between filter papers.
- C** Warm the filtrate to the point of crystallisation.
- D** Add aluminium hydroxide to warm dilute sulfuric acid and stir.
- E** Leave the mixture at room temperature to form more crystals.
- F** Add more aluminium hydroxide to the sulfuric acid until the aluminium hydroxide is in excess.

Put the statements **A**, **B**, **C**, **D**, **E** and **F** in the correct order.

The first one has been done for you.

D					
----------	--	--	--	--	--

[2]

[Total: 7]

8 This question is about dyes.


(a) Chromatography can be used to separate a mixture of dyes.

S, **T**, **U** and **W** are four different mixtures of dyes.

S, **T**, **U** and **W** were placed on a piece of chromatography paper.

Two pure dyes, **X** and **Y**, were also placed on the same piece of chromatography paper.

The results of the chromatography are shown.



(i) Which mixture, **S**, **T**, **U** or **W**, contains dye **X** but **not** dye **Y**?

..... [1]

(ii) Which mixture, **S**, **T**, **U** or **W**, contains the smallest number of dyes?

..... [1]

(iii) Which mixture, **S**, **T**, **U** or **W**, contains neither dye **X** nor dye **Y**?

..... [1]

(b) Indigo is a blue dye.

When an alkaline solution of indigo undergoes reduction, it turns colourless.

(i) What is meant by the term *reduction*?

..... [1]

(ii) A piece of white cloth is soaked in the colourless solution.
When the cloth is left in the air it turns blue.

What type of chemical reaction occurs?

Draw a circle around the correct answer.

decomposition **fermentation** **oxidation** **polymerisation** [1]

[Total: 5]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

The Periodic Table of Elements

		Group							
I	II	III	IV	V	VI	VII	VIII		
3 Li lithium 7	4 Be beryllium 9	1 H hydrogen 1	5 B boron 11	6 C carbon 12	7 N nitrogen 14	8 O oxygen 16	9 F fluorine 19	10 Ne neon 20	2
11 Na sodium 23	12 Mg magnesium 24	Key atomic number atomic symbol name relative atomic mass							
19 K potassium 39	20 Ca calcium 40	26 Fe iron 56	27 Co cobalt 59	28 Ni nickel 59	29 Cu copper 64	30 Zn zinc 65	31 Al aluminium 27	32 Si silicon 28	33 P phosphorus 31
37 Rb rubidium 85	38 Sr strontium 88	44 Ru ruthenium 101	45 Rh rhodium 103	46 Pd palladium 106	47 Ag silver 108	48 Cd cadmium 112	13 Al aluminium 27	14 Si silicon 28	15 P phosphorus 31
55 Cs caesium 133	56 Ba barium 137	76 Os osmium 190	77 Ir iridium 192	78 Pt platinum 195	79 Au gold 197	80 Hg mercury 201	13 Al aluminium 27	14 Si silicon 28	15 P phosphorus 31
87 Fr francium —	88 Ra radium —	108 Hs hassium —	109 Mt meitnerium —	110 Ds darmstadtium —	111 Rg roentgenium —	112 Cn copernicium —	116 Lv livermorium —	117 Tl thallium 204	118 Xe xenon 131
57 La lanthanum 139	58 Ce cerium 140	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159	66 Dy dysprosium 163	67 Ho holmium 165	68 Er erbium 167	69 Tm thulium 169
89 Ac actinium —	90 Th thorium 232	94 Pu plutonium —	95 Am americium —	96 Cm curium —	97 Bk berkelium —	98 Cf californium —	99 Es einsteinium —	100 Fm fermium —	101 Md mendelevium —
		60 Nd neodymium 144	61 Pm promethium —	62 Gd gadolinium 157	63 Tb terbium 159	64 Dy dysprosium 163	65 Ho holmium 165	66 Er erbium 167	67 Tm thulium 169
		92 U uranium 238	93 Np neptunium —	94 Pu plutonium —	95 Am americium —	96 Cm curium —	97 Bk berkelium —	98 Cf californium —	99 Md mendelevium —
		59 Pr praseodymium 141	60 Nd neodymium 144	61 Pm promethium —	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159	66 Dy dysprosium 163
		91 Pa protactinium 231	92 U uranium 238	93 Np neptunium —	94 Pu plutonium —	95 Am americium —	96 Cm curium —	97 Bk berkelium —	98 Cf californium —
		58 Ce cerium 140	59 Pr praseodymium 141	60 Nd neodymium 144	61 Pm promethium —	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159
		89 Th thorium 232	90 Pa protactinium 231	91 U uranium 238	92 Np neptunium —	93 Pu plutonium —	94 Am americium —	95 Cm curium —	96 Bk berkelium —
		71 Lu lutetium 175	72 Hf hafnium 178	73 Ta tantalum 181	74 W tungsten 184	75 Re rhenium 186	76 Os osmium 190	77 Ir iridium 192	78 Pt platinum 195
		103 La lanthanum 139	104 Ce cerium 140	105 Pr praseodymium 141	106 Nd neodymium 144	107 Pm promethium —	108 Sm samarium 150	109 Eu europium 152	110 Gd gadolinium 157
		86 Rn radon —	87 Fr francium —	88 Ra radium —	89 Ac actinoids —	90 Th thorium 232	91 Pa protactinium 231	92 U uranium 238	93 Np neptunium —
		84 Kr krypton 84	85 Rb rubidium 85	86 Sr strontium 88	87 Cs caesium 133	88 Ba barium 137	89 La lanthanoids —	90 Ce cerium 140	91 Pr praseodymium 141
		82 Po polonium —	83 Bi bismuth 209	84 Pb lead 207	85 Tl thallium 204	86 Hg mercury 201	87 Ir iridium 192	88 Pt platinum 195	89 Au gold 197
		80 Br bromine 80	81 Tl thallium 204	82 Pb lead 207	83 Bi bismuth 209	84 Po polonium —	85 At astatine —	86 Rn radon —	87 Fr francium —
		79 Se selenium 79	80 Br bromine 80	81 Tl thallium 204	82 Pb lead 207	83 Bi bismuth 209	84 Po polonium —	85 At astatine —	86 Rn radon —
		53 I iodine 127	54 Xe xenon 131	55 Cs caesium 133	56 Ba barium 137	57 La lanthanoids —	58 Ce cerium 140	59 Pr praseodymium 141	60 Nd neodymium 144
		51 Sb antimony 122	52 Te tellurium 128	53 I iodine 127	54 Xe xenon 131	55 Cs caesium 133	56 Ba barium 137	57 La lanthanoids —	58 Ce cerium 140
		34 Se selenium 79	35 Br bromine 80	36 Kr krypton 84	37 Rb rubidium 85	38 Sr strontium 88	39 Y yttrium 89	40 Zr zirconium 91	41 Nb niobium 93
		32 S sulfur 32	33 As arsenic 75	34 Se selenium 79	35 Br bromine 80	36 Kr krypton 84	37 Rb rubidium 85	38 Sr strontium 88	39 Y yttrium 89
		16 O oxygen 16	17 Cl chlorine 35.5	18 Ar argon 40	19 K potassium 39	20 Ca calcium 40	21 Sc scandium 45	22 Ti titanium 48	23 V vanadium 51
		14 N nitrogen 14	15 P phosphorus 31	16 O oxygen 16	17 Cl chlorine 35.5	18 Ar argon 40	19 K potassium 39	20 Ca calcium 40	21 Sc scandium 45
		12 C carbon 12	13 Al aluminium 27	14 N nitrogen 14	15 P phosphorus 31	16 O oxygen 16	17 Cl chlorine 35.5	18 Ar argon 40	19 K potassium 39
		11 B boron 11	12 C carbon 12	13 Al aluminium 27	14 N nitrogen 14	15 P phosphorus 31	16 O oxygen 16	17 Cl chlorine 35.5	18 Ar argon 40
		1 H hydrogen 1	2 He helium 4	3 Li lithium 7	4 Be beryllium 9	5 B boron 11	6 C carbon 12	7 N nitrogen 14	8 O oxygen 16

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).