



Cambridge IGCSE™

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

* 7 0 6 5 5 3 4 5 6 0 *



CHEMISTRY

0620/42

Paper 4 Theory (Extended)

October/November 2023

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has **16** pages. Any blank pages are indicated.

1 Table 1.1 gives the electronic configurations of some atoms and ions, **A** to **G**.

Table 1.1

	electronic configuration
A	2,5
B	2,8
C	2,8,2
D	2,8,4
E	2,8,5
F	2,8,6
G	2,8,18,7

Answer the following questions about **A** to **G**.

Each letter may be used once, more than once or not at all.

State which of the atoms or ions, **A** to **G**, could be:

(a) a noble gas atom

..... [1]

(b) an atom of an element in Group VI

..... [1]

(c) an atom with an atomic number of 14

..... [1]

(d) atoms from the same group

..... and [1]

(e) a halogen atom

..... [1]

(f) an atom of an element which is a good conductor of electricity

..... [1]

(g) a stable ion of a Group V element

..... [1]

(h) an atom that forms an ion with a 2- charge.

..... [1]

[Total: 8]

2 Cobalt and copper are transition elements.

(a) Copper has two naturally occurring isotopes, ^{63}Cu and ^{65}Cu . Cobalt has only one naturally occurring isotope, ^{59}Co .

(i) Complete Table 2.1 to show the number of protons, neutrons and electrons in the ^{59}Co atom and the $^{65}\text{Cu}^{2+}$ ion.

Table 2.1

	^{59}Co	$^{65}\text{Cu}^{2+}$
protons		
neutrons		
electrons		

[3]

(ii) Table 2.2 shows the relative abundance of the two naturally occurring isotopes of copper.

Table 2.2

isotope	^{63}Cu	^{65}Cu
relative abundance	70%	30%

Calculate the relative atomic mass of copper to **one** decimal place.

relative atomic mass = [2]

(b) One physical property of transition elements such as copper and cobalt is that they are hard. Other metals such as lithium are softer.

State **two** other physical properties of copper and cobalt which are significantly different from lithium.

1

2

[2]

(c) Both copper and cobalt can form coloured compounds. Some of these compounds contain water of crystallisation.

(i) Define the term water of crystallisation.

.....
..... [2]

(ii) State the colour and formula of hydrated cobalt(II) chloride crystals.

colour

formula [2]

(iii) State the colour change seen when a few drops of water are added to anhydrous copper(II) sulfate.

from to [2]

(iv) State how this colour change can be reversed.

..... [1]

[Total: 14]

3 Iron is manufactured in a blast furnace.

(a) Three of the starting materials added to the blast furnace are coke, iron ore and limestone.

Name the **other** starting material added to the blast furnace.

..... [1]


(b) The source of iron in the blast furnace is Fe_2O_3 . Fe_2O_3 is found in iron ore.

(i) Name the main ore of iron which contains Fe_2O_3 .

..... [1]

(ii) The iron in Fe_2O_3 is reduced by reaction with carbon monoxide. The unbalanced symbol equation is shown.

Complete the equation.



(iii) State the change in oxidation number of iron in the reaction in (ii).

from to [2]

(iv) Explain how the change of oxidation number shows that iron has been reduced.

..... [1]

(c) The major impurity in iron ore is silicon(IV) oxide. Limestone is added to the blast furnace to remove this impurity.

Write two symbol equations to show how silicon(IV) oxide is removed. For each equation, state the type of chemical reaction that takes place.

equation 1

type of chemical reaction

equation 2

type of chemical reaction

[4]

(d) Iron is converted to steel by mixing it with carbon and other elements.

(i) State the term given to a substance which is a mixture of a metal and other elements.

..... [1]

(ii) Name **one** element, other than carbon, mixed with iron in the making of stainless steel.

..... [1]

(e) Preventing the rusting of steel is important.

State the chemical name of rust.

..... [1]

(f) Steel can be coated with zinc to prevent rusting. This provides both a barrier method and sacrificial protection.

(i) State the term used for coating steel with zinc.

..... [1]

(ii) Describe another barrier method for preventing rusting.

..... [1]

(iii) Explain how zinc provides sacrificial protection.

.....

..... [2]

[Total: 17]

4 This question is about lead(II) chloride, PbCl_2 .

(a) A student prepares a sample of insoluble lead(II) chloride, PbCl_2 , by mixing aqueous solutions of **two** salts in a beaker.

(i) Identify **two** soluble salts suitable for making lead(II) chloride when mixed together.

.....
..... [2]

(ii) Write the ionic equation for the formation of lead(II) chloride by mixing aqueous solutions.
Include state symbols.

..... [3]

(iii) List the steps the student should take in preparing a pure sample of lead(II) chloride from the mixture in the beaker.

.....
.....
..... [3]

- (b) The student carries out an electrolysis experiment on molten lead(II) chloride using the apparatus shown in Fig. 4.1. Chlorine gas forms at the anode and escapes from the apparatus.




Fig. 4.1

- (i) Explain why lead(II) chloride needs to be molten before it will conduct electricity.

.....
 [1]

- (ii) Write the ionic half-equation for the reaction occurring at the anode.

..... [2]

- (iii) State the test for chlorine gas.

test

observations

[2]

- (iv) Describe what is observed at the cathode.

..... [1]


[Total: 14]

5 Chemical reactions can involve transfer of thermal energy.

(a) State the term used for the transfer of thermal energy during a reaction.

..... [1]

(b) Tetrachloromethane gas, $\text{CCl}_4(\text{g})$, reacts with steam as shown.



The reaction is reversible. The forward reaction is exothermic.

(i) State what happens, if anything, to the rate of the forward reaction if the concentration of CCl_4 is increased.

Explain your answer in terms of collision theory.

.....
.....
.....
..... [3]

(ii) State what happens to the position of equilibrium, if anything, when the pressure is increased.

Explain your answer.

.....
..... [2]

(iii) Fig. 5.1 shows an incomplete reaction pathway diagram for the forward reaction.





Fig. 5.1

On Fig. 5.1:

- insert the formulae of the reactants and products
- draw an arrow, labelled E_a , to show the activation energy
- draw an arrow, labelled ΔH , to show the transfer of energy in the reaction.

[3]

(iv) Define the term activation energy.

.....
 [2]

(v) State **one** way in which the activation energy of a reaction can be changed.

..... [1]

- (c) The equation for the reaction between tetrachloromethane gas and steam can be represented as shown in Fig. 5.2.




Fig. 5.2

Table 5.1 shows some bond energies.

Table 5.1

bond	C–Cl	H–O	C=O
bond energy in kJ/mol	340	460	805

Use the bond energies in Table 5.1 and the ΔH value for the reaction to calculate the H–Cl bond energy using the following steps.

- Calculate the energy needed to break the bonds in the reactants.

..... kJ

- Calculate the energy released when the bonds in carbon dioxide form.

..... kJ

- Calculate the H–Cl bond energy.

..... kJ/mol
[4]

[Total: 16]

6 A homologous series is a family of organic compounds whose members have similar chemical properties.

(a) Give **two** characteristics that are the **same** for all members of a homologous series.

1

2

[2]

(b) In terms of structure, state how one member of a homologous series differs from the next member of that homologous series.

..... [1]

(c) **A**, **B** and **C** are organic compounds.

A has the molecular formula $C_{12}H_{24}$.

B has the name tetradecane.

C has three carbon atoms and is in the homologous series with the general formula $C_nH_{2n+1}COOH$.

(i) Name the homologous series each organic compound belongs to.

A

B

C

[3]

(ii) Name **C** and draw its displayed formula.

name

displayed formula

[2]

- (d) Amino acids are a homologous series where each member has the general structure shown in Fig. 6.1.

The R side chain contains carbon and hydrogen atoms only.




Fig. 6.1

- (i) An amino acid has a relative molecular mass of 103.

Deduce the formula of the R side chain in this amino acid.

Show your working.

..... [2]

- (ii) State the name given to the natural polyamides formed from amino acid monomers.

..... [1]

[Total: 11]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

		Group																																	
I	II	III	IV	V	VI	VII	VIII																												
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18																		
Li lithium 7	Be beryllium 9	B boron 11	C carbon 12	Al aluminium 13	Si silicon 14	P phosphorus 15	S sulfur 16	Cl chlorine 17	Ar argon 18	K potassium 19	Ca calcium 20	Sc scandium 21	Ti titanium 22	V vanadium 23	Cr chromium 24	Mn manganese 25	Fe iron 26	Co cobalt 27	Ni nickel 28	Cu copper 29	Zn zinc 30	Ga gallium 31	Ge germanium 32	As arsenic 33	Se selenium 34	Br bromine 35	Kr krypton 36								
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57-71 lanthanoids	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
Rb rubidium 85	Sr strontium 88	Y yttrium 89	Zr zirconium 90	Nb niobium 91	Mo molybdenum 92	Tc technetium 93	Ru ruthenium 94	Rh rhodium 95	Pd palladium 96	Ag silver 97	Cd cadmium 98	In indium 99	Sn tin 100	Sb antimony 101	Te tellurium 102	I iodine 103	Xe xenon 104	Cs caesium 133	Ba barium 137	La lanthanum 139	Hf hafnium 178	Ta tantalum 181	W tungsten 184	Re rhenium 186	Os osmium 190	Ir iridium 192	Pt platinum 195	Au gold 197	Hg mercury 201	Tl thallium 204	Pb lead 207	Bi bismuth 209	Po polonium 210	At astatine 210	Rn radon 222
87	88	89-103 actinoids	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	Fr francium 87	Ra radium 88	Ac actinium 89	Rf rutherfordium 104	Db dubnium 105	Sg seaborgium 106	Bh bohrium 107	Hs hassium 108	Mt meitnerium 109	Ds darmstadtium 110	Rg roentgenium 111	Cn copernicium 112	Nh nihonium 113	Fl flerovium 114	Mc moscovium 115	Lv livermorium 116	Ts tennessine 117	Og oganeson 118

1
H
hydrogen
1

Key
atomic number
atomic symbol
name
relative atomic mass

lanthanoids	57 La lanthanum 139	58 Ce cerium 140	59 Pr praseodymium 141	60 Nd neodymium 144	61 Pm promethium —	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159	66 Dy dysprosium 163	67 Ho holmium 165	68 Er erbium 167	69 Tm thulium 169	70 Yb ytterbium 173	71 Lu lutetium 175
actinoids	89 Ac actinium —	90 Th thorium 232	91 Pa protactinium 231	92 U uranium 238	93 Np neptunium —	94 Pu plutonium —	95 Am americium —	96 Cm curium —	97 Bk berkelium —	98 Cf californium —	99 Es einsteinium —	100 Fm fermium —	101 Md mendelevium —	102 No nobelium —	103 Lr lawrencium —

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).