## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS

**International General Certificate of Secondary Education** 

## MARK SCHEME for the May/June 2012 question paper for the guidance of teachers

## 0580 MATHEMATICS

0580/21

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

Page 2	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2012	0580	21

## **Abbreviations**

cao correct answer only cso correct solution only

dep dependent

ft follow through after error isw ignore subsequent working

oe or equivalent SC Special Case

www without wrong working

soi seen or implied

Qu		Answers	Mark	Part marks
1	(a)	9486000	1	
	(b)	$9.486 \times 10^6$	1ft	
2		495.36	2	<b>M1</b> for 700 ÷ 1.4131
3		3p(5p + 8t) final answer	2	<b>B1</b> for answer of $3(5p^2 + 8pt)$ or $p(15p + 24t)$ or <b>SC1</b> for correct answer seen in working
4		$\tan 25 < \sqrt{0.22} < 0.47 < \frac{8}{17}$	2	M1 correct conversion to decimals 0.466, 0.469, 0.471
5		23.2	2	M1 for $\sin 53.2 = \frac{x}{29}$ implicit form or better
6		7	2	<b>M1</b> $\frac{8+4+8+9+y}{5} = 7.2$ oe
7		30.7975 cao	2	M1 6.35 and 4.85 seen
8		9	2	<b>M1</b> $125 = 5^3$
9	(a)	angle of 67° at B	1	<b>B1</b> C marked on AD unless the line stops at AD and also correct ruled line
	(b)	perpendicular bisector of AB	2	B1 correct arcs B1 correct ruled line
10		843.75	3	<b>M2</b> for $\frac{750 \times 5 \times 2.5}{100} + 750$ oe
				or M1 for $\frac{750 \times 5 \times 2.5}{100}$ oe
				or SC2 for answer 93.75

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2012	0580	21

11	x = -7 $y = 9$	3	M1 for consistent multiplication and addition/ subtraction as appropriate. Allow computational errors
			<b>A1</b> for $x = -7$ or $y = 9$
12	$\frac{55}{30} + \frac{27}{30}$ oe <b>or</b> $(1)\frac{25}{30} + \frac{27}{30}$ oe	M1	for denominator of 30k
	$\frac{82}{30}$ oe <b>or</b> $(1)\frac{52}{30}$ oe	M1	for denominator of $30k$ dependent on previous <b>M1</b>
	$2\frac{11}{15}$ <b>M2</b> must be scored	A1	If <b>M0</b> scored then <b>SC1</b> for common denominator of 30k seen
13	1.92	3	<b>M1</b> $y = \frac{k}{x^2}$ oe <b>B1</b> for $k = 48$
14	R	3	
15 (a)	34.4	2	SC1 figs 344 seen
(b)	300	2	SC1 figs 3 seen
16 (a)	$ \begin{pmatrix} -1 & 2 \\ 11 & 30 \end{pmatrix} $	2	B1 any two entries correct
(b)	$\frac{1}{26} \begin{pmatrix} 4 & -2 \\ 3 & 5 \end{pmatrix} \text{ oe }$	2	$\mathbf{B1} \ \frac{1}{26} \begin{pmatrix} a & b \\ c & d \end{pmatrix} \text{ or } k \begin{pmatrix} 4 & -2 \\ 3 & 5 \end{pmatrix}$
17	$w = \frac{4 - 3c}{c - 1}$ www	4	M1 clearing denominator and removing brackets M1 correctly collecting terms in w on one side only M1 factorising correctly M1 divide by coefficient of w
18 (a)	0.8	1	
(b)	1850	4	<ul> <li>M1 for area = distance travelled</li> <li>M1 for two correct area statements</li> <li>M1 for complete correct area statement</li> </ul>

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2012	0580	21

19	(a)	- <b>p</b> + <b>t</b>	1	
	(b)	$\mathbf{p} + 2\mathbf{t}$	2	M1 for a correct route from P to R or unsimplified answer
	(c)	$2(\mathbf{p} + \mathbf{t}) \text{ or } 2\mathbf{p} + 2\mathbf{t}$	2ft	M1 for OR or a correct route or ft p + their (b) unsimplified provided their (b) is a vector
20		64.8 to 64.9	6	M2 5 tan 78 soi by 23.5 or M1 tan $78 = \frac{PT}{5}$ or $\frac{5 \sin 78}{\tan 12}$ or $\frac{5 \sin 78}{\sin 12}$ M2 $\frac{360 - 2 \times 78}{360} \times 2 \times \pi \times 5$ soi by 17.8 or M1 for $2\pi 5$ seen used M1 for their arc + 2 (their $PT$ )
21	(a)	$\frac{1}{12}$	2	M1 $\frac{3}{3+2+4} \times \frac{2}{(their 9)-1}$
	(b)	<u>5</u> 18	3	M2 their(a) + $\frac{4 \times 3}{their72}$ + $\frac{2(\times 1)}{their72}$ or M1 $\frac{4 \times 3}{their72}$ or $\frac{2(\times 1)}{their72}$
	(c)	$\frac{5}{9}$	3	M2 $2 \times \frac{4}{3+2+4} \times \frac{5}{(their9)-1}$ or M1 $\frac{4}{3+2+4} \times \frac{5}{(their9)-1}$