## MARK SCHEME for the May/June 2013 series

## 0580 MATHEMATICS

0580/43

Paper 4 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



Page 2		Mark Scheme			Syllabus	Paper	
		IGCSE – May/June 2013			0580	43	
Abbreviations   cao correct answer only   cso correct solution only   dep dependent   ft follow through after error   isw ignore subsequent working   oe or equivalent   SC Special Case   www without wrong working   art anything rounding to   soi seen or implied							
1 (a)	281	4 final answer	2	<b>M1</b> for 2345 ÷	5 soi by 469 or ans	s = 2810	
(b)	257	.95 final answer	2	<b>M1</b> for $2345 \times 0.11$ oe or ans = 258			
(c) (i)	280	.5[0] final answer	2	<b>M1</b> for 330 × (	1 - 0.15) oe or ans	= 281	
(ii)	375		3	<b>M2</b> for 330 ÷ ( Or <b>M1</b> for 330	1 - 0.12) oe = (100 - 12)% oe		
(d)	160	5.89 or 1605.9[0]	3	<b>M2</b> for 1500 × 1605.898751 or 1500 × 1.07( Or <b>M1</b> for 1500	$(1 + 0.023)^3$ oe soi 05) $(1 + 0.023)^2$ oe	by	
(e)	23.1	or 23.07 to 23.08	3	M2 for $\frac{325 - 2}{325}$ Or M1 for $\frac{325}{25}$ better or $\frac{250}{325} \times 100$ s	$\frac{250}{325} \times 100$ oe $\frac{-250}{325}$ soi by 0.230 oi by 76.9	07 3sf or	

	Page 3			Mark Scheme			Syllabus	Paper
				IGCSE – May/June 2013		0580	43	
2	(a)	(i)	Perpendicular bisector of $QR$ ruled with 2 correct sets of arcs centred $Q$ and $R$		2	<b>B1</b> for correct b	pisector ruled	
			Bisector of angle <i>SPQ</i> ruled with correct arcs. (Marks on <i>PS</i> and <i>PQ</i> and correct pair of arcs)		2	<b>B1</b> for correct angle bisector ruled		
			Compass drawn arc centre $R$ with radius 6 cm (±2 mm)		В2	<b>B1</b> for any compass drawn arc centre $R$ not used in any construction with no feathering		
			Cor	rect region shaded cao	1dep	Dependent on a	Ill <b>B4</b> marks for the	correct loci
		(ii)	217	to 221	1			
	(b)	(i)	636	0 or 6361 to 6363	2	<b>M1</b> for $\pi \times 45^2$		
		(ii)	165	or 164.9 to 165	2	<b>M1</b> for $\frac{210}{360} \times 2\pi \times 45$		
3	(a)	(i)	$x \ge 5$		1	-1 once for strict inequalities in (i) to (iii)		
		(ii)	$y \ge$	11	1			
		(iii)	<i>x</i> +	$y \ge 20$	1			
	<b>(b)</b> 4 <i>x</i>		4 <i>x</i> +	$-8y \le 160$ and divide by 4	1	If there is a final inequality it must be the given one		be the given
	(c)	(i)	<i>x</i> =	5 ruled	1	Must be on cor	rect grid line	
		<i>y</i> =		11 ruled	1	Must be on cor	rect grid line	
			<i>x</i> +	y = 20 ruled	2	<b>B1</b> for one axis if necessary but	intercept correct w t not parallel to an a	hen extended ixis
		<i>x</i> +		2y = 40 ruled	2	<b>B1</b> for one axis intercept correct when extended if necessary but not parallel to an axis		hen extended axis
			Correct shading of <b>unwanted</b> region		1dep	Dependent on 6 marks earned for the boundaries		he boundaries
	(ii) 29		29		2	M1 for $x + y$ evaluated where $(x, y)$ is a point in their <b>quadrilateral and</b> $x$ and $y$ are integers		) is a point in e integers

	Page 4		Mark Scheme			Syllabus	Paper	
			IGCSE – May/June 2013		13	0580	43	
4	(a)	308	0	2	<b>M1</b> for $\frac{1}{2} \times 7 \times 22 \times 40$			
	(b)	46.2	2 or 46.18 to 46.2 www	4	<b>M3</b> for $\sqrt{7^2 + 22^2 + 40^2}$ or <b>M2</b> for $7^2 + 22^2 + 40^2$ soi by 2133 or <b>M1</b> for correct Pythagoras on one face		33 ne face	
	(c)	8.7 or 8.7 to 8.72 www		3	<b>M2</b> for $\sin^{-1} \frac{7}{their(b)}$ oe			
					<b>or M1</b> for sin =	$=\frac{7}{their(b)}$ oe		
	(d)	217		3	<b>M1</b> for $\frac{4}{2} \times \pi \times 1.5^3$ soi by 14.1 to 14.14			
					and M1 dep fo 218. Dependen	or <i>their</i> (a) ÷ <i>their</i> 1 t on <b>M1</b> earned	4.14 soi by	
	(e) (i)	25.1	3875 final answer	2	<b>B1</b> for 4.55 <b>and</b> 11.05 seen or 25.1387 then spoiled		13875 seen and	
	(ii)	25.1	4	1FT	<b>Strict FT</b> <i>their</i> (e)(i) correct to 4s.f. if rouse is possible		f. if rounding	
5	(a)	-5.0	04, 1.75, 0	3	<b>B1</b> for each con	rrect value		
	(b)	Full	y correct curve	5	<ul><li>B3FT for 10 correct plots from <i>their</i> (a)</li><li>B2FT for 8 or 9 correct plots</li><li>or B1FT for 6 or 7 correct plots</li><li>and SC1 for two branches not joined</li></ul>		<i>eir</i> (a) ned	
	(c)	-1.6 -0.4 1.8	5 to - 1.5 4 to -0.3 to 1.9	1 1 1				
	(d)	-2.6 -0.4 1	5 to -2.5 www to -0.3	1 1 1 After <b>0</b> scored, <b>M1</b> for $y = 2x - 2$ dra		drawn		
	(e)	3.25	to 4.25 with correct tangent	3	B1 for correct tangent			
					<b>B2</b> for answer in tangent	in range dep on clos	se attempt at	
					<b>M1dep</b> for $[-]^{\frac{\text{rise}}{2}}$ used with values so ifror			
					tangent, dep on tangent	correct or close att	empt at	

Page 5	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2013	0580	43

6	(a)	$\frac{3}{10}$ correctly placed	1	Accept 0.3
		$\frac{6}{9}$ and $\frac{3}{9}$ correctly placed	1	Accept 0.667 or better and 0.333 or better
		$\frac{7}{9}$ and $\frac{2}{9}$ correctly placed	1	Accept 0.778 or better and 0.222 or better
	(b)	$\frac{42}{90}$ or $\frac{21}{45}$ or $\frac{14}{30}$ or $\frac{7}{15}$	3	<b>M2</b> for $\frac{7}{10} \times \frac{3}{9} + \frac{3}{10} \times \frac{7}{9}$ soi by 0.467 or better
				or M1 for $\frac{7}{10} \times \frac{3}{9}$ or $\frac{3}{10} \times \frac{7}{9}$ soi by 0.233 or better
7	(a) (i)	Triangle at (1, 3) (1, 9) (3, 3)	2	SC1 for correct vertices not joined or triangle(1, 1) (3, 1) (1, 7)
	(ii)	$\begin{pmatrix} 1 & 0 \\ 0 & 3 \end{pmatrix}$	2	<b>SC1</b> for $\begin{pmatrix} 1 & 0 \\ 0 & k \end{pmatrix}$ , $k \neq \pm 1$ or 0
				or $\begin{pmatrix} 3 & 0 \\ 0 & 1 \end{pmatrix}$
	(b) (i)	Shear <i>x</i> -axis oe invariant [factor] 2	1 1 1	
	(ii)	$\begin{pmatrix} 1 & 2 \\ 0 & 1 \end{pmatrix}$	2FT	<b>FT</b> from <i>their</i> 2 in (b)(i) <b>SC1</b> for $\begin{pmatrix} 1 & k \\ 0 & 1 \end{pmatrix}$ , $k \neq 0$
				$ \begin{array}{c} (0  1) \\ \text{or} \begin{pmatrix} 1 & 0 \\ 2\text{FT} & 1 \end{pmatrix} \end{array} $
8	(a) (i)	27	1	
	(ii)	54	1	
	(iii)	153	1	
	(b) (i)	59.6 or 59.57 www	4	M2 for $45^2 + 32^2 - 2 \times 45 \times 32 \times \cos 100$ or M1 for implicit cos rule and A1 for 3549
	(ii)	22.[0] or 21.99 www	3	M2 for $324 \div (\frac{1}{2} \times 32 \times \sin 67)$ or M1 for [324 =] $\frac{1}{2} \times 32 \times x \times \sin 67$
	(iii)	81[.0]	2	<b>B1</b> for $2^2$ or $\binom{1}{2}^2$ oe seen or $\frac{1}{2} \times 16 \times \frac{1}{2}$ their(b)(ii) × sin67

Page 6			Mark Scheme			Syllabus	Paper
			IGCSE – May/June 2013		0580	43	
9	(a) (i)	14		1			
	(ii)	8		1			
	(iii)	30 – <i>their</i> (ii)		1FT			
	(b)	$\frac{11}{80}$		2	<b>SC1</b> for $\frac{69}{80}$		
	(c)	16,	4	2	B1 for each correct value		
	(d)	18.0 18.1	0625 rot to 3sf or better or 1 www	3	M1 for $\Sigma mf$ for <i>m</i> as mid values of 5, 12.5, 22.5, 35 and 45 (= 1445) and M1 dep for $\Sigma mf \div 80$ , dep on M1 earned		
	(e)	$\begin{array}{c} \text{Cor} \\ 2^{\text{nd}} \\ 3^{\text{rd}} \\ 4^{\text{th}} \\ 5^{\text{th}} \\ 1 \end{array}$	rect widths with no gaps block w = 5, fd = 2.4 block w = 15 fd = 1.2 block w = 10 and fd = 1.6 block w = 10 and fd = 0.4	1 1 1FT 1FT	Strict FT from <i>their</i> (c) Strict FT from <i>their</i> (c) After 0 scored for blocks, SC1 for 4 correct fds soi by correct heights		
10	(a) (i)	4.5	or 4½	3	M2 for a complete correct method or M1 for one correct step at any stage.		
	(ii)	(x –	(-6)(x-1)	M2	<b>M1</b> for $(x+a)(x+b)$ where $ab = 6$ or $a + b = -7$		
		1,6		A1FT	FT their brackets dep on M1 earned After M0 scored SC1 for 1, 6 as answer		ed nswer
	(iii)	6		4	<b>B1</b> for $2(3x - 2) + x + 2 = 4 \times 10$ oe and <b>B1</b> for correct multiplication of a bracket and <b>M1</b> for correct rearrangement of their linear equation without brackets to $ax = b + c + d$ or better		
	(b)	<i>a</i> =	1/3 oe, <i>b</i> = 1/2 oe	6	<b>B1</b> for any one of 1 = a + b + 1/6 oe 5 = 8a + 4b + 2/6 oe 14 = 27a + 9b + 3/6 oe 30 = 64a + 16b + 4/6 oe Or any other correct equation <b>and B1</b> for another of the above equations <b>and M1</b> for equating one coefficient or correct rearrangement to give <i>a</i> or <i>b</i> as subju- <b>and M1</b> for subtracting to eliminate <i>a</i> or <i>b</i> or correct substitution for <i>their a</i> or their <i>b</i> <b>A1</b> for $a = 1/3$ oe or $b = 1/2$ oe		puations nt or $b$ as subject the $a$ or $b$ r their $b$