## MARK SCHEME for the May/June 2015 series

## 0580 MATHEMATICS

0580/22

Paper 2 (Extended), maximum raw mark 70

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.



Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0580	22

## Abbreviations

- cao correct answer only
- dep dependent
- FT follow through after error
- isw ignore subsequent working
- oe or equivalent
- SC Special Case
- nfww not from wrong working
- soi seen or implied

Question	Answer	Mark	Part marks
1	$5.34 \times 10^7$	1	
2	9 [h] 30 [min] cao	1	
3	$\frac{1}{4}$ or 0.25	1	
4 (a)	7	1	
(b)	Any number except 3, 7 or 20	1	
5	0.2 oe	2	<b>M1</b> for 1 – (0.15 + 0.3 + 0.35)
6	$8 \times 10^3$ or 8000 nfww	2	<b>M1</b> for $w + 4 \times 10^3 = 1.2 \times 10^4$ oe or $5w + 20 \times 10^3 = 6 \times 10^4$ oe
7	Parallel	1	
	Same length	1	
8	$2n^2 + 3$ oe final answer	2	M1 for a quadratic expression as final answer
			or $2n^2 + 3$ oe in working
9	$\frac{23}{90}$ oe, must be fraction	2	<b>M1</b> for $25.\dot{5} - 2.\dot{5}$ oe e.g. $2.55^{r} - 0.25^{r}$
	90		or <b>B1</b> for $\frac{k}{90}$
10	7	2	<b>B1</b> for 120.5 or 113.5 seen
11	$\frac{1}{5} \begin{pmatrix} -2 & -1 \\ 11 & 3 \end{pmatrix} \text{ oe}$	2	<b>M1</b> for $k \begin{pmatrix} -2 & -1 \\ 11 & 3 \end{pmatrix}$ soi
			or $\frac{1}{5} \begin{pmatrix} a & b \\ c & d \end{pmatrix}$
			or det = 5 soi

Page 3	Mark Sche	Syllabus Paper	
	Cambridge IGCSE – I	May/June 2	015 0580 22
12	$\frac{8}{3}$	B1	or $\frac{40}{15}$ accept $\frac{3}{8}$ or $\frac{15}{40}$
	$\frac{4}{5} \times their \frac{3}{8}$ oe	M1	or $\frac{12}{15} \div their \frac{40}{15}$ or equivalent division with fractions with common denominators
	$\frac{3}{10}$ cao	A1	
13 (a)	11	1	
(b)	8	2FT	<b>FT</b> $30 - 2 \times their$ (a)
			or M1 for $4 \times 7 = 2(x-1) + FG$ oe or $4(x-4) = 2(x-1) + FG$ oe or $2 \times 7 + 2(x-4) = 2(x-1) + FG$ oe Allow x to be <i>their</i> (a) in each
14	684	3	<b>M2</b> for $0.95 \times 4 \times 3 \times 60$
			or <b>M1</b> for 0.95 × 4 [× 3] or 4 × 3 × 60 or 0.95 × 3 × 60 or 0.95 × 4 × 60
15	$\frac{2x-23}{(x+2)(2x-5)}$ final answer	3	<b>B1</b> for a common denominator of $(x+2)(2x-5)$
			<b>B1</b> for $3(2x-5) - 4(x+2)$ or better
			or <b>SC2</b> for final answer $\frac{2x-7}{(x+2)(2x-5)}$
			or <b>SC1</b> for numerator of $2x - 7$ in final answer
16 (a) (i	0.5 or $-0.5$ or $\frac{1}{2}$ or $-\frac{1}{2}$	1	
(i	i) 4	1	
(b)	1.37 or 1.37[4]	1	
17 (a)	[y = ] 2x + 3 cao	3	<b>M2</b> for correct unsimplified equation or <b>B1</b> for gradient = $(11 - 3) \div (4 - 0)$ or better and <b>B1</b> for $c = 3$
(b)	$-\frac{1}{2}$ oe	1FT	$-1 \div their m$

Page	94	Mark Schem			Syllabus	Paper
Cambridge IGCSE – M		ay/June 2015		0580	22	
18	(a)	78	3	M2 for $5 \times 12 + \frac{1}{2} \times \frac{1}{2} \times 6 \times (5+8) \times 2$ or M1 for $5 \times 12$ , $\frac{1}{2} \times \frac{1}{2} \times 6 \times (5+8)$ or 1	oe $\frac{1}{2} \times 12 \times (8 - 1)$	
	(b)	1170	1FT	$15 \times their$ (a)		
19	(a)		1	Correct circle, radiu	is 4 cm centre	e C
	(b)	Ċ	2	<b>B2</b> for correct bisec arcs or <b>B1</b> for correct bis	_	
	(c)	A B	1	Correct complete be shading. Dep on at least <b>B1</b> i		correct
20	(a) (i)	4	1			
	(ii)	{3, 9}	1			
	(iii)	fewer than 6 numbers from {1, 3, 5, 7, 9, 11} or Ø	1			
	(b)		1			
21	(a)	<i>m</i> = 2	2	<b>B1</b> for $m = 2$		
		n = -10		<b>B1</b> for $n = -10$		
	(b)	<b>1.16</b> or 1.16[2] from completing square	2FT	If 0 scored SC1 for or $x^2 + 2mx + m^2 + x^2$ coefficients $2m[x] = 4[x]$ or $m^2 - FT$ dep on negative B1 for $(x + their m)$	n = -6 e n $n^2 = -their n$	
				or <b>SC1</b> for correct a formula or for both answers method used		-

Page 5		Mark Schen	Syllabus Paper	
		Cambridge IGCSE – M	ay/June 2	015 0580 22
22	(a)	44	2	<b>M1</b> for 48 soi
	(b)	24	2	M1 for 40 or 16 or both lines drawn from 1 and 45 across and down to the horizontal axis
	(c)	5	2	M1 for answer 55 or line or mark on graph indicating 55
23	(a)	0.4 or $\frac{2}{5}$	1	
	(b)	1430	3	M2 for correct, complete, area statement
				e.g. $120 \times 10 + \frac{1}{2} \times 20 \times 8 + \frac{1}{2} \times 30 \times 10$ o
				or <b>M1</b> for one area calculation $2$
				e.g. $10 \times 120$ or $\frac{1}{2} \times 20 \times 8$ or $\frac{1}{2} \times 30 \times 10$
	(c)	11.9 or 11.91 to 11.92	1FT	<i>their</i> ( <b>b</b> ) ÷ 120
24	(a)	$9x^2$	1	
	(b)	x-5	2	M1 for correct first algebraic step e.g.
		$\frac{x-5}{3}$		$y-5 = 3x$ or $\frac{y}{3} = x + \frac{5}{3}$ or better
				or 5 5
				for interchanging x and y, e.g. $x = 3y + 5$ , the does not need to be the first step
	(c)	9x + 20 cao final answer	2	<b>M1</b> for $3(3x + 5) + 5$