CAMBRIDGE INTERNATIONAL EXAMINATIONS

Cambridge International General Certificate of Secondary Education

MARK SCHEME for the May/June 2015 series

0607 CAMBRIDGE INTERNATIONAL MATHEMATICS

0607/21 Paper 2 (Ex

Paper 2 (Extended), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2015 series for most Cambridge IGCSE®, Cambridge International A and AS Level components and some Cambridge O Level components.



Page 2	Mark Scheme		Paper
	Cambridge IGCSE – May/June 2015	0607	21

Abbreviations

cao correct answer only

dep dependent

FT follow through after error isw ignore subsequent working

oe or equivalent SC Special Case

nfww not from wrong working

soi seen or implied

$x + 3x^2$ or $-3x^2 + 7$
$xy - 25x^2 - 6y^2 + 15xy$ error in above
een or for $\frac{1}{\sqrt[3]{27}}$
y or $4x^k y$ or $4x^4 y^k$
$\sqrt{3}$ or $7\sqrt{3}$
$\frac{3-\sqrt{5}}{3-\sqrt{5}}$
$\frac{-b\sqrt{5}}{4} \ a, b \neq 0 \text{ oe}$
$\left[\frac{5x}{25} \right] = \left[\log \right] 10 \text{ oe}$
a correct use of logs
× their72

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2015	0607	21

8	(a)	1	1	
	(b)	45°	2	M1 for $\tan 45 = 1$ or M1 for $\tan y = their(\mathbf{a})$ or M1 for $\frac{(180 - 90)}{2}$
9	(a)	$\frac{1}{10}$ oe	1	
	(b)	2	2	M1 for $3x - 2 = 4$
	(c)	$\frac{1}{3}\left(\frac{1}{x}+2\right)$ oe	3	M1 for one correct step M1 for 'swapping' x and y
10	()	1	2	
10	(a)	$\frac{1}{6}$ p	2	B1 for $DC = \frac{1}{2}\mathbf{p}$ soi
	(b)	$\frac{5}{12}\mathbf{p} - \mathbf{q}$	2	M1 for $-\mathbf{q} + \frac{3}{4}\mathbf{p}$ seen
11		y = 2x - 1 oe	4	B1 for [mid-point =] (4, 7) B1 for [gradient =] -0.5 M1 for grad of perp = $\frac{-1}{their(-0.5)}$