



**Published**

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2016 series for most Cambridge IGCSE<sup>®</sup>, Cambridge International A and AS Level components and some Cambridge O Level components.

<b>Page 2</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – May/June 2016</b>	<b>0607</b>	<b>43</b>

### Abbreviations

awrt	answers which round to
cao	correct answer only
dep	dependent
FT	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
nfww	not from wrong working
soi	seen or implied

Question	Answer	Mark	Part Marks
<b>1</b>			
<b>(a) (i)</b>	13205.2	<b>1</b>	
<b>(ii)</b>	13200	<b>1</b>	
<b>(iii)</b>	13210	<b>1</b>	
<b>(iv)</b>	13205.173	<b>1</b>	
<b>(b)</b>	120	<b>1</b>	
<b>2</b>			
<b>(a)</b>	$(3x+2)(x-4)$	<b>2</b>	<b>SC1</b> for $(3x+a)(x+b)$ where $ab = -8$ or $a+3b = -10$
<b>(b)</b>	$-\frac{2}{3} < x < 4$	<b>2FT</b>	<b>B1</b> for either correct
<b>(c)</b>	221.8 or 221.8... 318.2 or 318.18 to 318.19	<b>3</b>	<b>B2</b> for either correct or <b>M1</b> for $\sin x = \text{their} \left( -\frac{2}{3} \right)$ where $-1 < \text{their} \left( -\frac{2}{3} \right) < 1$ or <b>M1</b> for sketch or <b>M1</b> for 41.8 or -41.8 seen
<b>3</b>			
<b>(a)</b>	62.5	<b>3</b>	<b>B1</b> for $y = k(x+1)^3$ <b>B1</b> for $k = 0.5$  OR <b>M2</b> for $\frac{y}{32} = \frac{(4+1)^3}{(3+1)^3}$
<b>(b)</b>	2	<b>2</b>	<b>B1FT</b> for $x+1 = \sqrt[3]{\text{their } 27}$
<b>(c)</b>	$x = \sqrt[3]{2y} - 1$ oe final answer	<b>3</b>	<b>M1</b> for division by <i>their</i> $k$ <b>M1</b> for cube root <b>M1</b> for subtracting 1, must be final step

<b>Page 3</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – May/June 2016</b>	<b>0607</b>	<b>43</b>

<b>Question</b>	<b>Answer</b>	<b>Mark</b>	<b>Part Marks</b>
<b>4 (a) (i)</b>	$A = 4r^2 - \pi r^2$ oe final answer	<b>2</b>	<b>M1</b> for $ar^2 - b\pi r^2$
<b>(ii)</b>	30.9 or 30.88 to 30.90[...]	<b>1</b>	
<b>(b)</b>	$8r + 2\pi r$ oe final answer	<b>3</b>	<b>B1</b> for $8r$ oe <b>B1</b> for $2\pi r$ oe  If <b>B0</b> scored then <b>M1</b> for $r + r + \frac{1}{4} \times 2\pi r$ oe
<b>5 (a)</b>	$0.5 \times 12.4 \times x \times \sin 30 [= 34.1]$ oe	<b>1</b>	
<b>(b)</b>	6.21 or 6.205 to 6.206	<b>3</b>	<b>B2</b> for 38.50 to 38.51 or <b>M1</b> for $11^2 + 12.4^2 - 2 \times 11 \times 12.4 \times \cos 30$
<b>(c)</b>	62.3 or 62.4 or 62.33 to 62.41...	<b>3</b>	<b>M2</b> for $\sin A = \frac{11 \times \sin 30}{\text{their } 6.21}$ or $\cos A = \frac{12.4^2 + (\text{their } (b))^2 - 11^2}{2 \times 12.4 \times \text{their } (b)}$  or <b>M1</b> for $\frac{11}{\sin A} = \frac{\text{their } 6.21}{\sin 30}$ oe
<b>(d)</b>	6.2	<b>2</b>	<b>M1</b> for $12.4 \times \sin 30$ oe
<b>6 (a)</b>	166 or 165.6 to 165.7	<b>2</b>	<b>M1</b> for correct use of mid-pts at least 4 of (150, 157.5, 162.5, 167.5, 172.5, 182.5)
<b>(b) (i)</b>	2.6, 13.2, 16.4, 23.6, 16.4, 1.73	<b>2</b>	<b>B1</b> for 4 or 5 correct
<b>(ii)</b>	Suitable vertical scale Correct column widths Correct heights	<b>1</b> <b>1</b> <b>2FT dep</b>	<b>B1</b> for 4 or 5 correct <b>dep</b> on at least B1 in <b>(b)(i)</b>
<b>7 (a)</b>	90 000	<b>4</b>	<b>M3</b> for $1.05 \times 1.1 \times a = 103950$ or better <b>M2</b> for $\frac{103950}{1.05 \text{ or } 1.1}$ oe or <b>M2</b> for $1.05 \times 1.1$ <b>M1</b> for $103950 = 105\%$
<b>(b)</b>	2028	<b>3</b>	<b>M2</b> for $1.05^n = \frac{200000}{103950}$ where $n > 1$ or <b>M1</b> for $103950 \times 1.05^n$ where $n > 1$  If 0 scored <b>SC2</b> for 13.4 or 13.41... seen

<b>Page 4</b>	<b>Mark Scheme</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>Cambridge IGCSE – May/June 2016</b>	<b>0607</b>	<b>43</b>

<b>Question</b>	<b>Answer</b>	<b>Mark</b>	<b>Part Marks</b>
<b>8 (a)</b>	$6\mathbf{p} - \mathbf{q}$	<b>2</b>	<b>B1</b> for $\overline{XD} = -\mathbf{q}$ or <b>M1</b> for $\overline{AD} = \overline{AX} + \overline{XD}$ oe
<b>(b)</b>	$3\mathbf{p} + \mathbf{q}$ oe	<b>2</b>	<b>M1</b> for $\overline{AC} = 9\mathbf{p}$ or $\overline{XC} = 3\mathbf{p}$ or correct route
<b>(c)</b>	$3\mathbf{p} - 2\mathbf{q}$ oe	<b>3</b>	<b>M1</b> for $\overline{BD} = \textit{their (a)}$ <b>M1</b> for $\overline{CB} = \overline{CD} + \overline{DB}$ oe
<b>9 (a)</b>	$[QR =] P$ $[PQR =] Q$ $[ST =] Q$ $[SQ =] T$ $[PTP =] T$ $[TPP =] S$	<b>6</b>	<b>B1</b> for each
<b>(b) (i)</b>	Points (2, 2) (2, 1) (5, 1)	<b>2</b>	<b>B1</b> for (2, 1) or (5, 1) correct
<b>(ii)</b>	Points (2, -2) (2, -1) (5, -1)	<b>1FT</b>	<b>FT</b> their <i>B</i> reflected in <i>x</i> -axis
<b>(iii)</b>	Rotation 90 [anticlockwise] oe [Centre] (0, 0) oe	<b>1</b> <b>1</b> <b>1</b>	
<b>10 (a) (i)</b>	Points correctly plotted	<b>3</b>	<b>B2</b> for 4 or 5 correct points <b>B1</b> for 2 or 3 correct points
<b>(ii)</b>	Positive	<b>1</b>	
<b>(b) (i)</b>	32.7	<b>1</b>	
<b>(ii)</b>	23.6	<b>1</b>	
<b>(c) (i)</b>	$[y =] -5.57 + 0.892x$	<b>2</b>	<b>B1</b> for $-5.57 + kx$ , or <b>B1</b> for $a + 0.892x$ , If 0 scored <b>SC1</b> for $-5.6 + 0.89x$
<b>(ii)</b>	21.2 or 21.19...	<b>1FT</b>	<b>FT</b> <i>their</i> (c)(i) using $x = 30$
<b>(iii)</b>	Outside range oe	<b>1</b>	

Page 5	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2016	0607	43

Question	Answer	Mark	Part Marks
11 (a)	Correct sketch	4	B1 Correct graph for $x > 3$ B1 Correct graph for $x < 1$ B1 Correct graph for $1 < x < 3$ B1 Approximately correct intercepts
(b)	$x = 1$ $x = 3$ $y = 3$	1 1 1	
(c)	(2, 2)	1	
(d)	1.38, 2, 3.62	3	B1 for each
12 (a)	18	2	M1 for $4x + 6x = 180$
(b)	18	2	M1 for $180 - 6x - 3x$
(c)	90	3	M2 for $180 - 3x - x - x$ or B1 for $CED = x$ or $DCE = 4x$
13 (a) (i)	4.71 or $1.5\pi$ or 4.712 to 4.713	2	M1 for $\frac{60}{360} \times \pi \times 3^2$
(ii)	12.5 or $1.5\pi + 4.5\sqrt{3}$ oe or 12.50 to 12.51	3	M2 for $0.5 \times 3 \times \frac{3}{\cos 60} \times \sin 60 + \text{their(a)}$ oe or M1 for $\frac{3}{\cos 60}$
(iii)	31.4 or $7.5\pi + 4.5\sqrt{3}$ oe or 31.35 to 31.36	3	B1 for hyp = 6 M1 for $\frac{60}{360} \times \pi \times (\text{their}6)^2$
(b)	263 or $31.5\pi + 94.5\sqrt{3}$ oe or 262.6 to 262.7	4	M3 for $1.5\pi + 6\pi + 24\pi +$ $4.5 \times \sqrt{3} + 18 \times \sqrt{3} + 72 \times \sqrt{3}$ or M1 for $1.5\pi + 6\pi + 24\pi$ and M1 for $4.5 \times \sqrt{3} + 18 \times \sqrt{3} + 72 \times \sqrt{3}$ or M1 for correct new triangle in diagram 4 or M1 for correct new sector in diagram 5 or M1 for correct new triangle in diagram 6

Page 6	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – May/June 2016	0607	43

Question	Answer	Mark	Part Marks
14 (a) (i)	$\left(\frac{x}{x+y}\right)^2$ oe final answer	2	<b>B1</b> for $\frac{x}{x+y}$
(ii)	$2 \times \frac{xy}{(x+y)^2}$ oe final answer	3	<b>M2</b> for $\frac{x}{(x+y)} \times \frac{y}{(x+y)}$ oe or <b>B1</b> for $\frac{y}{x+y}$ seen
(b) (i)	$\frac{x(x-1)}{(x+y)(x+y-1)}$ oe final answer	3	<b>B2</b> for $\frac{x-1}{x+y-1}$ or <b>B1</b> for $x+y-1$ seen
(ii)	$2 \times \frac{xy}{(x+y)(x+y-1)}$ oe final answer	3	<b>M2</b> for $\frac{x}{(x+y)} \times \frac{y}{(x+y-1)}$ oe or <b>B1</b> for $\frac{y}{x+y-1}$ seen