



PHYSICS

0625/62

Paper 6 Alternative to Practical

May/June 2019

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2019 series for most Cambridge IGCSE™, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

bestexamhelp.com

This syllabus is regulated for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of **7** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

| Question | Answer | Marks |
|----------|--|-------|
| 1(a) | centre of mass/gravity not in centre (however expressed) | 1 |
| 1(b) | graph: | |
| | axes correctly labelled and right way round | 1 |
| | suitable scales starting from (0,0) | 1 |
| | all plots correct to less than $\frac{1}{2}$ small square | 1 |
| | good line judgement, thin, continuous line | 1 |
| 1(c) | triangle method used and <u>seen on graph</u> | 1 |
| | triangle at least half of distance between extreme plotted points i.e. $\Delta a \geq 10$ | 1 |
| 1(d) | intercept correct to $\frac{1}{2}$ small square – if graph not extrapolated, use the ruler tool | 1 |
| 1(e) | width 2.5(0) cm / 25 mm with correct unit | 1 |
| 1(f) | statement to match results | 1 |
| | justification to match statement and include idea of within (or beyond) limits of experimental accuracy | 1 |
| 1(g) | difficulty in achieving exact balance/keeping the pivot in the same position/locating the centre of load (Q)/load(s) slipping/load obscuring readings on rule | 1 |

| Question | Answer | Marks |
|-----------|---|-------|
| 2(a) | 22(.0) (°C) | 1 |
| 2(b)(i) | s, °C seen in both tables | 1 |
| 2(b)(ii) | third box ticked to match readings | 1 |
| 2(b)(iii) | quoting temperatures from the table in the same time | 1 |
| 2(c) | any one from: higher room temperature lower <u>starting</u> /initial temperature insulation | 1 |
| 2(d) | perpendicular viewing of thermometer/view (reading) at eye level/stir the water/thermometer not touching the sides of the beaker/wait for the temperature to stop <u>rising</u> (initially) | 1 |
| 2(e) | any two from: room temperature/stated environmental condition <u>starting</u> /initial temperature of the (hot) <u>water</u> volume/mass/amount of water same beaker total time for experiment | 2 |
| 2(f) | third box ticked | 1 |

| Question | Answer | Marks |
|----------|---|--------|
| 3(a) | 3.6(0) (V) 0.3(0) (A) | 1 1 |
| 3(b) | 12 (Ω) | 1 |
| 3(c) | 8 and unit Ω | 1 |
| 3(d)(i) | 11/11.3/11.29 (Ω) | 1 |
| 3(d)(ii) | statement to match results justification to match results (with <u>idea</u> of within or beyond limits of experimental accuracy <u>explained</u>) | 1 1 |
| 3(e) | brightness/intensity of lamp <u>changes</u> | 1 |
| 3(f) | correct symbols with resistors and lamp in parallel <u>one</u> voltmeter correctly positioned – accept across power supply | 1 1 |
| 3(g) | variable resistor | 1 |

| Question | Answer | Marks |
|----------|--|-------|
| 4 | Apparatus MP1 diagram showing object, lens, screen/image in correct order | 1 |
| | MP2 u and v correctly labelled on diagram | 1 |
| | Method MP3 measure/record/calculate u and v and lens thickness t | 1 |
| | MP4 repeat with a different lens | 1 |
| | MP5 method of obtaining a sharp image by <u>moving</u> object, lens or screen.... | 1 |
| | Measuring lens thickness MP6 use of blocks either side of lens (and measure distance) | 1 |
| | Table MP7 table with columns for u , v and t with correct units | 1 |