

Cambridge IGCSE[™]

CO-ORDINATED SCIENCES

0654/11

Paper 1 Multiple Choice (Core)

October/November 2023

45 minutes

You must answer on the multiple choice answer sheet.

You will need: Multiple choice answer sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

INSTRUCTIONS

There are **forty** questions on this paper. Answer **all** questions.

- For each question there are four possible answers **A**, **B**, **C** and **D**. Choose the **one** you consider correct and record your choice in soft pencil on the multiple choice answer sheet.
- Follow the instructions on the multiple choice answer sheet.
- Write in soft pencil.
- Write your name, centre number and candidate number on the multiple choice answer sheet in the spaces provided unless this has been done for you.
- Do not use correction fluid.
- Do not write on any bar codes.
- You may use a calculator.


INFORMATION

- The total mark for this paper is 40.
- Each correct answer will score one mark.
- Any rough working should be done on this question paper.
- The Periodic Table is printed in the question paper.



1	Wh	ich characteristi	c of a	a living organis	m rele	eases energ	gy for gro	owth?								
	A	excretion														
	В	reproduction														
	С	respiration														
	D	sensitivity														
2	A st	student draws a diagram of a chicken's egg and includes the magnification, m, of the drawing.														
	The	e student writes	m = :	×2.												
	The	e image length o	n the	e diagram is 14	0 mm											
	Wh	at is the length o	of the	e actual chicker	n's eg	g?										
	A	35 mm	В	70 mm	С	140 mm	D	280 mm								
3	Wh	ich colour does	Bene	edict's solution	chan	ge to when	heated \	vith a reduci	ng sugar?							
	Α	blue														
	В	blue-black														
	С	orange														
	D	purple														
D 2 A stu The The Wha A 3 Which A B C																

4 Which graph shows the effect of temperature on enzyme activity?




5 Which conditions will result in the highest rate of photosynthesis?

	light intensity	carbon dioxide concentration
Α	high	high
В	high	low
С	low	high
D	low	low


6 Which row about food groups is correct?

	food group	main function	food source examples				
Α	carbohydrate	provide energy	bread, pasta, rice				
В	fat	tissue growth and repair	bread, pasta, rice				
С	fibre	tissue growth and repair	fish, meat, seeds				
D	protein	provide energy	fish, meat, seeds				

7 Which label shows the position of the xylem in the cross-section of the root of a dicotyledonous plant?



8 The apparatus shown is set up and left for 10 minutes. The insects are able to move around in the test-tube but the wire mesh prevents them from falling into the sodium hydroxide.



In which direction does the oil droplet move and why?

	direction of oil droplet	effect of respiration of insects
Α	to the left	use up carbon dioxide and release oxygen
В	to the left	use up oxygen and release carbon dioxide
С	to the right	use up carbon dioxide and release oxygen
D	to the right	use up oxygen and release carbon dioxide

9 One response to a frightening situation is an increase in heart rate caused by the release of adrenaline.

Which statement about adrenaline is correct?

- **A** It is an enzyme produced by an organ and travels in the blood to the heart.
- **B** It is an enzyme produced by an organ and travels down a nerve to the brain.
- **C** It is a hormone produced by a gland and travels in the blood to the heart.
- **D** It is a hormone produced by a gland and travels down a nerve to the brain.
- **10** Which part of the male reproductive system is correctly matched to its function?

	part	function						
Α	prostate gland	transfers sperm to the urethra						
В	scrotum	holds the testes outside of body						
С	testes	secrete fluids for sperm to swim in						
D	urethra	transfers semen to ovary						

11 Continuous variation is defined as a1..... of phenotypes2......

Which words correctly complete gaps 1 and 2?

	1	2
Α	limited number	between two extremes
В	limited number	with no intermediates
С	range	between two extremes
D	range	with no intermediates

- **12** In a food chain, what do all living organisms get from their food?
 - A a supply of water
 - **B** oxygen for respiration
 - **C** protection from disease
 - **D** the energy they need


13 Forests are cut down and burnt in deforestation programmes.

As a result of this, which gas in the atmosphere increases in concentration?

- A carbon dioxide
- **B** hydrogen
- C nitrogen
- **D** oxygen
- **14** Dye X is a mixture of different coloured substances.

Chromatography is used to compare X with three other mixtures, P, Q and R.

The results are shown.



Which mixtures contain dye X?


- **A** P, Q and R
- **B** P and Q only
- Ponly
- **D** Ronly
- **15** What do the chemical symbols N_2 and Ni represent?

	N_2	Ni					
Α	a compound	a compound					
В	a compound	an element					
С	an element	a compound					
D	an element	an element					

16 The nucleon number of a hydrogen atom is 1.


What is present inside the nucleus of this atom?

- A one proton and one electron
- **B** one proton and one neutron
- C one proton only
- **D** one neutron only
- 17 The diagram represents an ionic compound formed from three types of atom.



What is the chemical formula for this compound?

- A Na₂S₄O
- B NaO₄S₂
- C Na₂SO₄
- D S_4O_2Na
- 18 The diagram shows the electrolysis of dilute sulfuric acid using inert electrodes.



Which substance is produced by electrolysis at the negative electrode?

- A hydrogen
- **B** oxygen
- **C** sulfur dioxide
- **D** water vapour

19 When petrol burns in a car engine, carbon monoxide, CO, and nitrogen monoxide, NO, are produced.

These gases pass through a catalytic converter where carbon monoxide reacts with nitrogen monoxide.

The equation for the reaction is shown.

carbon monoxide + nitrogen monoxide → nitrogen + carbon dioxide

Which statement is **not** correct?

- A Carbon monoxide is oxidised in the catalytic converter.
- **B** Carbon monoxide is produced by the complete combustion of petrol.
- **C** Nitrogen from the air is oxidised in the car engine.
- **D** Nitrogen monoxide is reduced in the catalytic converter.
- 20 Four different oxides are listed.
 - 1 calcium oxide
 - 2 lithium oxide
 - 3 nitrogen oxide
 - 4 phosphorus oxide

Which oxides are acidic oxides?

A 1 and 2 **B** 1 and 3 **C** 2 and 4 **D** 3 and 4

D Zn²⁺

21 Substance X is mixed with aqueous sodium hydroxide.

A green precipitate is produced.

Which metal ion is present in X?

A Cu^{2+} **B** Fe^{2+} **C** Fe^{3+}

22 Potassium is in Group I of the Periodic Table.

Which statement about potassium is correct?

- **A** It is a relatively hard metal.
- **B** It is less dense than lithium.
- **C** It has a higher melting point than sodium.
- **D** It reacts more vigorously with water than sodium.

23	What	is a	use	for	argon?

- A as a catalyst
- **B** in alloys
- **C** in lamps
- **D** neutralising chemical waste

24 Which metal is extracted from its ore by electrolysis?

- A aluminium
- **B** copper
- C gold
- **D** iron

25 Which gas is present in clean air?

- A carbon dioxide
- B carbon monoxide
- C nitrogen dioxide
- **D** sulfur dioxide


26 Which statement about petroleum is correct?

- A It contains mostly alkene molecules.
- **B** It is a mixture of hydrocarbons.
- **C** It is separated into fractions by cracking.
- **D** Its main constituent is methane.

27 Which statement about poly(ethene) is correct?

- A It always contains less than 12 carbon atoms.
- **B** It is formed from ethane.
- C It is formed from ethene.
- **D** It occurs naturally.

28 The speed–time graph represents part of a car journey.




How far does the car travel in the part of the journey shown?

- **A** 20 m
- **B** 45 m
- **C** 70 m
- **D** 90 m

29 The mass of an empty measuring cylinder is 15 g.

Liquid is poured into it and the total mass is now 95 g.


The reading on the measuring cylinder is shown.



What is the density of the liquid?

- $\mathbf{A} \quad 1.3 \,\mathrm{g/cm^3}$
- $\mathbf{B} \quad 1.4\,\mathrm{g/cm^3}$
- \mathbf{C} 1.5 g/cm³
- \mathbf{D} 1.7 g/cm³

30 The diagram shows a child of weight 240 N sitting on a see-saw (teeter-totter) at a distance of 1.6 m from the pivot.



What is the moment of the weight of the child about the pivot, with the correct unit?


- **A** 150 N m
- **B** 150 N/m
- C 384 N m
- **D** 384 N/m
- 31 Which two energy sources are both non-renewable?
 - A oil and geothermal resources
 - B oil and natural gas
 - C tides and geothermal resources
 - **D** tides and wind
- **32** Someone wearing wet clothes can feel cold even on a warm day.

Why do they feel cold?

- A Water gives out heat as it evaporates.
- **B** Water takes in heat as it evaporates.
- **C** Water vapour gives out heat as it condenses.
- **D** Water vapour takes in heat as it condenses.
- 33 How is thermal energy transferred from the Sun through the vacuum of space?
 - **A** by conduction and convection
 - **B** by convection and radiation
 - C by convection only
 - **D** by radiation only

34 A ray of light enters a parallel-sided glass block.


At which labelled point does the ray leave the block?



- 35 Which change to a sound wave makes the sound louder?
 - A decreasing the amplitude
 - **B** decreasing the wavelength
 - C increasing the amplitude
 - **D** increasing the wavelength

36 Three charged balls P, Q and R are suspended by insulating threads. Ball P is negatively charged.

Ball Q is brought close to ball P. The balls move away from each other.



Ball Q is now brought close to ball R. The balls move closer to each other.




What are the signs of the charges on ball Q and ball R?

	ball Q	ball R				
Α	negative	negative				
В	negative	positive				
С	positive	negative				
D	positive	positive				

- 37 Which two electrical quantities are measured in the same unit?
 - **A** current and potential difference (p.d.)
 - **B** current and electromotive force (e.m.f.)
 - **C** potential difference (p.d.) and electromotive force (e.m.f.)
 - **D** potential difference (p.d.) and resistance

38 A battery is connected in a circuit to a $3.0\,\Omega$ resistor, a $6.0\,\Omega$ resistor and two ammeters P and Q.



What is the combined resistance of the two resistors and which ammeter has the greater reading?

	combined resistance/ Ω	ammeter with greater reading
Α	less than 3.0	Р
В	less than 3.0	Q
С	9.0	Р
D	9.0	Q

39 The current in an electric kettle used to boil water is 9.0 A.

What is the most appropriate rating of fuse to use with this kettle?

- **A** 1A
- **B** 3A
- **C** 8A
- **D** 13A

40 A nuclide of hydrogen is represented by 3_1 H.

Which row shows the number of protons and the number of neutrons in this nuclide?

	protons	neutrons
Α	1	2
В	1	3
С	2	1
D	3	1

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

		2	He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon	118	Og	oganesson -
	=>				6	ட	fluorine 19	17	Cl	chlorine 35.5	35	ă	bromine 80	53	Н	iodine 127	85	¥	astatine	117	<u>~</u>	tennessine -
	5				8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ъ	moloum —	116	^	livermorium -
	>				7	Z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	: <u>.</u>	bismuth 209	115	Mc	moscovium -
	≥				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	ŀΙ	flerovium -
	≡				5	Ω	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	п	indium 115	84	11	thallium 204	113	R	nihonium -
											30	Zu	zinc 65	48	පි	cadmium 112	80	Р	mercury 201	112	ű	copernicium -
											29	J.	copper 64	47	Ag	silver 108	79	Αn	gold 197	111	Rg	roentgenium -
Group											28	z	nickel 59	46	Pd	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
Ģ											27	ပိ	cobalt 59	45	格	rhodium 103	77	٦	iridium 192	109	Ĭ	meitnerium -
		- ;	I	hydrogen 1							26				Ru	ruthenium 101	9/	SO	osmium 190	108	Hs	hassium -
								1			25	M	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	ВР	bohrium –
					<u> </u>	loqi	lass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	В	dubnium -
						atc	rel				22	i	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	¥	rutherfordium -
											21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	26	Ba	barium 137	88	Ra	radium -
	_				8	=	lithium 7	#	Na	sodium 23	19	×	potassium 39	37	R _b	rubidium 85	55	S	caesium 133	87	ቷ	francium -

			_			
71	Γn	lutetium 175	103	۲	lawrencium	I
70	Хp	ytterbium 173	102	%	nobelium	I
69	Tm	thulium 169	101	Md	mendelevium	ı
89	Щ	erbium 167	100	Fm	ferminm	ı
29	웃	holmium 165	66	Es	einsteinium	1
99	۵	dysprosium 163	86	Ç	califomium	ı
65	Д	terbium 159	97	益	berkelium	ı
64	Вd	gadolinium 157	96	Cm	curium	ı
63	Ш	europium 152	92	Am	americium	ı
62	Sm	samarium 150	94	Pu	plutonium	ı
61	Pm	promethium -	93	Δ	neptunium	ı
09	PZ	neodymium 144	92	\supset	uranium	238
69	Ā	praseodymium 141	91	Ра	protactinium	231
28	Ce	cerium 140	06	T	thorium	232
22	Га	lanthanum 139	89	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm^3}$ at room temperature and pressure (r.t.p.).