MARK SCHEME for the May/June 2013 series

9700 BIOLOGY

9700/32

Paper 32 (Advanced Practical Skills 2), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2013 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.



| Page 2 | Mark Scheme | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | GCE AS/A LEVEL – May/June 2013 | | 32 |

Mark scheme abbreviations:

| ; | separates marking points |
|------------------|---|
| 1 | alternative answers for the same point |
| R | reject |
| Α | accept (for answers correctly cued by the question, or by extra guidance) |
| AW | alternative wording (where responses vary more than usual) |
| <u>underline</u> | actual word given must be used by candidate (grammatical variants excepted) |
| max | indicates the maximum number of marks that can be given |
| ora | or reverse argument |
| mp | marking point (with relevant number) |
| ecf | error carried forward |
| I | ignore |
| ACE | Analysis, Conclusions and Evaluation (skills) |
| MMO | Manipulations, Measurement and Observation (skills) |
| PDO | Presentation of Data and Observations (skills) |
| | · · · · · |

| Page 3 | Mark Scheme | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | GCE AS/A LEVEL – May/June 2013 | 9700 | 32 |

| | | E | xpected Ans | wers | |
|--|--------|--|--|---------------|---|
| 1 (a | a) (i) | | | | [1] |
| MMO decision 1 | 1 | level of water in large beaker level of yeast suspension in s | | to or above | AND below level of top of small beaker; |
| | (ii) | | | | [1] |
| MMO decision 1 | 1 | mark (test-tube B or delivery | tube); | | |
| | (iii) | | | | [6] |
| | | lf recorded as graph or bar char | t, not table, o | nly mp4 and m | p6 can be scored. |
| ing 2 | mp1 | table with all cells drawn | | data colum | ngs (top row or left of recorded n) <u>p(</u> erature/) <u>°C</u> or <u>time sec(</u> onds) |
| PDO recording 2 | | | | are | e mark if by units (°C or sec(onds) or s) e in cells of headed row/column o rows of data in one cell |
| | mp2 | heading <u>number</u> (of) <u>bubbles;</u> | | | |
| 0 on 2 | mp3 | exactly 8 readings per run for higher temperature | AND exactly 8 readings per run for lower temperature | | |
| MMO collection | mp4 | first reading higher than last reading for both temperatures; | | | |
| mp5 higher temperature recorded first; | | | | | |
| MMO decision | mp6 | one temperature <u>between 40 a</u> | and 45(⁰ C) | AND second t | emperature <u>at least 5(⁰C) lower;</u> |

| | Pa | ge 4 | Mark Scheme GCE AS/A LEVEL – May/June 2013 | | Syllabus 9700 | Paper 32 |
|--|----------------------------|------|---|-----------------------|-------------------------------------|--------------|
| | (iv | 7) | | | | [max 2] |
| | cause of error AND idea of | | | | | |
| | | | (dependent_variable) | | | |
| ACE Interpretation 2 | | mp1 | | difficult rate var | /very fast/too m ies I) some; | any |
| preta | max 2 | mp2 | size of bubbles | varies; | | |
| Inter | Ë | | (independent variable) | | | |
| ACE | | mp3 | temperature | can change | /difficult to keep | constant |
| | | | or | | | |
| | | | reaction mixture/yeast/ A | loses heat; | | |
| | | | Do not give mark if state that temperature of room or was | ater-bath/ W (| or Y when <u>in be</u> | aker changes |
| | (v | ') | | | | [max 3] |
| mp1 (dependent variable) <u>gas</u> syringe or idea of downward displacement of water <u>and</u> measure <u>volume</u> of gas or less/lower concentration or volume (<u>not</u> amount) of hydrogen peroxide or | | | | | | |
| | | mp2 | (standardised variables) | | | |
| ents 3 | | | put vaseline/grease around bung (in A) or re | place with b | etter-fitting bun | g |
| veme | х з | | pH (controlled using) buffer; | | | |
| ACE improvements | max | mp3 | (independent variable) | | | |
| ACE i | | | maintained in thermostat(ically controlled wa | ater-bath) | | |
| | | | or describe use of heating and cooling or ho check temperature) | t/cold water | AND uses ther | nometer (to |
| | | | or describe how to insulate <u>A</u> | | | |
| | | | or more temps/bigger range of temps (not tw temps); | vo temps fur | ther apart/large | r change in |
| | | mp4 | repeat more than once/replicates/more times | s/multiple tes | sts; | |

| Page 5 | Mark Scheme | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | GCE AS/A LEVEL – May/June 2013 | 9700 | 32 |

| (k | o) (i) | | [1] |
|-------------------------|---------|---|--|
| | 1 | circles 6% trial 3: 20 | AND circles 12% trial 4: 9; |
| MMO decision | | | |
| (k | o) (ii) | | [1] |
| - | 1 | 13 (entered in gap in table or by question); | |
| ACE interpretation 1 | | | Do not give mark if • 13.0/13.00/13.25 • 12/12.4/12.40 |
| | (iii) | | [4] |
| | mp1 | <i>x</i> -axis: <u>percent(age)</u> or <u>%</u> <u>conc</u> (entration) (of) <u>hydrogen peroxide</u> or <u>H₂0</u> 2 | AND <i>y</i> -axis: (mean) <u>time</u> (taken) <u>to collect</u> (20 cm ³ of) <u>oxygen or O₂ (/) sec</u> (onds) or <u>s</u> ; |
| | | Must have units for both axes | |
| | mp2 | scale on <i>x-</i> axis: <u>5 to 2 cm</u> , <u>labelled each 2 cm</u> | AND scale on <i>y</i> -axis <u>10 to 2 cm, labelled each 2 cm;</u> |
| PDO layout 4 | mp3 | check there are six points all six as small cross (does not go o circle correct plotting of points, | utside square on grid) or dot <u>in circle</u> or cross in |
| PDO | mp4 | six plots with either | AND (quality) |
| | | <u>ruled</u> lines exactly point to point or hand-drawn smooth curve for <u>whole</u> graph starts and ends <u>exactly</u> at end points also passes through at least two other points <u>exactly</u> within half a small square of any remaining points | smooth line less than 1 mm thick (check with grid); |

| Page 6 | Mark Scheme | Syllabus | Paper |
|--------|--------------------------------|----------|-------|
| | GCE AS/A LEVEL – May/June 2013 | 9700 | 32 |

| | (iv) | | | | | [2] | |
|-------------------|-------------|--|--|--|--------------|--|--|
| ACE conclusion 2 | | mp1 | more/m used/or used or more/m <u>substra</u> | more/many <u>active sites</u> used/occupied/bind/join/ used or | | OR at low concentrations: • less/fewer <u>active sites</u> occupied/bind/join/used or • less/fewer <u>enzyme-</u> <u>substrate complexes/E-S</u> <u>complexes;</u> | |
| ACE of | | mp2 | idea of why reaches maximum rate (limiting factor) not enough enzyme/active sites or limiting factor is enzyme concentration or <u>all</u> active sites occupied active sites saturated; | | | | |
| | [Total: 21] | | | | | | |
| 2 (a |) (i) | _ | | _ | | [5] | |
| PDO layout 1 | mp1 | Do not give m any sha drawn c the que any rule | ading over the print of stion | Do not give mark if less than <u>40mm</u> from outmost line to base of corner vascular bundle | | AND clear, sharp, unbroken lines Do not give mark if less than two lines and less than four enclosed areas (ignore cells) or any lines with any part of line 1mm or thicker (use grid) any feathery or broken or dashed line or gap any tail or overlap; | |
| | mp2 | <u>no</u> cells drawn | | | AND top | right sector drawn; | |
| AO tion 3 | mp3 | draws at least | <u>seven</u> lines acros | ss any point of | f width of s | section (outside to inside); | |
| MMO collection | mp4 | | | | | divided into at least 3 regions (ignore and vertical rays); | |
| MMO decision 1 | mp5 | or | labels pith with label line either touching or further to the centre than the innermost line or ending further to the centre than the inside edge of the vascular bundle; | | | | |

| Ρ | age | 7 |
|---|-----|---|
| - | | - |

| Mark Scheme | | |
|--------------------------------|--|--|
| GCE AS/A LEVEL – May/June 2013 | | |

SyllabusPaper970032

| | (ii) | | | | [5] | |
|-------------------|------|---|---|--------------------------|--|--|
| | mp1 | Suitable drawing; | | | | |
| PDO layout 1 | | Do not give mark if any shading drawn over the print of the question any ruled lines in lines of corner cells | Do not give mark if • less than 40 mm at widest distance across largest cell | | Do not give mark if less than six outer enclosed areas or if any outer lines (of enclosures) are thicker than 1 mm (use grid) are feathery, broken/dashed or have gaps have tails or overlaps; | |
| | mp2 | only <u>6</u> complete cells drawn AND as t | | | roups of 3 touching cells; | |
| MMO collection 3 | mp3 | seven or fewer cells in to | tal | dimension of times the n | rom tissue in centre) widest the biggest cell is at least <u>2</u> arrowest dimension of the rom cells in the corner); | |
| M | mp4 | in <u>either</u> group of three cells: all cells must be drawn with double lines all the way round and where two pairs of cells touch there must be 3 lines (representing the middle lamella); | | | | |
| MMO decision 1 | mp5 | one correct label " <u>cell wall"</u> , with <u>one</u> label line which must touch outermost line of a cell or finish between the two cell wall lines; | | | | |

| Page 8 Mark Scheme | | Syllabus | Paper |
|--------------------|--------------------------------|----------|-------|
| | GCE AS/A LEVEL – May/June 2013 | 9700 | 32 |

| | (iii) [3] | | | | | |
|------------------|-----------|--|--|--|---|--|
| MMO decision 1 | mp1 | both types of cell or x.5 only or e "line" | | AND units as "eyepiece", (e)gu or epu or "units" or "divisions" or "lines" or "marks" written anywhere; | | |
| | | Can have values recorded in a context, e.g. in addi 1/2 instead of 0.5 decimals in means | | Do not give mark if no units units in m, cm, mm, μm, nm not clear which measurements correspond to which type of cell | | |
| PDO display 2 | mp2 | shows division by number of cells (3 or more), for both cell types; | | | | |
| | mp3 | <i>for final answer only:</i> larger whole number to smaller whole number (larger number first) OR as fraction, with larger whole number over smaller whole number | | | AND to the lowest common denominator; | |
| | (iv) [max | | | | | |
| ACE conclusion 1 | max 1 | one from: thick walls large walls small cells/lumen closely packed cells no spaces between cells high ratio of wall to cell (much) staining; | | | | |

| Page 9 Mark Scheme | | Syllabus | Paper |
|--------------------|--------------------------------|----------|-------|
| | GCE AS/A LEVEL – May/June 2013 | 9700 | 32 |

| (k | (b) [5] | | | | | | | |
|----------------------|--|-------|--|-------------|---|--|--|--|
| PDO recording 2 | mţ | 51 | columns or rows separated M | | AND two columns headed <u>M1/slide</u> and <u>Fig 2.2</u> in any order | AND third column contains features; | | |
| | mp | 52 | only observable differences (at least two) recorded; | | | | | |
| | Do not give mark if describes "cell" rather than "section" or "stem" for incorrect tissues | | | | | | | |
| ACE interpretation 2 | feature | | feature | Slide M1 | Fig. 2.2 | | | |
| | max 1 | | | | any comparative statement except size, or distance in from outside | any comparative statement except size, or distance in from outside, or in corners; | | |
| | max 2 | mp | 02 | pith/centre | not hollow/(has) cells/more cells/big(ger) (not "present") | hollow/no cells/less cells/small(er) (not "absent") <i>;</i> | | |
| | | max 2 | mp | 53 | thickened cells/ collenchyma/ sclerenchyma/fibres/ described | in corners/not (on) vascular bundles/idea of more (not present/absent) | not in corners/(on) vascular bundles/idea of less (not present/absent); | |
| | | | mp | 54 | cortex/(layer) under epidermis | no/less/small(er) <u>air</u> <u>spaces</u> | yes/more/large(r) <u>air</u> <u>spaces:</u> | |
| | | | mp | 5 | outer layer/epidermis | thick(er) or more/2 layer(s) of cells or no gaps/stomata/guard cells or trichomes/hairs (not root hairs) (not smaller) | thin(ner) or less/1 layer of cells or gaps/stomata/ guard cells or no trichomes/hairs (not root hairs) (not bigger) | |
| | [Total: 19] | | | | | | | |