

Cambridge Assessment International Education

Cambridge International Advanced Subsidiary and Advanced Level

BIOLOGY 9700/34

Paper 3 Advanced Practical Skills 2 CONFIDENTIAL INSTRUCTIONS

October/November 2019



This document gives details of how to prepare for and administer the practical exam.

The information in this document and the identity of any materials supplied by Cambridge International are confidential and must NOT reach candidates either directly or indirectly.

The supervisor must complete the report at the end of this document and return it with the scripts.

If you have any queries regarding these confidential instructions, contact Cambridge International stating the centre number, the syllabus and component number and the nature of the query.

email info@cambridgeinternational.org

phone +44 1223 553554 fax +44 1223 553558

This document consists of 9 printed pages and 3 blank pages.



General information about practical exams

Centres must follow the guidance on science practical exams given in the Cambridge Handbook.

Safety

Supervisors must follow national and local regulations relating to safety and first aid.

Only those procedures described in the question paper should be attempted.

Supervisors must inform candidates that materials and apparatus used in the exam should be treated with caution. Suitable eye protection should be used where necessary.

The following hazard codes are used in these confidential instructions, where relevant:

CcorrosiveMHmoderate hazardHHhealth hazardTacutely toxicFflammableOoxidising

N hazardous to the aquatic environment

Hazard data sheets relating to substances used in this exam should be available from your chemical supplier.

Before the exam

- The packets containing the question papers must **not** be opened before the exam.
- It is assumed that standard school laboratory facilities, as indicated in the *Guide to Planning Practical Science*, will be available.
- Spare materials and apparatus for the tasks set must be available for candidates, if required.

During the exam

- It must be made clear to candidates at the start of the exam that they may request spare materials and apparatus for the tasks set.
- Where specified, the supervisor must perform the experiments and record the results as instructed. This must be done out of sight of the candidates, using the same materials and apparatus as the candidates.
- Any assistance provided to candidates must be recorded in the supervisor's report.
- If any materials or apparatus need to be replaced, for example, in the event of breakage or loss, this must be recorded in the supervisor's report.

After the exam

- The supervisor must complete a report for each practical session held and each laboratory used.
- Each packet of scripts returned to Cambridge International must contain the following items:
 - the scripts of the candidates specified on the barcode label provided
 - the supervisor's results relevant to these candidates
 - the supervisor's reports relevant to these candidates
 - seating plans for each practical session, referring to each candidate by candidate number
 - the attendance register.

Specific information for this practical exam

During the exam, the supervisor or other competent biologist (**not** the invigilator) should obtain the results specified on the supervisor's report by following the relevant steps in the question paper. The results should be recorded in the space provided on the supervisor's report.

Organisation of the exam

- Half the candidates should start on Question 1 and the other candidates should start on Question 2.
- For Question 2, each candidate must have uninterrupted use of a microscope for at least 55 minutes.

Materials to be supplied by Cambridge International

Slide M1

On receipt of the slides, check that they are labelled **M1** and that no slides are broken. The slides should not be viewed in advance of the exam. The material on the slides is confidential and must not be disclosed to candidates.

The number of slides supplied by Cambridge International will be equal to half the candidate entry.

Return of slides to Cambridge International

Immediately after the exam, the slides must be:

 returned to Cambridge International in the boxes in which they were received, using the self-adhesive label supplied. The slides must **not** be included in the packet of scripts.

or

 purchased using the order form enclosed with the slides, which should be completed and returned to Cambridge International. The order form must **not** be included in the packet of scripts. Slides and boxes will be charged at the rate of £3.25 per slide plus £1 per box.

If the slides are not returned or purchased by the deadline stated on the order form, the charge will be £3.75 per slide plus £1 per box.

Materials and apparatus for Question 1

Each candidate will need:

0.1% methylene blue and covered by distilled water, provided at room temperature (see Preparation of materials) pH2 buffer solution, in a beaker or container, labelled P2, provided at room at least temperature (see Preparation of materials) pH3 buffer solution, in a beaker or container, labelled P3, provided at room at least temperature (see Preparation of materials) pH4 buffer solution, in a beaker or container, labelled P4, provided at room temperature (see Preparation of materials) pH5 buffer solution, in a beaker or container, labelled P5, provided at room temperature (see Preparation of materials) pH6 buffer solution, in a beaker or container, labelled P6, provided at room temperature (see Preparation of materials) pH2 buffer solution, in a beaker or container, labelled P6, provided at room at least temperature (see Preparation of materials) pH2 buffer solution, in a beaker or container, labelled PU, provided at room at least temperature (see Preparation of materials) pH2 buffer solution, in a beaker or container, labelled PU, provided at room at least temperature (see Preparation of materials) pH2 buffer solution, in a beaker or container, labelled PU, provided at room at least 25cm³ pH2 buffer solution, in a beaker or container, labelled PU, provided at room at least 25cm³ pH2 buffer solution, in a beaker or container, labelled P0, provided at room at least 25cm³ pH2 buffer solution, in a beaker or container, labelled P0, provided at room at least 25cm³ pH2 buffer solution, in a beaker or container, labelled P0, provided at room at least 25cm³ at least 25cm³ pH2 buffer solution, in a beaker or container, labelled P0, provided at room at least 25cm³ at least 25cm³ pH2 buffer solution, in a beaker or container, labelled P0, provided at room at least 25cm³ at least 25cm³ pH2 buffer solution, in a beaker or container, labelled P0, provided at room at least 25cm³	materials and apparatus for each candidate	quantity	1
temperature (see Preparation of materials) pH3 buffer solution, in a beaker or container, labelled P3, provided at room at least temperature (see Preparation of materials) pH4 buffer solution, in a beaker or container, labelled P4, provided at room temperature (see Preparation of materials) pH5 buffer solution, in a beaker or container, labelled P5, provided at room temperature (see Preparation of materials) pH6 buffer solution, in a beaker or container, labelled P6, provided at room temperature (see Preparation of materials) pH5 buffer solution, in a beaker or container, labelled P6, provided at room temperature (see Preparation of materials) pH2 buffer solution, in a beaker or container, labelled PU, provided at room at least 25 cm³ pH2 buffer solution, in a beaker or container, labelled PU, provided at room at least 25 cm³ pH2 buffer solution, in a beaker or container, labelled PU, provided at room at least 25 cm³ pH2 buffer solution, in a beaker or container, labelled W, provided at room temperature (see Preparation of materials) pH2 buffer solution, in a beaker or container, labelled W, provided at room temperature at least 25 cm³ pH2 buffer solution, in a beaker or container, labelled W, provided at room temperature at least 25 cm³ pH2 buffer solution, in a beaker or container, labelled W, provided at room at least 25 cm³ pH2 buffer solution, in a beaker or container, labelled W, provided at room at least 25 cm³ pH2 buffer solution, in a beaker or container, labelled W, provided at room at least 25 cm³ at least 25 cm³ pH2 buffer solution, in a beaker or container, labelled W, provided at room at least 25 cm³ at least 25 c	Small beaker, labelled B , containing 3 potato cylinders stained with 0.1% methylene blue and covered by distilled water, provided at room temperature (see Preparation of materials)	1	
temperature (see Preparation of materials) pH4 buffer solution, in a beaker or container, labelled P4, provided at room temperature (see Preparation of materials) pH5 buffer solution, in a beaker or container, labelled P5, provided at room temperature (see Preparation of materials) pH6 buffer solution, in a beaker or container, labelled P6, provided at room temperature (see Preparation of materials) pH6 buffer solution, in a beaker or container, labelled P6, provided at room temperature (see Preparation of materials) pH2 buffer solution, in a beaker or container, labelled PU, provided at room temperature (see Preparation of materials) Distilled water, in a beaker or container, labelled W, provided at room temperature temperature (see Preparation of materials) Distilled water, in a beaker or container, labelled W, provided at room temperature temperature (see Preparation of materials) Distilled water, in a beaker or container, labelled W, provided at room temperature temperature temperature (see Preparation of materials) Distilled water, in a beaker or container, labelled W, provided at room temperature temperature temperature temperature (see Preparation of materials) Distilled water, in a beaker or container, labelled W, provided at room temperature temperatu	pH2 buffer solution, in a beaker or container, labelled P2 , provided at room temperature (see Preparation of materials)		
temperature (see Preparation of materials) 25 cm³ pH5 buffer solution, in a beaker or container, labelled P5, provided at room temperature (see Preparation of materials) pH6 buffer solution, in a beaker or container, labelled P6, provided at room temperature (see Preparation of materials) pH2 buffer solution, in a beaker or container, labelled PU, provided at room temperature (see Preparation of materials) pH2 buffer solution, in a beaker or container, labelled PU, provided at room temperature (see Preparation of materials) Distilled water, in a beaker or container, labelled W, provided at room temperature at least 25 cm³ pH2 buffer solution, in a beaker or container, labelled PU, provided at room temperature at least 25 cm³ pH2 buffer solution, in a beaker or container, labelled PU, provided at room temperature at least 25 cm³ at least 25 cm³ pH2 buffer solution, in a beaker or container, labelled PU, provided at room temperature at least 25 cm³	pH3 buffer solution, in a beaker or container, labelled P3 , provided at room temperature (see Preparation of materials)		
temperature (see Preparation of materials) 25 cm³ pH6 buffer solution, in a beaker or container, labelled P6, provided at room at least temperature (see Preparation of materials) pH2 buffer solution, in a beaker or container, labelled PU, provided at room temperature (see Preparation of materials) Distilled water, in a beaker or container, labelled W, provided at room temperature at least 200 cm³ Distilled water, in a beaker or container, labelled W, provided at room temperature at least 200 cm³ 10 cm³ syringe, with the means to wash it out Test-tubes, small, capacity 20–30 cm³ Test-tubes provided to a candidate must all have the same dimensions Test-tube racks to hold 6 test-tubes 2 Bung or cork to fit test-tubes 1 White card, approximately 10 cm × 10 cm Forceps, blunt Ruler, mm 1 Scalpel or single-edged blade White tile or cutting surface Container, with approximately 200 cm³ of tap water, labelled For washing Container, capacity at least 250 cm³, labelled For waste Paper towels Glass marker pen, permanent Stop-clock or timer, showing seconds	pH4 buffer solution, in a beaker or container, labelled P4 , provided at room temperature (see Preparation of materials)		
temperature (see Preparation of materials) 25 cm³ pH2 buffer solution, in a beaker or container, labelled PU, provided at room at least temperature (see Preparation of materials) Distilled water, in a beaker or container, labelled W, provided at room temperature at least 200 cm³ 10 cm³ syringe, with the means to wash it out Test-tubes, small, capacity 20–30 cm³ Test-tubes provided to a candidate must all have the same dimensions Test-tube racks to hold 6 test-tubes 2 Bung or cork to fit test-tubes Glass rod White card, approximately 10 cm × 10 cm Forceps, blunt Ruler, mm 1 Scalpel or single-edged blade White tile or cutting surface Container, with approximately 200 cm³ of tap water, labelled For washing Container, capacity at least 250 cm³, labelled For waste Paper towels Glass marker pen, permanent Stop-clock or timer, showing seconds	pH5 buffer solution, in a beaker or container, labelled P5 , provided at room temperature (see Preparation of materials)		
temperature (see Preparation of materials) 25 cm³ Distilled water, in a beaker or container, labelled W, provided at room temperature at least 200 cm³ 10 cm³ syringe, with the means to wash it out 1 Test-tubes, small, capacity 20–30 cm³ Test-tubes provided to a candidate must all have the same dimensions Test-tube racks to hold 6 test-tubes 2 Bung or cork to fit test-tubes 1 Glass rod 1 White card, approximately 10 cm × 10 cm 1 Forceps, blunt 1 Ruler, mm 1 Scalpel or single-edged blade 1 White tile or cutting surface 1 Container, with approximately 200 cm³ of tap water, labelled For washing 1 Container, capacity at least 250 cm³, labelled For waste 1 Paper towels 1 Stop-clock or timer, showing seconds 1	pH6 buffer solution, in a beaker or container, labelled P6 , provided at room temperature (see Preparation of materials)		
200 cm³ 10 cm³ syringe, with the means to wash it out Test-tubes, small, capacity 20–30 cm³ Test-tubes provided to a candidate must all have the same dimensions Test-tube racks to hold 6 test-tubes 2 Bung or cork to fit test-tubes 1 Glass rod White card, approximately 10 cm × 10 cm 1 Forceps, blunt Ruler, mm 1 Scalpel or single-edged blade White tile or cutting surface Container, with approximately 200 cm³ of tap water, labelled For washing 1 Container, capacity at least 250 cm³, labelled For waste 1 Glass marker pen, permanent 1 Stop-clock or timer, showing seconds	pH2 buffer solution, in a beaker or container, labelled PU , provided at room temperature (see Preparation of materials)		
Test-tubes, small, capacity 20–30 cm³ Test-tubes provided to a candidate must all have the same dimensions Test-tube racks to hold 6 test-tubes Bung or cork to fit test-tubes Class rod White card, approximately 10 cm × 10 cm Forceps, blunt Ruler, mm 1 Scalpel or single-edged blade White tile or cutting surface Container, with approximately 200 cm³ of tap water, labelled For washing Container, capacity at least 250 cm³, labelled For waste 1 Paper towels Glass marker pen, permanent Stop-clock or timer, showing seconds	Distilled water, in a beaker or container, labelled W , provided at room temperature		
Test-tubes provided to a candidate must all have the same dimensions Test-tube racks to hold 6 test-tubes Bung or cork to fit test-tubes 1 Glass rod 1 White card, approximately 10 cm × 10 cm 1 Forceps, blunt Ruler, mm 1 Scalpel or single-edged blade White tile or cutting surface 1 Container, with approximately 200 cm³ of tap water, labelled For washing Container, capacity at least 250 cm³, labelled For waste 1 Paper towels Glass marker pen, permanent 1 Stop-clock or timer, showing seconds	10 cm ³ syringe, with the means to wash it out	1	
Bung or cork to fit test-tubes Glass rod 1 White card, approximately 10 cm × 10 cm Forceps, blunt Ruler, mm 1 Scalpel or single-edged blade White tile or cutting surface Container, with approximately 200 cm³ of tap water, labelled For washing Container, capacity at least 250 cm³, labelled For waste Paper towels Glass marker pen, permanent Stop-clock or timer, showing seconds	Test-tubes, small, capacity 20–30 cm ³ Test-tubes provided to a candidate must all have the same dimensions	12	
Glass rod White card, approximately 10 cm × 10 cm Forceps, blunt Ruler, mm Scalpel or single-edged blade White tile or cutting surface Container, with approximately 200 cm³ of tap water, labelled For washing Container, capacity at least 250 cm³, labelled For waste Paper towels Glass marker pen, permanent Stop-clock or timer, showing seconds	Test-tube racks to hold 6 test-tubes	2	
White card, approximately 10 cm × 10 cm Forceps, blunt Ruler, mm 1 Scalpel or single-edged blade White tile or cutting surface Container, with approximately 200 cm³ of tap water, labelled For washing Container, capacity at least 250 cm³, labelled For waste Paper towels Glass marker pen, permanent Stop-clock or timer, showing seconds	Bung or cork to fit test-tubes	1	
Forceps, blunt Ruler, mm 1 Scalpel or single-edged blade White tile or cutting surface Container, with approximately 200 cm³ of tap water, labelled For washing 1 Container, capacity at least 250 cm³, labelled For waste Paper towels Glass marker pen, permanent 1 Stop-clock or timer, showing seconds	Glass rod	1	
Ruler, mm Scalpel or single-edged blade White tile or cutting surface Container, with approximately 200 cm³ of tap water, labelled For washing Container, capacity at least 250 cm³, labelled For waste Paper towels Glass marker pen, permanent Stop-clock or timer, showing seconds	White card, approximately 10 cm × 10 cm	1	
Scalpel or single-edged blade White tile or cutting surface Container, with approximately 200 cm³ of tap water, labelled For washing Container, capacity at least 250 cm³, labelled For waste Paper towels Glass marker pen, permanent Stop-clock or timer, showing seconds 1	Forceps, blunt	1	
White tile or cutting surface Container, with approximately 200 cm³ of tap water, labelled For washing Container, capacity at least 250 cm³, labelled For waste Paper towels Glass marker pen, permanent Stop-clock or timer, showing seconds 1	Ruler, mm	1	
Container, with approximately 200 cm ³ of tap water, labelled For washing Container, capacity at least 250 cm ³ , labelled For waste 1 Paper towels Glass marker pen, permanent 1 Stop-clock or timer, showing seconds	Scalpel or single-edged blade	1	
Container, capacity at least 250 cm ³ , labelled For waste 1 Paper towels Glass marker pen, permanent 1 Stop-clock or timer, showing seconds 1	White tile or cutting surface	1	
Paper towels 10 Glass marker pen, permanent 1 Stop-clock or timer, showing seconds 1	Container, with approximately 200 cm ³ of tap water, labelled For washing	1	
Glass marker pen, permanent 1 Stop-clock or timer, showing seconds 1	Container, capacity at least 250 cm ³ , labelled For waste	1	
Stop-clock or timer, showing seconds 1	Paper towels	10	
<u> </u>	Glass marker pen, permanent	1	
Suitable eye protection 1	Stop-clock or timer, showing seconds	1	
${\color{red} \downarrow}$	Suitable eye protection	1	

Preparation of materials

The potato cylinders **must** be prepared the day before the exam and left to soak in 0.1% methylene blue solution overnight.

The buffer solutions, **P2**, **P3**, **P4**, **P5**, **P6**, **PU** can be prepared the day before the exam. They should be kept covered in a refrigerator overnight.

P2, P3, P4, P5, P6, PU and the **potato cylinders** should be at room temperature before the start of the exam.

• P2/PU, P3, P4, P5, P6 buffer solutions at approximately pH2, pH3, pH4, pH5 and pH6.

The buffers should be prepared using the following stock solutions:

1 dm³ of 0.1 mol dm⁻³ citric acid

This is prepared by putting 21.0 g of citric acid monohydrate ($C_6H_8O_7 \cdot H_2O$) **[MH]** in 500 cm³ of distilled water and making up to 1 dm³ with distilled water. Mix well.

1 dm³ of 0.1 mol dm⁻³ sodium citrate

This is prepared by putting 29.4g of sodium citrate dihydrate (C₆H₅O₇Na₃•2H₂O) in 500 cm³ of distilled water and making up to 1 dm³ with distilled water. Mix well.

Then 100 cm³ of each buffer can be prepared as in the table below:

рН	0.1 mol dm ⁻³ citric acid /cm ³	0.1 mol dm ⁻³ sodium citrate /cm ³	distilled water /cm ³
2.0	50.0	0.0	50
3.0	46.4	3.6	50
4.0	33.0	17.0	50
5.0	20.6	29.4	50
6.0	10.0	40.0	50

• 0.1% methylene blue solution

This is prepared by putting 0.1g of methylene blue into 80 cm³ of distilled water in a beaker and making up to 100 cm³ with distilled water.

If any methylene blue comes into contact with your skin, wash off immediately with water.

B, potato cylinders

You may use any variety of the white (or Irish) potato, *Solanum tuberosum*. The potato should be as fresh as possible to avoid the effects of storage.

3 potato cylinders are needed per candidate. However, a candidate can request more.

The potato cylinders are prepared the day before the exam and as described on page 6.

The day before the exam:

- Remove the outer skin from the potatoes.
- Use a cork borer to produce cylinders of potato that are approximately 8–10 mm in diameter.
- Cut the potato cylinders into lengths of 4–5 cm. Each candidate should be given 3 potato cylinders of **different** lengths.
- Put the potato cylinders into a container so that the pieces do not overlap and cover with freshly prepared 0.1% methylene blue solution.
- Leave to soak overnight.

On the day of the exam:

- Pour off the methylene blue solution.
- Add tap water to cover the potato cylinders.
- Pour off the water and then add fresh tap water.
- Repeat four times.
- For each candidate put 3 potato cylinders (of different length) into a beaker labelled **B**.
- Add enough fresh tap water to cover the 3 potato cylinders. The tap water in B may become blue.

Materials and apparatus for Question 2

Each candidate will need:

materials and apparatus for each candidate	quantity	1
Microscope with: an eyepiece lens, ×10 magnification a low-power objective lens, ×10 magnification a high-power objective lens, ×40 magnification an eyepiece graticule fitted into the eyepiece lens 	1 between 2	
Slide M1	1 between 2	

Preparation of materials

Microscope

Any lenses which are **not** ×10 or ×40 should be removed or replaced. The eyepiece graticule must be visible and in focus at the same time as the specimen.

For each candidate:

- the microscope must be set up on low power
- the slide must **not** be on the stage of the microscope.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

BLANK PAGE

BLANK PAGE

BLANK PAGE

Supervisor's report

Syllabus and component number	9	7	0	0	1	3	4
Centre number							

Time of the practical session	on	 	
Laboratory name/number		 	

Give details of any difficulties experienced by the centre or by candidates (include the relevant candidate names and candidate numbers).

You must include:

- any difficulties experienced by the centre in the preparation of materials
- any difficulties experienced by candidates, e.g. due to faulty materials or apparatus
- any specific assistance given to candidates.

Tem	perature of exam room°C
	ults for Question 1(a)(iv)
Res	ults for Question 1(a)(v)
Dec	laration
1	Each packet that I am returning to Cambridge International contains the following items:
	the scripts of the candidates specified on the barcode label provided
	the supervisor's results relevant to these candidates
	the supervisor's reports relevant to these candidates
	seating plans for each practical session, referring to each candidate by candidate number
	the attendance register
2	Where the practical exam has taken place in more than one practical session, I have clearly labelled the supervisor's results, supervisor's reports and seating plans with the time and laboratory name/number for each practical session.
3	I have included details of difficulties relating to each practical session experienced by the centre or by candidates.
4	I have reported any other adverse circumstances affecting candidates, e.g. illness, bereavement or temporary injury, directly to Cambridge International on a <i>special consideration form</i> .
Sigr	ned (supervisor)
Nan	ne (in block capitals)

© UCLES 2019 9700/34/CI/O/N/19