



Cambridge O Level

BIOLOGY

5090/42

Paper 4 Alternative to Practical 42

October/November 2023

MARK SCHEME

Maximum Mark: Please Specify

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2023 series for most Cambridge IGCSE, Cambridge International A and AS Level components, and some Cambridge O Level components.

This document consists of **8** printed pages.

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently, e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Science-Specific Marking Principles

1 Examiners should consider the context and scientific use of any keywords when awarding marks. Although keywords may be present, marks should not be awarded if the keywords are used incorrectly.

2 The examiner should not choose between contradictory statements given in the same question part, and credit should not be awarded for any correct statement that is contradicted within the same question part. Wrong science that is irrelevant to the question should be ignored.

3 Although spellings do not have to be correct, spellings of syllabus terms must allow for clear and unambiguous separation from other syllabus terms with which they may be confused (e.g. ethane / ethene, glucagon / glycogen, refraction / reflection).

4 The error carried forward (ecf) principle should be applied, where appropriate. If an incorrect answer is subsequently used in a scientifically correct way, the candidate should be awarded these subsequent marking points. Further guidance will be included in the mark scheme where necessary and any exceptions to this general principle will be noted.

5 'List rule' guidance

For questions that require *n* responses (e.g. State **two** reasons ...):

- The response should be read as continuous prose, even when numbered answer spaces are provided.
- Any response marked *ignore* in the mark scheme should not count towards *n*.
- Incorrect responses should not be awarded credit but will still count towards *n*.
- Read the entire response to check for any responses that contradict those that would otherwise be credited. Credit should **not** be awarded for any responses that are contradicted within the rest of the response. Where two responses contradict one another, this should be treated as a single incorrect response.
- Non-contradictory responses after the first *n* responses may be ignored even if they include incorrect science.

6 Calculation specific guidance

Correct answers to calculations should be given full credit even if there is no working or incorrect working, **unless** the question states 'show your working'.

For questions in which the number of significant figures required is not stated, credit should be awarded for correct answers when rounded by the examiner to the number of significant figures given in the mark scheme. This may not apply to measured values.

For answers given in standard form (e.g. $a \times 10^n$) in which the convention of restricting the value of the coefficient (a) to a value between 1 and 10 is not followed, credit may still be awarded if the answer can be converted to the answer given in the mark scheme.

Unless a separate mark is given for a unit, a missing or incorrect unit will normally mean that the final calculation mark is not awarded. Exceptions to this general principle will be noted in the mark scheme.

7 Guidance for chemical equations

Multiples / fractions of coefficients used in chemical equations are acceptable unless stated otherwise in the mark scheme.

State symbols given in an equation should be ignored unless asked for in the question or stated otherwise in the mark scheme.

Mark schemes will use these abbreviations:

; separates marking points

/ alternatives

() contents of brackets are not required but should be implied

R reject

A accept (for answers correctly cued by the question, or guidance for examiners)

lg ignore (for incorrect but irrelevant responses)

AW alternative wording (where responses vary more than usual)

AVP alternative valid point (where a greater than usual variety of responses is expected)

ORA or reverse argument

underline actual word underlined must be used by candidate

+ statements on both sides of the + are needed for that mark

PUBLISHED**PLEASE REMEMBER TO PUT SEEN OR BP ON ALL BLANK PAGES**

Question	Answer	Marks	Guidance																										
1(a)	ensure same volume of water added to each test-tube ; to prevent water overflowing when thermometer added / when temperature measured ;	1																											
1(b)(i)	<table border="1" data-bbox="338 453 949 1077"> <thead> <tr> <th data-bbox="338 453 542 518" rowspan="2">time / mins</th> <th colspan="2" data-bbox="542 453 949 518">water temp / °C</th> </tr> <tr> <th data-bbox="542 518 748 619">with insulation</th> <th data-bbox="748 518 949 619">without insulation</th> </tr> </thead> <tbody> <tr> <td data-bbox="338 619 542 684">0</td> <td data-bbox="542 619 748 684">76.5</td> <td data-bbox="748 619 949 684">75.0</td> </tr> <tr> <td data-bbox="338 684 542 750">2</td> <td data-bbox="542 684 748 750">73.0</td> <td data-bbox="748 684 949 750">66.5</td> </tr> <tr> <td data-bbox="338 750 542 815">4</td> <td data-bbox="542 750 748 815">69.5</td> <td data-bbox="748 750 949 815">60.5</td> </tr> <tr> <td data-bbox="338 815 542 880">6</td> <td data-bbox="542 815 748 880">66.0</td> <td data-bbox="748 815 949 880">55.5</td> </tr> <tr> <td data-bbox="338 880 542 946">8</td> <td data-bbox="542 880 748 946">63.0</td> <td data-bbox="748 880 949 946">52.0</td> </tr> <tr> <td data-bbox="338 946 542 1011">10</td> <td data-bbox="542 946 748 1011">61.5</td> <td data-bbox="748 946 949 1011">49.0</td> </tr> <tr> <td data-bbox="338 1011 542 1077">12</td> <td data-bbox="542 1011 748 1077">59.0</td> <td data-bbox="748 1011 949 1077">46.5</td> </tr> </tbody> </table> <p data-bbox="338 1114 922 1246">all notebook temperatures entered correctly ; 12 minute temperatures correct ; all temperatures in correct columns ; each temperature recorded as xx.0 or xx.5 ;</p>	time / mins	water temp / °C		with insulation	without insulation	0	76.5	75.0	2	73.0	66.5	4	69.5	60.5	6	66.0	55.5	8	63.0	52.0	10	61.5	49.0	12	59.0	46.5	4	R units in cells
time / mins	water temp / °C																												
	with insulation	without insulation																											
0	76.5	75.0																											
2	73.0	66.5																											
4	69.5	60.5																											
6	66.0	55.5																											
8	63.0	52.0																											
10	61.5	49.0																											
12	59.0	46.5																											
1(b)(ii)	<p data-bbox="338 1281 1189 1315">1 heat loss increases / temperature decreases + with time AW ;</p> <p data-bbox="338 1315 1093 1348">2 heat loss / temperature fall is less with insulation AW ;</p> <p data-bbox="338 1382 797 1415">3 heat loss is faster at start AW ;</p>	3																											

PUBLISHED

Question	Answer	Marks	Guidance
1(c)	1 same start temp + volume of water in test-tube for each test ; 2 start temperature of test-tube water 38 °C ; 3 test-tube placed in water-bath / beaker or suitable container filled with water ; 4 method to control external temperature e.g. thermostatically controlled water-bath / temp controlled by added hot or cold water ; 5 range of at least three stated external temperatures ; 6 minimum three temperatures at 38 °C or below ; 7 record temperature in test-tubes at specified time intervals / for same time + minimum time 5 minutes ; 8 compare temperature change / heat loss for each external temperature ;	6	

Question	Answer	Marks	Guidance
2(a)(i)	64 + 98 in correct columns ;	1	
2(a)(ii)	time on x-axis + both axes fully labelled ; linear scales with values at origin of both + good use of grid ; seven points correctly plotted ; all points joined correctly with ruled lines ;	4	
2(a)(iii)	1 line drawn from point (2,66) to time axis + line drawn from point (7,110) to time axis ; 2 lines correctly labelled S and E ;	2	
2(a)(iv)	not measured/no data + between 2 and 7 minutes / during exercise ; straight line doesn't show changes during exercise / increase not likely to be linear ;	2	
2(b)(i)	<i>heart rate:</i> 1 doesn't change much before exercise AW / from 0-2 minutes ; 2 increases during exercise / from 2-7 minutes ; 3 returns to normal/resting rate + after exercise/at 10 minutes/3 minutes after stopping exercise ; <i>percentage oxygen:</i> 4 doesn't change much AW / only changes by 1% ; 5 between 98 and 99(%) ;	3	
2(b)(ii)	breathing rate ; breathing depth ;	2	

PUBLISHED

Question	Answer	Marks	Guidance
3(a)(i)	radicle longer ; growth or increase uneven / only between stated lines or near tip ;	2	
3(a)(ii)	to make sure the radicle grows straight / so radicle doesn't bend ;	1	Ig references to geotropism/gravitropism
3(a)(iii)	temperature ; <u>water/moisture</u> ;	2	
3(b)(i)	1 cell A only drawn with sharp pencil + continuous outline + no shading + correct orientation ; 2 cell approx. rectangular + ≥ 70 mm in length at all points + double wall ; 3 four separate groups of chromosomes drawn ; 4 <i>detail:</i> <i>bottom left side:</i> three chromosome arms pointing upwards + <i>bottom right side:</i> 'V' shaped chromosome ;	4	
3(b)(ii)	straight line drawn B-C + 24 – 26 + mm ; candidate answer $\div 600$; 0.04 (mm) ;	3	A 2.4 – 2.6 cm