




Cambridge O Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



CHEMISTRY 5070/22

Paper 2 Theory

1 hour 45 minutes

October/November 2024

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has 20 pages. Any blank pages are indicated.


BLANK PAGE

2





(a) Fig. 1.1 shows the electronic configurations of five atoms, A, B, C, D and E.



3

Fig. 1.1

Answer the questions about these electronic configurations.

Each electronic configuration may be used once, more than once or not at all.

State which electronic configuration, A, B, C, D or E, represents:

(i)	an atom of a noble gas	
(ii)	an atom of an element that is used in food containers because of its resistance corrosion	
(iii)	an atom of an element in Group V of the Periodic Table	
(iv)	an atom of an element in Period 3 of the Periodic Table	
(v)	an atom that forms a stable ion with a charge of 2–.	۲۰1

(b) Deduce the number of protons and neutrons in the vanadium atom shown.

......[1]

[Total: 7]

[2]

2 Iron is extracted in the blast furnace by the reduction of iron(III) oxide, Fe₂O₃.

This process	is	made	uр	of	three	ster	os.

(a)	(i)	In step 1, carbon burns in air to produce carbon dioxide.	
		Give one other reason why carbon is burned in air in the blast furnace.	[1]
	(ii)	In step 2, carbon monoxide is produced by the reaction of carbon dioxide with carbon	
		State one adverse effect of carbon monoxide on health.	F41
	(iii)	In step 3, iron(III) oxide is reduced by carbon monoxide.	[1]
		Write the symbol equation for this reaction.	
			[1]
(b)	Exp	lain why calcium carbonate is added to the blast furnace.	
	Incl	ude any relevant reactions or equations in your answer.	
(c)	Iron	is a transition element.	
	Trar	nsition elements have high melting and boiling points.	
	Stat	te two other properties that are typical of transition elements but not of Group I metals	
	1		
	2		
<i>,</i>			[2]
(d)		is prevented from rusting by galvanising with zinc.	
	Ехр	lain two different ways in which zinc prevents rusting.	
			[3]



(e) The equation shows the reaction of iron with steam in a closed container.

$$3\mathsf{Fe}(\mathsf{s}) + 4\mathsf{H}_2\mathsf{O}(\mathsf{g}) \mathop{\Longrightarrow}\limits \mathsf{Fe}_3\mathsf{O}_4(\mathsf{s}) + 4\mathsf{H}_2(\mathsf{g})$$

5

Predict and explain what happens to the position of equilibrium when the pressure is increased. The temperature remains the same.

prediction	
explanation	

(f) $\operatorname{Fe_3O_4}$ reacts with concentrated hydrochloric acid.

The products are iron(II) chloride, iron(III) chloride and a liquid that turns blue cobalt(II) chloride paper pink.

Construct the symbol equation for this reaction.

[2]

[Total: 14]

Fig. 3.1 shows the apparatus used for the electrolysis of dilute sulfuric acid using graphite electrodes.

6




Fig. 3.1

(a)	Defi	ine the term electrolysis.	
			[2]
(b)	Lab	el the anode on Fig. 3.1.	[1]
(c)	(i)	Name the product at the cathode.	
			[1]
	(ii)	Oxygen is formed at the anode.	
		Construct the ionic half-equation for the reaction at the anode.	
			[1]
(d)	Nan	ne a suitable element other than graphite that is used for the electrodes in this electrolys	is.
			[1]
		[Total:	6]



This question is about alkanes and alkenes.

(a) Butane belongs to the alkane homologous series.

Members of the same homologous series have the same functional group and the same general formula.

7

State two **other** characteristics of a homologous series.

1	
2	
	[2]

(b) Fig. 4.1 shows the displayed formula of butane.

Fig. 4.1

(i)	Explain how Fig. 4.1 shows that butane is a saturated compound.	
		[1]
(ii)	Give the structural formula of butane.	
		[1]
Non	nane, C_9H_{20} , is present in the naphtha fraction from the distillation of petroleum.	
(i)	State one use of the naphtha fraction.	
		[1]

When nonane is cracked, shorter hydrocarbon molecules are formed.

Construct the symbol equation for a reaction in which nonane is cracked and the only products are propane and ethene.

(c)

(ii)

(d) Propane reacts with chlorine in the presence of ultraviolet light.

Fig. 4.2 shows the displayed formulae of the reactants and products.

Fig. 4.2

					4.1		
í۱	Name	the t	vne of	chemical	reaction	that takes	nlace
	1 101110		, p = 0	onionnioai	10000001	tilat tartoo	piaco.

.....[1]

(ii) State the purpose of the ultraviolet light in this reaction.

.....[1]

(iii) Calculate the enthalpy change of this reaction in kJ/mol.

Use the bond energies in Table 4.1.

Table 4.1

type of bond	C–C	C–H	Cl-Cl	C-C1	H–C1
bond energy in kJ/mol	347	413	243	346	432

[3]



(e) The equation shows the reaction of ethene with chlorine.

$$\mathrm{C_2H_4} + \mathrm{C}\mathit{l}_2 \! \to \! \mathrm{C_2H_4C}\mathit{l}_2$$

9

Explain how this equation shows that this reaction is an addition reaction.

.....

[Total: 13]

- 5 A student adds large pieces of zinc to dilute hydrochloric acid. The zinc is in excess.
 - (a) Complete the equation by adding state symbols for the products.

$$Zn(s) + 2HCl(aq) \rightarrow ZnCl_2(...) + H_2(...)$$
 [1]

(b) Fig. 5.1 shows how the volume of hydrogen changes with time as the reaction proceeds.




Fig. 5.1

	scribe how the shape of the curve in Fig. 5.1 shows that the rate of reaction decreases h time.
••••	

	[1]
(ii) Exp	plain in terms of collision theory why the rate of reaction decreases with time.
••••	
	[2]



(iii)	The student repeats the experiment using the same mass of powdered zinc instead o
	large pieces of zinc. All other conditions stay the same.

11

Describe and explain the difference in rate of reaction when powdered zinc is used.
[2

(c) Excess zinc is added to $16.0\,\mathrm{cm^3}$ of $0.400\,\mathrm{mol/dm^3}$ hydrochloric acid.

Calculate the volume of hydrogen gas released measured at room temperature and pressure.

Give your answer to **two** significant figures.

volume of hydrogen gas = dm³ [3]

[3]



(d) The reaction of zinc with hydrochloric acid is exothermic.

Complete the reaction pathway diagram in Fig. 5.2 to show:

- the reactants and products
- a labelled arrow for the activation energy, E_a
- a labelled arrow for the enthalpy change, ΔH .




Fig. 5.2

(e) Describe the observations made when:

•	a few drops of aqueous ammonia are added to an aqueous solution containing zinc ions
•	excess aqueous ammonia is added to an aqueous solution containing zinc ions.
	[2]
dilu	scribe how to prepare pure, dry crystals of zinc chloride after reacting excess zinc with te hydrochloric acid.

[Total: 17]



(f)




Question 6 starts on page 14.

13



Fig. 6.1 shows the structures of boron nitride and hydrazine.

Boron nitride has a structure similar to diamond.



14

Key : • boron atoms ○ nitrogen atoms

Fig. 6.1

(a)	Explain why boron nitride has a high melting point.	
	Use the information in Fig. 6.1.	
		[2]
(b)	Explain why hydrazine is a poor electrical conductor.	
	Use the information in Fig. 6.1.	
		[1]

(c) Complete Fig. 6.2 to show the dot-and-cross diagram for the electronic configuration of hydrazine.

Show only the outer shell electrons.




Fig. 6.2

[1]

* 0000800000015 *

(d) The ionic equation for the reaction of nitride ions with water is shown.

$$N^{3-} + 3H_2O \rightarrow NH_3 + 3OH^-$$

15

(i) The oxidation number of hydrogen in NH_3 is +1.

Deduce the oxidation number of nitrogen in NH_3 .

[4]
 [ا] .

(ii) Explain why this is **not** a redox reaction by referring to the oxidation number of nitrogen.

	[1]

(e) Boron oxide reacts with magnesium as shown.

$$B_2O_3 + 3Mg \rightarrow 2B + 3MgO$$

8.0 g of boron oxide is reacted with 7.2 g of magnesium.

Show by calculation that boron oxide is in excess.

[3]

[Total: 9]



- 7 Esters are represented by the formula $C_nH_{2n}O_2$.
 - (a) (i) State the name given to a formula such as $C_nH_{2n}O_2$.

______[1]

(ii) Deduce the value of n in the ester propyl ethanoate.

......[1]

(b) The ester ethyl butanoate is produced by reacting ethanol with butanoic acid.

Draw the displayed formula of ethyl butanoate.

[1]

(c) Fig. 7.1 shows the simplified structures of two molecules that combine to form a polyester.

$$H - O - U - O - F$$

Fig. 7.1

(i) Complete the diagram in Fig. 7.2 to show the structure of two repeat units of this polyester.

Show all of the atoms and all of the bonds in the linkages.



Fig. 7.2

[3]



	17
--	----

	(ii)	Name the type of polymerisation in this reaction.	[1]
(d)	PE	Γ is a plastic.	ניז
	Des	scribe the chemical processes involved in converting used PET into a new plastic.	
(0)		anoic acid reacts with sodium carbonate.	[2]
(e)			
	(i)	Name the three products of this reaction.	
		1	
		2	
		3	 [3]
	(ii)	Ethanoic acid is a liquid at room temperature.	[-]
		Describe the arrangement and motion of the particles in a liquid.	
		arrangement	
		motion	
			 [2]

[Total: 14]

18

BLANK PAGE



* 0000800000019 *

19

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.





The Periodic Table of Elements

											•!										
		2 He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	86	R	radon	118	Og	oganesson
	=>			6	Щ	fluorine 19	17	Cl	chlorine 35.5	35	Ŗ	bromine 80	53	Ι	iodine 127	85	¥	astatine _	117	<u>S</u>	tennessine -
	5			80	0	oxygen 16	16	S	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ро	polonium –	116		livermorium -
	>			7	z	nitrogen 14	15	ட	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	ï	bismuth 209	115	Mc	moscovium
	≥			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Pb	lead 207	114	F1	flerovium
	≡			5	Ω	boron 11	13	Al	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204	113	R	mihonium
							•			30	Zn	zinc 65	48	В	cadmium 112	80	Нg	mercury 201	112	ű	copernicium
										29	Cn	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
Group										28	z	nickel 59	46	Pd	palladium 106	78	풉	platinum 195	110	Ds	darmstadtium -
Gre										27	රි	cobalt 59	45	몬	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -
		- エ	hydrogen 1							26	Ьe	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	Hs	hassium
										25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium
					pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
			Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	op O	dubnium –
					atc	rei				22	F	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿉	rutherfordium -
										21	လွ	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	S	strontium 88	56	Ba	barium 137	88	Ra	radium
	_			8	:=	lithium 7	=	Na	sodium 23	19	メ	potassium 39	37	&	rubidium 85	55	S	caesium 133	87	ᇁ	francium

20

Lu Lu	lutetium 175	103	۲	lawrencium	I
V ₀	ytterbium 173	102	9	nobelium	ı
e9 Tm	thulium 169	101	Md	mendelevium	ı
88 "	erbium 167	100	Fm	ferminm	I
67 HO	holmium 165	66	Es	einsteinium	ı
% Dy	dysprosium 163	86	ర్	californium	ı
65 Tb	terbium 159	26	Ř	berkelium	ı
²⁰ Od	gadolinium 157	96	Cm	curium	I
63 Eu	europium 152	92	Am	americium	ı
62 Sm	samarium 150	94	Pu	plutonium	I
61 Pm	promethium —	93	dN	neptunium	ı
9 P X	neodymium 144	92	\supset	uranium	238
59 Pr	praseodymium 141	91	Ра	protactinium	231
S8 Ce	cerium 140	06	T	thorium	232
57 La	lanthanum 139	68	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).